WATER WELL RECORD (WWC-5)

From _____ ft. to _____ ft.

WATER WELL RI	ECORD (W	NC-5)					OC ID	WELL ID_		
OCATION OF WATER W	/ELL				Ori	ginal Recor	d Correction	Chang	e in Wel	ll Use
Latitude	Longitude		Sec	ction	Township	Range	E W Fraction	1/4	1/4	1/4
Datum	Elevation		Со	unty			,,,			
ATER WELL OWNER			WELL WA	TER USE			NEAREST SOURCE OF F	OTENTIAL C	ONTAMIN	NATIO
ame							Source:			
usiness			COMPLET	TION			Distance	Direction	 n	
dollicoo							from well:	_ from we	d:	
ddress					ed well: vater encountered:	ft.	Source description:			
			(1)	ft.; (2	2) ft.;		Source:			
Vell location			(3)	ft.; (4	4) dry well		Distance from well:		n II·	
at owner's			Static wa	ter level i	n well: ft.		Source	_ 110111 110		
address			I	ured belo nm/dd/yy	w land surface):		description:			
orehole interval:	Borehole dia	natari		ured abov nm/dd/yy	ve land surface		No potential source within 100 feet.	e of contami	nation	
omto ft.							PERMIT & ID NUMBER	S (AS REQU	RED)	
		in.	I		gpm	,	DWR Application No.:			
omto ft.			water lev		ft. after		KDHE / EPA Project C			
asing height above land		in.	Darman in		pumping	_ gpm	Site Name:			
If casing height is less has a variance been a		No	rump m	staneu:	Yes No		KDHE UIC Class V Fo			N
*variance not require		NO	Water we	ell disinfe	cted? Yes No		County Permit: Yes	-		
or environmental rea			Date disi	nfected (1	mm/dd/yy):		Lease Name & Well #:			
asing type:							# of boreholes:			
lank casing interval:		ft.	Aquifer,	if known:			" of boreliotes.	# Of dewater	ing wens.	
lank casing diameter:	in.		LITHOLO	GIC LOG						
Casing joints:			FROM	то	LITHOLOGY INTE	RVALS				
Weight:	_lbs/ft.									
Wall thickness or gau										
ank casing interval:		ft.								
ank casing diameter:	in.									
Casing joints:										
Weight:	_lbs/ft.									
Wall thickness or gau	ige no.:	_								
rout interval:f	t. to ft.									
Grout material:										
rout interval:										
Grout material:			COMMEN	ITS						
creen / perforation mate	rial:									
creen / perforation oper			CONTRAC	CTOR'S O	R LANDOWNERS CE	RTIFICATION				
reen / perforation inter			This wa	ter well v	was constructed	reconstru	cted pursuant to	the stated w	ater well	
Fromft. to							•			
Slot size ur					_		I certify the			
From ft. to				-	_		vell record was comple			
Slot size ur										
	m		Kansas	Water W	ell Contractor's Lice	ense No	under the aut	hority of th	e designa	ated
-	C 1 :		person a	as define	d in K.A.R. 28-30-2	(j) and signed	d and certified by the e	lectronic sig	gnature o	f the
		in	-				•	`		
						and ratain are	for your magains Eas -f &	E 00 for as al-	construct	.d
Gravel pack intervals: Gravel pack not used: Fromft. to Gravel pack not used:	ft.	in	person a	as define ted perso	d in K.A.R. 28-30-2 on at its submittal:	(j) and signed		lectronic sig	gnature	c

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT
Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367
(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record
Doc ID	1792828
Well Owner	LOUIS T HINES TRUST #1
Contractor	Downey Drilling, Inc. #748

Lithology

From	То	Lithology Intervals
0	4	topsoil,brown,soft
4	13	sand,fine,soft
13	23	clay,sandy,white,soft
23	35	clay,sandy,tan,soft
35	43	sand,fine,soft
43	57	clay,sandy,brown,soft
57	67	sand,fine,soft
67	80	clay,tan,soft
80	86	sand,fine,soft
86	94	clay,sandy,white,soft
94	108	sand,fine to coarse,firm
108	112	clay,brown,soft
112	132	sand & gravel,fine to coarse,stiff
132	147	clay,sandy,white,soft
147	165	sand,fine,clayey,tan,soft
165	175	sand,fine,clayey,tan,soft
175	195	clay,fine,sandy,soft
195	209	clay,brown
209	214	sand,fine,soft
214	220	clay,sandy,brown,soft
220	247	sand,fine to medium,soft
247	261	clay,brown
261	280	clay,fine,sandy,tan,soft

Form	WWC5.2 - Water Well Record
Doc ID	1792828
Well Owner	LOUIS T HINES TRUST #1
Contractor	Downey Drilling, Inc. #748

Lithology

From	То	Lithology Intervals
280	290	sand,fine to coarse,firm
290	298	sand,fine to coarse,white,hard
298	315	sand,fine to coarse,firm
315	319	clay,red,soft
319	326	sand,fine to coarse,firm
326	333	clay,sandy,tan,soft
333	343	sand,fine to coarse,firm
343	370	sand,fine,clayey,red,soft
370	385	sand,fine to coarse,firm
385	390	clay,red,soft
390	435	sand,fine to medium,soft
435	450	sand,fine,red,soft
450	500	sand,fine to coarse,brown,firm
500	505	clay,red,soft
505	552	sand & gravel,fine to medium,stiff
552	575	sand,fine,clayey,red,soft
575	583	other,unknown,red,hard,RED BED

Form	WWC5.2 - Water Well Record
Doc ID	1792828
Well Owner	LOUIS T HINES TRUST #1
Contractor	Downey Drilling, Inc. #748

Screen and Gravel

From	То	Slot Size		Gravel Pack Used			Gravel Size
303	383	.08	inches	Yes	20	583	#1
383	423	.1	inches	No			
423	553	.08	inches	No			
553	573	.05	inches	No			