# KOLAR Document ID: 1796205

For KCC Use:

Effective	Date

District	#	

SGA? Yes No

Form

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

# NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

KSONA-1, Certification of Com	pliance with	the Kansas	Surface O	wner Notification Act,	MUST be submitted with this form.

Expected Spud Date:	Spot Description:
month day year	· · · · · · · · · · · · · · · · · · ·
OPERATOR: License#	feet from N / S Line of Section
Name:	feet from L E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: State: Zip: +	County:
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Name:	Target Formation(s):
Well Drilled For:   Well Class:   Type Equipment:     Oil   Enh Rec   Infield   Mud Rotary     Gas   Storage   Pool Ext.   Air Rotary     Disposal   Wildcat   Cable     Other:	Nearest Lease or unit boundary line (in footage):
Original Completion Date: Original Total Depth:	Formation at Total Depth:
Directional, Deviated or Horizontal wellbore? Yes No If Yes, true vertical depth: Bottom Hole Location:	Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: (Note: Apply for Permit with DWR )
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:

#### AFFIDAVIT

The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.

It is agreed that the following minimum requirements will be met:

- 1. Notify the appropriate district office *prior* to spudding of well;
- 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;
- 3. The minimum amount of surface pipe as specified below **shall be set** by circulating cement to the top; in all cases surface pipe **shall be set** through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.
- 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;
- 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;
- 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.

Submitted E	Electronically
-------------	----------------

For KCC Use ONLY	
API # 15	
Conductor pipe required	feet
Minimum surface pipe required	feet per ALT.
Approved by:	
This authorization expires: (This authorization void if drilling not started within 12	
Spud date: Agent:	

#### Remember to:

- File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
- File Drill Pit Application (form CDP-1) with Intent to Drill;
- File Completion Form ACO-1 within 120 days of spud date;
- File acreage attribution plat according to field proration orders;
- Notify appropriate district office 48 hours prior to workover or re-entry;
- Submit plugging report (CP-4) after plugging is completed (within 60 days);
- Obtain written approval before disposing or injecting salt water.
- If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.

ш

Well will not be drilled or Permit Expired Date: \_ Signature of Operator or Agent: For KCC Use ONLY

API # 15 - \_\_\_\_


# IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R E 🗌 W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



160 ft.

## In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

# KOLAR Document ID: 1796205

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate				
Operator Name:	Operator Name:		License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:	Pit is:		·	
Emergency Pit Burn Pit	Proposed	Existing	SecTwpR East West	
Settling Pit Drilling Pit	If Existing, date co	nstructed:	Feet from North / South Line of Section	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section	
		(bbls)	County	
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?	10	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	m ground level to dee	,	Width (feet)N/A: Steel Pits	
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.				
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet.	
		measured	ured well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY: Drilling, Worko		over and Haul-Off Pits ONLY:		
Producing Formation: Type of materia		Type of materia	ial utilized in drilling/workover:	
Number of producing wells on lease: Number of work		working pits to be utilized:		
Barrels of fluid produced daily: Abandonment		nt procedure:		
Does the slope from the tank battery allow all spilled fluids to     flow into the pit?   Yes     No   Drill pits must be		ust be closed within 365 days of spud date.		
Submitted Electronically				
KCC OFFICE USE ONLY				
Date Received: Permit Numl	oer:	Permi		

# KOLAR Document ID: 1796205

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

Form KSONA-
July 202
Form Must Be Typed
Form must be Signed
All blanks must be Filled

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #	Well Location:
Name:	
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: ( ) Fax: ( )	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	

If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic Protection Borehole Intent), you must supply the surface owners and the KCC with a plat showing the predicted locations of lease roads, tank batteries, pipelines, and electrical lines. The locations shown on the plat are preliminary non-binding estimates. The locations may be entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.

#### Select one of the following:

□ I certify that, pursuant to the Kansas Surface Owner Notice Act (see Chapter 55 of the Kansas Statutes Annotated), I have provided the following to the surface owner(s) of the land upon which the subject well is or will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing in connection with this form; 2) if the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this form; and 3) my operator name, address, phone number, fax, and email address.

□ I have not provided this information to the surface owner(s). I acknowledge that, because I have not provided this information, the KCC will be required to send this information to the surface owner(s). To mitigate the additional cost of the KCC performing this task, I acknowledge that I must provide the name and address of the surface owner by filling out the top section of this form and that I am being charged a \$30.00 handling fee, payable to the KCC, which is enclosed with this form.

If choosing the second option, submit payment of the \$30.00 handling fee with this form. If the fee is not received with this form, the KSONA-1 form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 will be returned.

#### Submitted Electronically

Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

# **KANSAS CORPORATION COMMISSION**

**OIL & GAS CONSERVATION DIVISION** 

1093301

March 2009 Type or Print on this Form Form must be Signed All blanks must be Filled

Form CP-4

#### WELL PLUGGING RECORD K.A.R. 82-3-117

OPERATOR: License #:	API No. 15
Name:	Spot Description:
Address 1:	Sec Twp S. R East West
Address 2:	Feet from North / South Line of Section
City: State: Zip: +	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ( )	NE NW SE SW
Type of Well: (Check one)   Oil Well   Gas Well   OG   D&A   Cathodic     Water Supply Well   Other:   SWD Permit #:   SWD Permit #:   SWD Permit #:     ENHR Permit #:   Gas Storage Permit #:   Is ACO-1 filed?   Yes   No     Is ACO-1 filed?   Yes   No   If not, is well log attached?   Yes   No     Producing Formation(s): List All (If needed attach another sheet)	County: Well #: Lease Name: Well #: Date Well Completed: The plugging proposal was approved on: (Date) by: (KCC District Agent's Name) Plugging Commenced: Plugging Completed:

Show depth and thickness of all water, oil and gas formations.

Oil, Gas or Water Records		Casing Record (Surface, Conductor & Production)			
Formation	Content	Casing Size Setting Depth Pulled Out			

Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set.

Plugging Contractor License #:		Name:			
Address 1:		Address 2:			
City:		State:	Zip:	+	
Phone: ( )					
Name of Party Responsible for Plugging	J Fees:				
State of	County,	, SS.			
	(Print Name)		f Operator or Operator on a		
haing first duly sugar an asthe says. The	at I have knowledge of the feate	statements and matters harain contained	and the lag of the chave describe	d wall is as filed and	

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.

#### Submitted Electronically

DATE CUSTOMER # WELL NAME & NUMBER SE D 15 22   B-2B-12 W443 Kagbe A #11 SE D 15 22   CUSTOMER ED SE D 15 22 U   CUSTOMER Kagbe A #11 SE D 15 22 U   CUSTOMER Babas Rege A #11 SE D 15 22 U   CUSTOMER Babas Rege A #11 SE D 15 22 U   CUSTOMER Babas Rege A #11 SE D 15 22 U   CUSTOMER Babas Babas Babas Mailing Allow Babas	97
FOREMAN $\underline{Alan}$ $\underline{Alan}$ $\underline{Alan}$ FOREMAN $\underline{Alan}$ $\underline{Alan}$ $\underline{Alan}$ PO BOX 884, Chanute, KS 66720     FIELD TICKET & TREATMENT REPORT     DATE   CUSTOMER #   WELL NAME & TREATMENT REPORT     CUSTOMER #   WELL NAME & NUMBER   SECTION   TOWNSHIP   RANGE   CUSTOMER #     MOLE SUSTOMER #   WELL NAME & NUMBER   SECTION   TOWNSHIP   RANGE   CUSTOMER #     MALL NAME & NUMBER   SECTION   TOWNSHIP   RANGE   CUSTOMER #     MALL NAME & NUMBER   TRUCK #   TRUCK #   TRUCK #   OTHER     ADVINCK #   TRUCK #	
PO BOX 888, Channeller, NS 08720   CEMENT     DATE   CUSTOMER#   WELL NAME & NUMBER   SECTION   TOWNSHIP   RANGE   C     DATE   CUSTOMER#   WELL NAME & NUMBER   SECTION   TOWNSHIP   RANGE   C     Social sets   Social sets   A   #11   SECTION   TOWNSHIP   RANGE   C     CUSTOMER   WELL NAME & NUMBER   SECTION   TOWNSHIP   RANGE   C     CUSTOMER   WELL NAME & NUMBER   SECTION   TOWNSHIP   RANGE   C     CUSTOMER   MALMAR ADDE SECTION   SECTION   TOWNSHIP   RANGE   C     CUSTOMER   SECTION   NUMERAL SECTION   TRUCK #   III   SECTION	-
PO BOX 884, Chanuer, NS 0007-8676   CEMENT     DATE   CUSTOMER#   WELL NAME & NUMBER   SECTION   TOWNSHIP   RANGE   C     DATE   CUSTOMER#   WELL NAME & NUMBER   SECTION   TOWNSHIP   RANGE   C     Social science   A   #11   SECTION   TOWNSHIP   RANGE   C     CUSTOMER   WELL NAME & NUMBER   SECTION   TOWNSHIP   RANGE   C     CUSTOMER   Kanscas   Resources   EAD   MILLING ADDRESS   D   J   J   J   J     G3 G3   W 110 TI   STATE   ZIP CODE   J	
DATE CUSTOMER# WELL NAME & NUMBER SECTION IUWNOHIP NAME   B-2B-12 W4443 Knabe A #11 SE 22 L   GUSTOMER Bespures FAD #11 SE 22 L   MALING ADDRESS Bespures FAD #11 SE 22 L   MALING ADDRESS Bespures FAD #11 SE 22 L   MALING ADDRESS Bespures FAD MILENGADRESS TRUCK# TRUCK# TRUCK#   G3 G3 W 110 TATE ZIP CODE SG67 DE/M28 DM   DUEAlgad Park KS BBUD SS3 Bre Man BM   DISPLACEMENT DISPLACEMENT PSI MILER gal/sk CEMENT LEFT In CASING 1/25   SLURRY WEIGHT SLURRY VOL WATER gal/sk CEMENT LEFT In CASING 1/25   SLURRY WEIGHT SLURRY VOL WATER gal/sk CEMENT LEFT In CASING 1/25   SLURRY WEIGHT SLURRY VOL WATER gal/sk CEMENT LEFT In CASING 1/25   DISPLACEMENT DISPLACEMENT PSI MIX PSI RATE 1/2 pm   VDSK SD /5D Come ut FST 20' MILENGE MILENGE   VDSK SD /5D Come ut	
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	COUNTY
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	10
Kausas   Kspurces   L+D     MAILING ADDRESS   W HD #     G3 G3   W HD #     G1Y   STATE     DULAlgad Park   KS     JOB TYPE Plus   HOLE SIZE     CASING DEPTH   DSPLACEMENT     JOB TYPE Plus   HOLE SIZE     CASING DEPTH   DSPLACEMENT PSI     MIX PSI   RATE     JOS LOEMENT   DISPLACEMENT PSI     MIX PSI   RATE     INA SO / PUMPE Plus   270 gel. dDwn 1" @ 350"     JOS / SD / Pumped   D Surface     JOS / SD / Pumped   D Surface     JOS / SD / Pumped   D Surface     JOS / SD / SD / Pumped   Well to Surface     MUEAD   MUEAD     MUS PSI   Attract     JOS / SD / SK   SURVER	DRIVER
$\begin{array}{c cccc} \hline MallerBass & $	Mee
CTY STATE 21PCODE STATE 21PCODE STATE 21PCODE STATE 21PCODE STATE 21PCODE STATE 21PCODE STATE 21PC 200 STATE 200 STA	111-0
CITY DURNIAN PARK KS 66210 JOB TYPE PLUS CASING DEPTH BSG DRILL PIPE HOLE SIZE HOLE SIZE A WEIGHT 4/2 CASING DEPTH BSG DRILL PIPE TUBING 1" B 50 OTHER B35 SLURRY VOL WATER gal/sk CEMENT LEFT IN CASING 1/25 SLURRY VOL WATER gal/sk CEMENT LEFT IN CASING 1/25 SLURRY VOL WATER gal/sk CEMENT LEFT IN CASING 1/25 DISPLACEMENT DISPLACEMENT PSI MIX PSI RATE / b pm INSK SD /5D CEMENT PILS 27D gel. DDWA 1" B 35D". PM INSK SD /5D CEMENT PILS 27D gel. DDWA 1" B 35D". PM INSK SD /5D CEMENT PILS 27D gel. DDWA 1" B 35D". PM INSK SD /5D CEMENT PILS 27D gel. DDWA 1" B 35D". PM INSK SD /5D CEMENT PILS 27D gel. DDWA 1" B 35D". PM INSK SD /5D CEMENT PILS 27D gel. DDWA 1" B 35D". PM INSK SD /5D CEMENT PILS 27D gel. DDWA 1" B 35D". PM INSK SD /5D CEMENT PILS 27D gel. DDWA 1" B 35D". PM INSK SD /5D CEMENT PILS 27D gel. DDWA 1" B 35D". PM INSK SD /5D CEMENT PILS 27D gel. DDWA 1" B 35D". PM INSK SD /5D CEMENT PILS 27D gel. DDWA 1" B 35D". PM INSK SD /5D CEMENT PILS 27D gel. DDWA 1" B 35D". PM INSK SD /5D CEMENT PILS 27D gel. DDWA 1" B 35D". PM INSK SD /5D CEMENT PILS 27D gel. DDWA 1" D SK CEMENT. PULICA 1 INSK SD /5D CEMENT PILS 200 SK CEMENT. PULICA 1" D INSK SD /5D CEMENT PILS 200 SK CEMENT. PULICA 1" D INSK SD /5D CEMENT PILS 200 SK CEMENT. PULICA 1" D INSK SD /5D CEMENT SK SD /5D CEMENT SK CEMENT SK CEMENT SK SD /5D CEMENT SK SD /5D CEMENT SK CEMENT SK SD /5D SK SD CEMENT SK SD /5D SK SD CEMENT SK SD /5D SK SD /5D SK SD	
Image: Construct of the state of the st	
JOB TYPE   PLLS   HOLE SZE   TUBING   1" 850   OTHER 835     CASING DEPTH   859   DRILL PIPE   TUBING   1" 850   OTHER 835     SLURRY WEIGHT   SLURRY VOL   WATER gal/sk   CEMENT LEFT IN CASING   1/25     DISPLACEMENT   DISPLACEMENT PSI   MIX PSI   RATE   1 6 pm     REMARKS:   Hold   Crew Meet   Established rate.   Mixed + pus     ID.G K   SD 15D   Clement plus   27D   gel.   Dwn 1" 8 B5D".   Pui     ID.G K   SD 15D   Clement plus   27D   gel.   Dwn 1" 8 B5D".   Pui     ID.G K   SD 15D   Clement plus   27D   gel.   Dwn 1" 8 B5D".   Pui     ID.G K   SD 15D   Clement plus   27D   gel.   Dwn 1" 8 B5D".   Pui     ID.G K   SD 15D   Clement plus   27D   gel.   Dwn 1" 8 B5D".   Pui     ID.G K   SD 15D   Clement plus   28D   Allmed   I" 0     ID.G K   SD 10 C   Well   Well   Allmed   I" 0     ID.G K   ST 00 C   Allmed <td></td>	
CASING DEPTH_OD	perts
SLURRY WEIGHT DISPLACEMENT PSI MIX PSI RATE bpn DISPLACEMENT DISPLACEMENT PSI MIX PSI RATE bpn REMARKS: Held Crew Meet. Established rate. Mixed + pur REMARKS: Held Crew Meet. Established rate. Mixed + pur 10.9 K JD 10 Cemeat plus 2°70 gel. down 1° & 350'. Pur Two inc to 350'. Pumped 10 sk crement. Pulled 1 to 350' filled well to Surface. Pulled 1" o ADEFPECT off well. 	
DISPLACEMENT DISCONCEL ESTABLISHED FUTE. Mixed + DUR REMARKS: Held crew Meet. Established rute. Mixed + DUR 10 GK SDISD CEMENT Plus 27D gel. down 1" & 35D". Pu 4 July 10, 55D". Funped 10 GK CRMENT. Pulled 1" 10 July 10, 55D". Funped 10 GK CRMENT. Pulled 1" O 10 July 10, 55D". Funped 10 Surface Pulled 1" O 10 July 10, 55D July 10, 55D July 10, 55D 10 July 10, 55D July 10, 55D July 10, 55B July 10, 5	
ACCOUNT QUANITY OF UNITS DESCRIPTION OF SERVICES OF PRODUCT UNIT PRICE JOBA 1990 JUNITS DESCRIPTION OF SERVICES OF PRODUCT UNIT PRICE JOBA 1990 JUNITS DESCRIPTION OF SERVICES OF PRODUCT UNIT PRICE JOBA 1 PUMP CHARGE 666 16 JOBA 109,666 JOBA 165 558 6 JOBA 69,666 JOBA 369 16	mped
Account   QUANITY or UNITS   Description of services or product   Unit price     ACCOUNT   QUANITY or UNITS   DESCRIPTION of SERVICES or PRODUCT   UNIT PRICE     STD5//   1   PUMP CHARGE   b1/b   1/2     STD5//   1   PUMP CHARGE   b1/b   1/2     STD5//   1   PUMP CHARGE   b1/b   1/2     STD5//   2   8   STD   2   5     STD5//   2   8   STD   3   0	lled
Image Image Image   Image	11
ACCOUNT QUANITY or UNITS DESCRIPTION of SERVICES or PRODUCT UNIT PRICE   STD5N 1 PUMP CHARGE 666 10   STD5N 2 80 um 10 s 558 0   STD3L 2 80 um 369 10	ut V
ACCOUNT QUANITY or UNITS DESCRIPTION of SERVICES or PRODUCT UNIT PRICE   STD5N 1 PUMP CHARGE 666 10   STD5N 2 80 um 105 558 0   STD3L 2 80 um 369 10 10	
ACCOUNT QUANITY or UNITS DESCRIPTION of SERVICES or PRODUCT UNIT PRICE   STD5N 1 PUMP CHARGE 666 10   STD5N 2 80 um 105 558 0   STD3L 2 80 um 369 10 10	
ACCOUNT QUANITY or UNITS DESCRIPTION of SERVICES or PRODUCT UNIT PRICE   STD5N 1 PUMP CHARGE 666 10   STD5N 2 80 um 105 558 0   STD3L 2 80 um 369 10 10	
ACCOUNT CODEQUANITY or UNITSDESCRIPTION of SERVICES or PRODUCTUNIT PRICESHD5N1PUMP CHARGE66616SHD5N1MILEAGE61616SHD5A69.6640 miles5586SHD5A280 JGu36916	/
ACCOUNT CODEQUANITY or UNITSDESCRIPTION of SERVICES or PRODUCTUNIT PRICESHD5N1PUMP CHARGE66616SHD5N1MILEAGE61616SHD5A69.6640 miles5586SHD5A280 JGu36916	
ACCOUNT QUANITY or UNITS DESCRIPTION OF DESCRIPTION OF DESCRIPTION   STD5N 1 PUMP CHARGE 666 16   STD5N 1 MILEAGE 666 16   STD5N 1 MILEAGE 666 16   STD5N 1 MILEAGE 606 16   STD5N 1 10 mm (e.s) 558 0   STD5N 2 80 JGu 369 1	
CODE     PUMP CHARGE     666     10       3405N     1     PUMP CHARGE     606     10       3405N     1     MILEAGE     606     10       3403A     69.66     40 mm² (e.s)     558     6       3502C     2     80 NGU     369     10	TOTAL
<u>5403</u> <u>5403</u> <u>5403</u> <u>5403</u> <u>69.66</u> <u>503</u> <u>2</u> <u>80.09</u> <u>558</u> <u>69.66</u> <u>558</u> <u>69.66</u> <u>558</u> <u>69.66</u> <u>69.66</u> <u>70.00</u> <u>69.66</u> <u>70.00</u> <u>69.66</u> <u>70.00</u> <u>69.66</u> <u>70.00</u> <u>69.66</u> <u>70.00</u> <u>69.66</u> <u>70.00</u> <u>69.66</u> <u>70.00</u> <u>69.66</u> <u>70.00</u> <u>69.66</u> <u>70.00</u> <u>69.66</u> <u>70.00</u> <u>69.66</u> <u>70.00</u> <u>69.66</u> <u>70.00</u> <u>69.66</u> <u>70.00</u> <u>69.66</u> <u>70.00</u> <u>69.66</u> <u>70.00</u> <u>69.66</u> <u>70.00</u> <u>69.66</u> <u>70.00</u> <u>69.66</u> <u>70.00</u> <u>69.66</u> <u>70.00</u> <u>69.66</u> <u>70.00</u> <u>69.66</u> <u>70.00</u> <u>69.66</u> <u>70.00</u> <u>69.66</u> <u>70.00</u> <u>69.66</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u>70.00</u> <u></u>	030 DC
5407A 69.66 torniles 558 c 5407A 69.66 torniles 558 c 35026 2 80 vgc 369	
3407/4 101.000 10000.000 35026 2 80.090 	13,34
5502C 2 0004C	180,00
11.34 54 50150 cement 11.913 91# gel 11.23 1.8 E:tyvater	
11.34 54 50150 cement 5 111.313 91# ge) 1123 1.8 E:tywater 6	
11.34 54 Sono cemear 11.93 91# ge) 1123 1.8 Extynater	91.30
11193 GIF gel 1123 1.8 E:tyvater	19.11
1123 1.8 EXYDQTET	29 10
	14,16
	Lalad
SALES TAX	48.17
	- Martine
Havin 3737 TOTAL	1991.6:
ALA MA DATE DATE	
AUTHORIZTION	

 Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513

Andrew J. French, Chairperson Dwight D. Keen, Commissioner Annie Kuether, Commissioner

October 04, 2024

Brad Kramer Kansas Resource Exploration & Development, LLC 7201 WEST 129TH ST SUITE 110 OVERLAND PARK, KS 66213-2628

Re: Drilling Pit Application Knabe A 11 SE/4 Sec.10-14S-22E Johnson County, Kansas

Dear Brad Kramer:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

# If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 902-6450 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 902-6450.



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor