#### KOLAR Document ID: 1796137

Confiden	tiality Re	quested:
Yes	No	

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 January 2018 Form must be Typed Form must be Signed All blanks must be Filled

## WELL COMPLETION FORM

WELL	HISTORY	<ul> <li>DESCRIPTION</li> </ul>	VOF WELL	& LEASE

API No.:
Spot Description:
Feet from Dorth / South Line of Section
Feet from East / West Line of Section
Footages Calculated from Nearest Outside Section Corner:
GPS Location: Lat:, Long:
(e.g. xx.xxxx) (e.gxxx.xxxxx)
Datum: NAD27 NAD83 WGS84
County:
Lease Name: Well #:
Field Name:
Producing Formation:
Elevation: Ground: Kelly Bushing:
Total Vertical Depth: Plug Back Total Depth:
Amount of Surface Pipe Set and Cemented at: Feet
Multiple Stage Cementing Collar Used?
If yes, show depth set: Feet
If Alternate II completion, cement circulated from:
feet depth to:w/sx cmt.
Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit)
Chloride content: ppm Fluid volume: bbls
Dewatering method used:
Location of fluid disposal if hauled offsite:
Operator Name:
Lease Name: License #:
Quarter Sec TwpS. R East West
County: Permit #:

#### AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

### Submitted Electronically

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
Wireline Log Received Drill Stem Tests Received						
Geologist Report / Mud Logs Received						
UIC Distribution						
ALT I II III Approved by: Date:						

#### KOLAR Document ID: 1796137

Operator Nam	ne:			Lease Name:	_ Well #:
Sec	Twp	S. R	East West	County:	

Page Two

**INSTRUCTIONS:** Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional S	heets)		🗌 Ye	s 🗌 No		L	.og l	ormatio	n (Top), Depth a	ind Datum	Sample
Samples Sent to Geolo	,	N/	🗌 Ye	s 🗌 No		Nam	е			Тор	Datum
Cores Taken Electric Log Run Geologist Report / Mud List All E. Logs Run:	-	y	☐ Ye ☐ Ye ☐ Ye	s 🗌 No s 🗌 No							
			Repor	CASING		Ne ace. inte		lsed	on. etc.		
Purpose of String	Size I Drill		Size	e Casing (In O.D.)	Weigh Lbs. / F	t	Set	ting pth	Type of Cement	# Sacks Used	Type and Percent Additives
				ADDITIONAL	CEMENTING	G / SQL	JEEZE R	ECORD			
Purpose: Depth Top Bottom			Type of Cement		# Sacks Used		Type and Percent Additives				
Protect Casing											
Plug Off Zone											
<ol> <li>Did you perform a hydr</li> <li>Does the volume of the</li> <li>Was the hydraulic fract</li> </ol>	e total base flu	uid of the hydr	aulic fra	cturing treatment		-		] Yes ] Yes ] Yes	No (If No, s	kip questions 2 ar kip question 3) Il out Page Three	
Date of first Production/Ir Injection:	njection or Re	sumed Produc	ction/	Producing Meth	iod:		Gas Lift	0	ther <i>(Explain)</i>		
Estimated Production Per 24 Hours		Oil Bbls	i.	Gas	Mcf	Wat	er	Bb	ls.	Gas-Oil Ratio	Gravity
DISPOSITIC	N OF GAS:			N	IETHOD OF C	OMPLE	TION:				ON INTERVAL:
Vented Sold	Used o	on Lease	Open Hole Perf.		Perf.	Dually Comp.     Commingled       (Submit ACO-5)     (Submit ACO-4)		Bottom			
(If vented, Sub	mit ACO-18.)					(Subinit	ACO-5)	(Subil	III ACO-4)		
Shots Per Pe Foot			Bridge Plug Set At			Acid,		ementing Squeeze ad of Material Used)			
TUBING RECORD:	Size:	:	Set At:		Packer At:						

Form	ACO1 - Well Completion		
Operator	N & W Enterprises, Inc.		
Well Name	MEYER 46		
Doc ID	1796137		

# Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	12.25	8	14.0	20	Portland #1	5	NA
Production	5.875	2.875	6.5	428	Portland	72	NA

Kepley Well Service, LLC

19245 Ford Road Chanute, KS 66720 **Date** 9/30/2024 **Invoice #** 70402

10

N & W Enterprise Inc. 1111 S. Margrave Fort Scott, KS 66701 (x) Landed Plug on Bottom at 800 PSI
() Shut in Pressure
(x)Good Cement Returns
() Topped off well with \_\_\_\_\_\_ sacks
(x) Set float shoe

TYPE OF TREATMENT: Production Casing HOLE SIZE: 5 7/8" TOTAL DEPTH: 430

		Law			
48-1103536	Terms	Due Date 10/30/2024		n sin to na kasin siya	
Crawford	Net 30 days				
Service	or Product	Qty	Per Foot	Pricing/Unit Pricing	Amount
Cement 2 7/8" in new well Sales Tax		428		4.50 0.00%	1,926.0 0.0
9-20-24 Myer Production #46 Crawford County Section: 33 Township: 28 Range: 22					
looked onto 2 7/8" casing. Esta ended 72 sacks of straight cem	ablished circulation with 1/2 basent, dropped rubber plug, and p	rrels of water, 1 umped 2.6 barr	l gel ahead, rels of water	Total Payments/Credits	\$1,926.0

Phone #	E-mail
620-433-7196	rustypickle@hotmail.com

#### HAT DRILLING 12371 KS HWY 7 MOUND CITY, KS 66056 LICENSE #33734

#### MEYER #46 API# 15-037-22452-00-00 SPUD DATE 9-16-24

Footage 0 1 6 7 9 10 25 83 85 90 120 167 171 189 209 213 223 388 390 391 397	Formation Topsoil clay clay w/sand lime sandy clay sand streaks shale lime shale lime shale lime shale lime shale lime shale lime shale sand shale lime shale sand shale lime	Thickness 1 5 1 2 1 1 5 5 8 2 5 30 47 4 18 20 4 10 165 2 1 6 33	Set 20' of 8" Drilled with 12 1/4" Bit TD 430' Drilled with 5 7/8" Bit Ran 428' of 2 7/8 on 9-18-24
397	shale	6 33	good odor, good bleed
430	T.D.		