KOLAR Document ID: 1796134

Confiden	tiality Requested:
Yes	No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION Form ACO-1 January 2018 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM

WELL	HISTORY -	DESCRIPT	FII &	
VVELL	HISIONI -	DESCRIPT		LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
	Elevation: Ground: Kelly Bushing:
	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to EOR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:	Dewatering method used:
Dual Completion Permit #:	
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	Operator Name:
GSW Permit #:	Lease Name: License #:
Canad Data are Data Dasabad TD Completing Data are	Quarter Sec TwpS. R East West
Spud Date orDate Reached TDCompletion Date orRecompletion DateRecompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received Drill Stem Tests Received
Geologist Report / Mud Logs Received
UIC Distribution
ALT I II III Approved by: Date:

KOLAR Document ID: 1796134

Operator Name:	Lease Name: Well #:
Sec TwpS. R East 🗌 West	County:

Page Two

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sh	acate)	Y	′es 🗌 No			og Formatio	n (Top), Depth a	and Datum	Sample
Samples Sent to Geolo			⁄es 🗌 No	1	Name	Э		Тор	Datum
Cores Taken Electric Log Run Geologist Report / Mud List All E. Logs Run:		□ Y □ Y	Yes ☐ No Yes ☐ No Yes ☐ No						
		Rep	CASING ort all strings set-c] Ne	w Used rmediate, productio	on. etc.		
Purpose of String	Size Hole Drilled	Siz	ze Casing et (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
[ADDITIONAL	CEMENTING /	SQU	EEZE RECORD			
Purpose:	Depth Top Bottom	Туре	e of Cement	# Sacks Use	d		Type and	Percent Additives	
Protect Casing Plug Back TD Plug Off Zone									
 Did you perform a hydra Does the volume of the Was the hydraulic fracture 	total base fluid of the	hydraulic fr	acturing treatment		-	☐ Yes ns? ☐ Yes ☐ Yes	No (If No, s	kip questions 2 ar kip question 3) ill out Page Three	
Date of first Production/Inj Injection:	jection or Resumed Pr	oduction/	Producing Meth	iod:		Gas Lift 🗌 O	ther <i>(Explain)</i>		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate	er Bb	ls.	Gas-Oil Ratio	Gravity
DISPOSITIO	N OF GAS:		Ν	IETHOD OF COM	MPLE	TION:		PRODUCTIC Top	DN INTERVAL: Bottom
Vented Sold Used on Lease Open Hole Perf			-	·	nit ACO-4)	юр	Bollom		
Shots Per Perforation Perforation Bridge Plug Bridge Plug Foot Top Bottom Type Set At		Bridge Plug Set At		Acid,		ementing Squeezend of Material Used)			
TUBING RECORD:	Size:	Set At:		Packer At:					

Form	ACO1 - Well Completion		
Operator	N & W Enterprises, Inc.		
Well Name	MEYER 43		
Doc ID	1796134		

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	12.25	8	14.0	20	Portland #1	5	NA
Production	5.875	2.875	6.5	428	Portland #1	69	NA

Kepley Well Service, LLC

19245 Ford Road Chanute, KS 66720

Date	Invoice #	
9/30/2024	70402	

N & W Enterprise Inc. 1111 S. Margrave Fort Scott, KS 66701 (x) Landed Plug on Bottom at 700 PSI

() Shut in Pressure
(x)Good Cement Returns

() Topped off well with ______ sacks

(x) Set float shoe

TYPE OF TREATMENT: Production Casing HOLE SIZE: 57/8" TOTAL DEPTH: 430

48-1103536	Terms	Due	Date		
Crawford	Net 30 days	10/30/2024			
Service	or Product	Qty	Per Foot	Pricing/Unit Pricing	Amount
Cement 2 7/8" in new wel Sales Tax		428		4.50 0.00%	1,926.00 0.00
9-20-24 Myer Production #43 Crawford County Section: 33 Township: 28 Range: 22					
Haaked anto 2 7/8" againg	stablished circulation with 1/2 b	parrels of water	1 gel ahead	Total	\$1,926.00
blended 69 sacks of straight ce	ment, dropped rubber plug, and	pumped 2.6 ba	arrels of water	Payments/Credits	\$0.00
				Balance Due	\$1,926.00

Γ	Phone #	E-mail
	620-433-7196	rustypickle@hotmail.com

HAT DRILLING 12371 KS HWY 7 MOUND CITY, KS 66056 LICENSE #33734

MEYER #43 API# 15-037-22451-00-00 SPUD DATE 9-16-24

Footage 0 1 5 10 24 84 120 166 170 188 208 214 225 385 386 395	Formation Topsoil clay sand sand streaks shale lime shale sand shale lime shale lime shale coal sand shale	Thickness 1 4 5 14 60 36 46 4 18 20 6 11 160 1 9 35	Set 20' of 8" Drilled with 12.25" Bit TD 430' Drilled with 5 7/8" Bit Ran 428' of 2 7/8 on 9-17-24 good odor, good bleed
395 430	shale T.D.	35	