KOLAR Document ID: 1795854

Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| OPERATOR: License # | API No.: |
|--|--|
| Name: | Spot Description: |
| Address 1: | SecTwpS. R |
| Address 2: | Feet from North / South Line of Section |
| City: State: Zip:+ | Feet from East / West Line of Section |
| Contact Person: | Footages Calculated from Nearest Outside Section Corner: |
| Phone: () | □NE □NW □SE □SW |
| CONTRACTOR: License # | GPS Location: Lat:, Long: |
| Name: | (e.g. xx.xxxxxx) (e.gxxx.xxxxxx) |
| Wellsite Geologist: | Datum: NAD27 NAD83 WGS84 |
| Purchaser: | County: |
| Designate Type of Completion: | Lease Name: Well #: |
| New Well Re-Entry Workover | Field Name: |
| | Producing Formation: |
| ☐ Oil ☐ WSW ☐ SWD | Elevation: Ground: Kelly Bushing: |
| ☐ Gas ☐ DH ☐ EOR | Total Vertical Depth: Plug Back Total Depth: |
| ☐ OG ☐ GSW | Amount of Surface Pipe Set and Cemented at: Feet |
| CM (Coal Bed Methane) | Multiple Stage Cementing Collar Used? Yes No |
| Cathodic Other (Core, Expl., etc.): | |
| If Workover/Re-entry: Old Well Info as follows: | If yes, show depth set: Feet |
| Operator: | If Alternate II completion, cement circulated from: |
| Well Name: | feet depth to: w/ sx cmt. |
| Original Comp. Date: Original Total Depth: | |
| ☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD | Drilling Fluid Management Plan |
| ☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer | (Data must be collected from the Reserve Pit) |
| Commingled Permit #: | Chloride content: ppm Fluid volume: bbls |
| Dual Completion Permit #: | Dewatering method used: |
| SWD Permit #: | Location of fluid disposal if hauled offsite: |
| ☐ EOR Permit #: | Location of haid disposal if hadica offsite. |
| GSW Permit #: | Operator Name: |
| | Lease Name: License #: |
| Spud Date or Date Reached TD Completion Date or | QuarterSec TwpS. R East West |
| Recompletion Date Recompletion Date | County: Permit #: |

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

| KCC Office Use ONLY |
|---|
| Confidentiality Requested |
| Date: |
| Confidential Release Date: |
| ☐ Wireline Log Received ☐ Drill Stem Tests Received |
| Geologist Report / Mud Logs Received |
| UIC Distribution |
| ALT I II Approved by: Date: |

KOLAR Document ID: 1795854

Page Two

| Operator Name: _ | | | | Lease Name: | | | Well #: | |
|---|---------------------|-----------------------|------------------------------|-----------------------|---------------------------------------|---|---|--|
| Sec Twp. | S. R. | Ea | ast West | County: | | | | |
| | flowing and shu | ıt-in pressures, w | hether shut-in pre | ssure reached st | atic level, hydrosta | tic pressures, bot | | val tested, time tool erature, fluid recovery, |
| Final Radioactivity files must be subm | | | | | | iled to kcc-well-lo | gs@kcc.ks.go\ | . Digital electronic log |
| Drill Stem Tests Ta | | | Yes No | | _ | on (Top), Depth ar | | Sample |
| Samples Sent to G | Geological Surv | ey | Yes No | Na | me | | Тор | Datum |
| Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru | _ | | Yes No Yes No Yes No | | | | | |
| | | R | | | New Used | on, etc. | | |
| Purpose of Strir | | Hole | Size Casing Set (In O.D.) | Weight Lbs. / Ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
| | | | | | | | | |
| | | | | | | | | |
| | | | ADDITIONAL | CEMENTING / S | QUEEZE RECORD | I | | |
| Purpose: | | epth Ty | pe of Cement | # Sacks Used | | Type and F | Percent Additives | |
| Protect Casi | | | | | | | | |
| Plug Off Zon | | | | | | | | |
| Did you perform a Does the volume o Was the hydraulic | of the total base f | luid of the hydraulic | fracturing treatment | _ | = | No (If No, sk | ip questions 2 an ip question 3) out Page Three (| , |
| Date of first Producti Injection: | ion/Injection or Re | esumed Production | / Producing Meth | nod: | Gas Lift 0 | Other (Explain) | | |
| Estimated Production Per 24 Hours | on | Oil Bbls. | | | | | Gas-Oil Ratio | Gravity |
| DISPOS | SITION OF GAS: | | N | METHOD OF COMP | LETION: | | | N INTERVAL: Bottom |
| | _ | on Lease | Open Hole | | | mmingled mit ACO-4) | Тор | Bottom |
| , | , Submit ACO-18.) | | | | · · · · · · · · · · · · · · · · · · · | | | |
| Shots Per Foot | Perforation Top | Perforation Bottom | Bridge Plug Type | Bridge Plug Set At | Acid | Fracture, Shot, Cer (Amount and Kind | menting Squeeze I of Material Used) | Record |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| TUBING RECORD: | Size: | Set / | At: | Packer At: | | | | |
| . 5213 (1200) 10. | JIEG. | | | . 30.0.710 | | | | |

| Form | ACO1 - Well Completion |
|-----------|-------------------------|
| Operator | N & W Enterprises, Inc. |
| Well Name | WALSH/MEYER 20 |
| Doc ID | 1795854 |

Casing

| Purpose Of String | Size Hole Drilled | Size Casing Set | Weight | Setting Depth | | Number of Sacks Used | Type and Percent Additives |
|----------------------|----------------------|-----------------------|--------|------------------|----------------|----------------------------|----------------------------------|
| Surface | 11 | 8 | 14.0 | 20 | Portland #1 | 5 | NA |
| Production | 5.875 | 2.875 | 6.5 | 428 | Portland # | 68 | NA |
| | | | | | | | |

HAT DRILLING 12371 KS HWY 7 MOUND CITY, KS 66056 LICENSE #33734 Walsh/Meyer # 20

API# 15-037-22449-00-00 SPUD DATE 9-3-24

| Footage | Formation | Thickness | Set 20' of 8" |
|---------|-------------|-----------|---------------------------------|
| 0 | Topsoil | 1 | TD 430' Drilled with 5.875" Bit |
| 1 | clay | 4 | Ran 428' of 2 7/8 on 9-4-24 |
| 5 | lime | 3 | |
| 8 | shale | 36 | |
| 44 | lime | 5 | |
| 49 | shale | 37 | |
| 86 | lime | 26 | |
| 112 | shale | 3 | |
| 115 | lime | 10 | |
| 125 | shale | 35 | |
| 160 | sand | 7 | |
| 167 | shale | 26 | |
| 193 | lime | 21 | |
| 214 | shale | 6 | |
| 220 | lime | 7 | |
| 227 | shale | 160 | |
| 387 | coal | 1 | |
| 388 | sand | 5 | good odor, slight bleed |
| 393 | shaley sand | 2 | |
| 395 | sand | 12 | good odor, good bleed |
| 407 | black sand | 4 | |
| 411 | shale | 19 | |
| 430 | T.D. | | |

Kepley Well Service, LLC

19245 Ford Road Chanute, KS 66720 **Date** Invoice # 9/10/2024 70387

N & W Enterprise Inc. 1111 S. Margrave Fort Scott, KS 66701 (x) Landed Plug on Bottom at 800 PSI
() Shut in Pressure
(x)Good Cement Returns
() Topped off well with ______ sacks
(x) Set float shoe

TYPE OF TREATMENT: Production Casing HOLE SIZE: 5 7/8"
TOTAL DEPTH: 430

| 48-1103536 | Terms | Due Date |
|------------|-------------|------------|
| Crawford | Net 30 days | 10/10/2024 |

| Qty | Per Foot Pricing/Unit Pricing | Amount |
|-----|-------------------------------|--------------------|
| 428 | 4.50 7.50% | 1,926.00 144.45 |
| | | |
| | | |
| | | |
| | | |
| | | 428 4.50 |

Hooked onto 2 7/8" casing. Established circulation with 1/2 barrels of water, blended 68 sacks of 2% cement, dropped rubber plug, and pumped 2.6 barrels of water

| Total | \$2,070.45 |
|------------------|------------|
| Payments/Credits | \$0.00 |
| Balance Due | \$2,070.45 |

| Phone # | E-mail |
|--------------|-------------------------|
| 520-433-7196 | rustypickle@hotmail.com |