
WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

OCATION OF WATER WELL						Original Reco	ord Co	rrection	Chang	je in Wel	l Use	
Latitude	Longitude			Section	Township	Range	E		1/4	1/4	1/4	
Datum	Elevation			County								
WATER WELL OWNER			WELL	WELL WATER USE				NEAREST SOURCE OF POTENTIAL CONTAMINATION				
Name												
			COMP	LETION								
Business				LETION			from well	l:	Directio from we	·II:		
Address			Depth of completed well:ft.				Source					
] -	-	water encountered	:	description	on:				
******					(2) ft.;		Source:					
Well location			(3)	ft.; ((4) dry well		Distance	ı.	Directio from we	n 11.		
at owner's			Static	water level	in well:	ft.	Source	l÷	110111 we	11;		
address			m	easured belo	ow land surface	description	on:					
CONCEDUCTION			on	(mm/dd/y	y):		No no	tantial source	a of contami	ination		
CONSTRUCTION	D 1 1 1		measured above land surface			No potential source of contamination within 100 feet.						
Borehole interval: Borehole diameter:		on (mm/dd/yy):				PERMIT & ID NUMBERS (AS REQUIRED)						
fromtoft.		in.	Estim	ated yield: _	gpm							
fromto ft.		in.	Water	level was:	ft. after	hours	1 -	-	:			
Casing height above land surf	face:	in.			pumping	gpm	KDHE /	EPA Project (Code:			
If casing height is less that			Pump installed? Yes No				Site Name:					
has a variance been appro		s No	T17.	7.7. 11.10.0 6 15				KDHE UIC Class V Form Completed: Yes N				
*variance not required for environmental remed			Water well disinfected? Yes No Date disinfected (mm/dd/yy):				County Permit: Yes No Permit ID:					
Casing type:	lation wens		Date	disinfected (mm/dd/yy):		I					
Blank casing interval:	ft. to	ft.	Aquif	er, if known	:		# of borel	noles:	# of dewate	ring wells:		
Blank casing diameter:			LITHO	LOGIC LOG	i							
Casing joints:			FRO	м то	LITHOLOGY	NTERVALS						
Weight: lbs/												
Wall thickness or gauge n												
Blank casing interval:												
Blank casing diameter:												
Casing joints:												
Weight: lbs/	ft.											
Wall thickness or gauge n	10.:											
Court interval 6 to												
Grout interval: ft. to_												
Grout material: ft. to												
			COMM	IENTS								
Grout material:												
Screen / perforation material:												
Screen / perforation material:			CONT	RACTOR'S	OR LANDOWNER	S CERTIFICATION	N					
Screen / perforation openings								numouset t-	the stated -	vatar 11		
From ft. to					was constructe			•	the stated v			
					ense and was con	=		-				
Slot size unit _ From ft. to					knowledge and b							
					ness name of							
Slot size unit _			Kans	as Water V	Vell Contractor's	License No	u	nder the au	thority of th	ne designa	ated	
Gravel pack intervals:	Cmarcel et		perso	on as defin	ed in K.A.R. 28-	30-2(j) and sign	ed and certi	fied by the e	electronic si	gnature o	f the	
Gravel pack not used:		in	^		on at its submitt	,						
From ft. to	_				VATER WELL OW	<u> </u>	ne for your red	ords. Fee of 9	5 00 for each	constructe	d well	
Gravel pack not used:		in	Jena O	copy to v		EPARTMENT OF	•			constituent	a men	
From ft. to	_ tt.			Bureau	of Water, Geology					2-1367		



_____ Water (2 - 6 ft BGS)

NOTE: Utility depths, heights and locations are approximate.

DENNIS L HANDKE

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Jess Chapman Larsen & Assoc. 1311 E. 25th St., Suite B Topeka, Kansas 66046 September 3, 2024

RE: Monitor Well Elevation Survey 5918 Leavenworth Road, Kansas City, Kansas

Proj. 24-00NN Former Sunset Filling Station KDHE ID U4-105-15484

Bench Mark: Chisled Sq. on West center of concrete pump island on South side of building.

Elev.: 94	9.65 N	North 46.21	West	322.50	(from SE Cor. Sec. 27-10-24E)
MW-9	rim	953.26	North	143.85	SE1/4,SE1/4,SE1/4,SE1/4
	top pipe	952.76	West	240.97	Lat = 39.14348 Long = 94.71597
MW-10	rim	958.94	North	288.65	SW1/4,SE1/4,SE1/4,SE1/4
	top pipe	958.59	West	425.06	Lat = 39.14388 Long = 94.71661
MW-11	rim	939.35	South	232.90	NE1/4,NE1/4,NE1/4,NE1/4 (Sec. 34-10-24E)
	top pipe	939.04	West	247.30	Lat = 39.14244 Long = 94.71600
MW-12	rim	946.22	South	111.36	NW1/4,NE1/4,NE1/4,NE1/4 (Sec. 34-10-24E)
	top pipe	945.65	West	432.19	Lat = 39.14278 Long = 94.71665
MW-13	rim	953.97	North	59.38	SW1/4,SE1/4,SE1/4,SE1/4
	top pipe	953.57	West	471.59	Lat = 39.14325 Long = 94.71678

Lat & Long derived from Parkville 7.5' quad map. WGS84.

Elevation derived from existing project. NAVD 83.

If you have any questions, please feel free to call me. Thank you for the opportunity to be

Dennis L Handke RL