## WATER WELL RECORD (WWC-5)

Gravel pack not used: Gravel size \_\_\_\_\_in

From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

WATER WELL RECORD (WWC-5)	)	KC	DLAR DOC I	D	WELL ID		
LOCATION OF WATER WELL		Original	Record	Correction	Change	e in Wel	l Use
Latitude Longitude	Section	Township	Range	E W Fraction	1/4	1/4	1/4
Datum Elevation	County						
WATER WELL OWNER	WELL WATER USE		NE.	AREST SOURCE OF PO	OTENTIAL CO	ONTAMIN	NATION
Name			So	urce:			
Business	COMPLETION		—— I				
Dusiness				stance om well:	from well	:	
Address	Depth of completed Depth(s) groundwar	well:ter encountered:	30	urce scription:			
	(1) ft.; (2)	ft.;	So	urce:			
Well location	(3) ft.; (4)			stance om well:			
at owner's address	Static water level in measured below on (mm/dd/yy):	land surface		urce scription:			
CONSTRUCTION  Borehole interval: Borehole diameter:	measured above on (mm/dd/yy):	land surface		No potential source within 100 feet.	of contamir	ation	
			PER	RMIT & ID NUMBERS	(AS REQUII	RED)	
fromto ft in.	Estimated yield:			SATE A 1' A' NT			
fromtoftin.	Water level was:	ft. afterhours	1	WR Application No.:_			
Casing height above land surface:in.	7	pumpinggpm		OHE / EPA Project Co			
If casing height is less than 12 in. has a variance been approved?* Yes No	Pump installed?	Yes No		e Name: DHE UIC Class V For			No.
has a variance been approved?* Yes No *variance not required for monitoring	Water well disinfect	ed? Yes No		ounty Permit: Yes	•		
or environmental remediation wells	Date disinfected (m	m/dd/yy):		ase Name & Well #: _			
Casing type:							
Blank casing interval:ft. toft.	Aquifer, if known:			of boreholes:	# of dewater	ng wells:	
Blank casing diameter:in.	LITHOLOGIC LOG						
Casing joints:	FROM TO	LITHOLOGY INTERVALS	5				
Weight:lbs/ft.							
Wall thickness or gauge no.:							
Blank casing interval:ft. toft.							
Blank casing diameter:in.							
Casing joints:							
Weight:lbs/ft.							
Wall thickness or gauge no.:							
Grout interval:ft. toft.							
Grout material:							
Grout interval: ft. to ft.	COMMENTS						
Grout material:	-						
Screen / perforation material:							
Screen / perforation openings:		LANDOWNERS CERTIFIC	ATION				
Screen / perforation intervals:	This water well wa	as constructed rec	onstructed	pursuant to the	ne stated wa	ater well	
Fromft. toft.	contractor's licens	se and was completed on		I certify that	this record	is true t	to
Slot size unit	the best of my kno	owledge and belief. This	water well r	ecord was complete	ed on		
From ft. to ft.	under the busines	ss name of					,
Slot size unit		ll Contractor's License N					ated
Gravel pack intervals:		in K.A.R. 28-30-2(j) and					
Gravel pack not used: Gravel sizein	designated persor	•	. 5151100 0110	. commed by the cit	.cu ome oig		
Fromft. toft.  Gravel pack not used: Gravel size in		TER WELL OWNER and re	4.t		00 f- 1		. 1. "

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record	
Doc ID	1795435	
Well Owner	Jeremy Hinkle	
Contractor	Associated Drilling, Inc. #990	

## Casing

From	То	Casing Diameter	Casing Joint	Wall Thickness or Gauge Number
0	45	6	Glued	sdr26
55	95	6	Glued	sdr26
115	135	6	Glued	sdr26

Form	WWC5.2 - Water Well Record	
Doc ID	1795435	
Well Owner	Jeremy Hinkle	
Contractor	Associated Drilling, Inc. #990	

## Grout

From	То	Grout Material
0	20	Bentonite
35	43	Bentonite
57	60	Bentonite

Form	WWC5.2 - Water Well Record	
Doc ID	1795435	
Well Owner	Jeremy Hinkle	
Contractor	Associated Drilling, Inc. #990	

## Lithology

From	То	Lithology Intervals
0	10	clay
10	15	shale,unweathered
15	17	limestone,unweathered
17	38	shale,unweathered
38	51	shaley limestone,completely weathered
51	55	shale,unweathered
55	64	limestone,unweathered
64	87	limestone,completely weathered
87	96	limestone,unweathered
96	104	limestone,completely weathered
104	135	limestone,unweathered