WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

## **WATER WELL RECORD** (WWC-5)

LOCATION OF WATER W	/ELL					Original Red	corc	l Co	rrection	Change	e in Wel	l Use
Latitude	Longitude		S	ection	Township	Rang	ge	E W	Fraction	1/4	1/4	1/4
Datum	Elevation			County		6	9	VV				
WATER WELL OWNER	210 valion			ATER USE				NEADEST	COLUBCE OF E	POTENTIAL C	ONTAMIN	ΔΤΙΩΝ
Name				.,								A1101
								Distance		Direction		
Business			COMPL	EHON			٦	from well	<u></u>	_ from wel	İ:	
Address					ed well:			Source				
			-	-	water encountered:			description				
TAZ III					(2) ft.;			Source: _				
Well location			(3)	ft.; (	(4) dry well			Distance from well		Direction from wel	1  .	
at owner's			Static v	vater level	in well:1	t.		Source		_ Hom wer		
address			measured below land surface					description	on:			
CONSTRUCTION				(mm/dd/y				No po	tential sourc	e of contami	nation	
Borehole interval: Borehole diameter:			measured above land surface on (mm/dd/yy):				No potential source of contamination within 100 feet.					
from to ft.		in.					+	PERMIT &	ID NUMBER	S (AS REQUI	RED)	
					gpm	1		DM/R Ass	nlication No	:		
fromto ft.			water		ft. after			1	-			
Casing height above land		in.	pumpinggpm Pump installed? Yes No				KDHE / EPA Project Code:  Site Name:					
If casing height is less than 12 in. has a variance been approved?* Yes No			rump	ilistalieu:	ies No		_			orm Complete		No
*variance not required for monitoring			Water	well disinfe	ected? Yes N	0				No Permi		
or environmental remediation wells			Date disinfected (mm/dd/yy):				Lease Name & Well #:					
Casing type:			A	·C1			+	1		# of dewater		
Blank casing interval:		ft.		r, if known								
Blank casing diameter:				OGIC LOG								
Casing joints:			FROM	то то	LITHOLOGY	NTERVALS						
Weight:												
Wall thickness or gau Blank casing interval:												
Blank casing diameter:		1t.										
Casing joints:												
Weight:												
Wall thickness or gau	_											
Grout interval:f												
Grout material:												
Grout interval: f			COMMI	NTS								
Grout material:												
C / f t t -												
Screen / perforation mate Screen / perforation oper			CONTR	ACTORIC I	OR LANDOWNER	C CEDTIFICATI	ON					
Screen / perforation open								. 1		41	. 4 11	
_					was constructe			-		the stated w		
Fromft. to Slot size ur					ense and was con	•			•			
From ft. to				•	knowledge and b				-			
Slot size ur					ness name of							
Gravel pack intervals:			Kansa	s Water V	Vell Contractor's	License No		u	nder the au	thority of th	e designa	ted
Gravel pack intervals:  Gravel pack not used: Gravel size in			person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the									
From ft. to ft.			designated person at its submittal:									
Gravel pack not used:		in	Send on	e copy to V	VATER WELL OW	NER and retain	one	for your rec	ords. Fee of \$	5.00 for each	constructe	d well
From ft. to				_		EPARTMENT O						
11011110.10 _				Bureau	of Water, Geology	Section, 1000 S	W Ja	ckson St., S	uite 420, Top	eka KS 66612	-1367	

Form	WWC5.2 - Water Well Record	
Doc ID	1796096	
Well Owner	Jordan Spears	
Contractor	Nash Water Well Service, LLC	

## Lithology

From	То	Lithology Intervals
0	3	topsoil
3	19	sand,fine to coarse,with Tan clay
19	24	clay,Tan with streaks of small medium gravel
24	100	sand,fine to coarse,with tan clay streaks
100	103	clay,Tan Brown Yellow
103	210	shale,unknown,Blue clay
210	290	shale,unknown,Blue Gray Clay
290	360	other,unknown,Blue Clay
360	660	shale,unknown,Blue Shale with Rock streaks
660	730	other,unknown,blue clay & Blue shale
730	740	sandstone,unknown,Gray & blue Clay 10%
740	760	sandstone,unknown,Gray & blue Clay 40%
760	780	sandstone,unknown,Gray & Gray Clay 60%
780	800	sandstone,unknown,Gray & Gray Clay 30%
800	820	sandstone,unknown,Gray & Gray Clay 65%
820	840	sandstone,unknown,Gray & Gray Clay 45%

Form	WWC5.2 - Water Well Record	
Doc ID	1796096	
Well Owner	Jordan Spears	
Contractor	Nash Water Well Service, LLC	

## Lithology

From	То	Lithology Intervals
840		sandstone,unknown,Gray & Gray Clay 45%
860		sandstone,unknown,Gray & Gray Clay 50%