## KOLAR Document ID: 1787059

## WATER WELL RECORD (WWC-5)

**KOLAR DOC ID** 

Source: Distance

from well:

from well:

Site Name:

within 100 feet.

DWR Application No.:\_ KDHE / EPA Project Code: \_\_\_\_

Lease Name & Well #:

Source description:

Source description: Source: Distance

Correction

Original Record

WELL ID Change in Well Use

NEAREST SOURCE OF POTENTIAL CONTAMINATION

No potential source of contamination

KDHE UIC Class V Form Completed: Yes No

County Permit: Yes No Permit ID:

PERMIT & ID NUMBERS (AS REQUIRED)

Direction

from well:

Direction

from well:

### LOCATION OF WATER WELL

Latitude	Longitude	Section	Township	Range	E W	Fraction	1⁄4	1⁄4	1⁄4
Datum	Elevation	County							

### WATER WELL OWNER

Name					
Business					
Address					
Well location					
at owner's address					

#### CONSTRUCTION

Borehole interval:	Borehole diameter:
fromtoft.	in.
fromtoft.	in.
Casing height above land su	
If casing height is less th has a variance been app	roved?* Yes No
*variance not required for or environmental reme	
Casing type:	
Blank casing interval:	ft. toft.
Blank casing diameter:	in.
Casing joints:	
Weight:lbs	s/ft.
Wall thickness or gauge	no.:
Blank casing interval:	ft. toft.
Blank casing diameter:	
Casing joints:	
Weight:lbs	s/ft.
Wall thickness or gauge	
Grout interval: ft. to	oft.
Grout material:	
Grout interval: ft. to	oft.
Grout material:	
Screen / perforation material	:
Screen / perforation opening	gs:
Screen / perforation intervals	S:
Fromft. to	_ft.
Slot size unit	
Fromft. to	_ft.
Slot size unit	
Gravel pack intervals:	
Gravel pack not used:	Gravel size in
From ft. to	
Gravel pack not used:	
From ft. to	

	County					
WELL	WATER U	SE				
сом	PLETION					
Dep	th of compl	eted w	ell:			ft.
Dep	th(s) groun	dwater	en:	countere	ed:	
(1)_	ft.;	(2)		ft.;		
(3) _	ft.;	(4)	dı	y well		
Stati	c water leve	el in wo	ell:		_ft.	
	neasured be on (mm/dd/		nd	surface		
	neasured ab on (mm/dd/		nd	surface		
Estir	nated yield	:		gpm		
Wate	er level was:	:		ft. after		hours
			pι	umping_		gpm
Pum	p installed	Ye	es	No		

Water well disinfected? Yes No

Date disinfected (mm/dd/yy):

# Aqu

## LITH

Aquifer, if known:		# of boreholes:	# of dewatering wells:	
ITHOLOG	IC LOG			
FROM	то	LITHOLOGY INTERVALS		

#### COMMENTS

#### CONTRACTOR'S OR LANDOWNERS CERTIFICATION

This water well was constructed	reconstructed	pursuant to the stated water well
contractor's license and was complet	ed on	I certify that this record is true to
the best of my knowledge and belief.	This water well rec	ord was completed on
under the business name of		,
Kansas Water Well Contractor's Lice	nse No	_ under the authority of the designated
person as defined in K.A.R. 28-30-20	j) and signed and c	ertified by the electronic signature of the
designated person at its submittal:		·
Send one copy to WATER WELL OWNER	and retain one for you	r records. Fee of \$5.00 for each constructed well.
KANSAS DEPAR	TMENT OF HEALTH	AND ENVIRONMENT

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record
Doc ID	1787059
Well Owner	Andy Befort
Contractor	Nash Water Well Service, LLC

# Lithology

From	То	Lithology Intervals
0	40	sand,fine to medium
40	100	sand,fine to coarse,With small to medium gravel
100	170	sand,fine to medium,With thin streaks of tan clay
170	200	sand,fine to medium,With white rock streaks and tan clay streaks
200	230	sand,fine to coarse
230	310	sand,fine to medium
310	360	shale,unknown,Blue shale with rock layers
360	380	other,unknown,Blue clay with gray fine sand streaks tight 45%
380	400	sandstone,unknown,Gray fine sandstone and blue/gray clay tight 80%
400	440	sandstone,unknown,Gray sandstone with gray clay tight 65%
440	460	sandstone,unknown,Gray sandstone with gray clay medium 60%
460	480	sandstone,unknown,Gray sandstone with gray clay medium 65%
480	500	sandstone,unknown,Course tan sandstone and gray clay medium 80%

Form	WWC5.2 - Water Well Record
Doc ID	1787059
Well Owner	Andy Befort
Contractor	Nash Water Well Service, LLC

# Lithology

From	То	Lithology Intervals
500		sandstone,unknown,Gray sandstone and gray clay Medium 70%
510	520	other,unknown,Gray clay