WATER WELL RECORD (WWC-5)

VATER WELL R	ECORD (WW	C-5)			KOLAR D	OC ID	WELL ID		
OCATION OF WATER V	VELL			0	riginal Recor	d Correction	Change in We	ell Us	
Latitude	Longitude		Section	Township	Range	E W Fraction	1/4 1/4	1	
Datum	Elevation		County	-		***			
ATER WELL OWNER		WE	LL WATER USE	 E		NEAREST SOURCE OF P	OTENTIAL CONTAM	INATIO	
Jame						Source:			
Business			MPLETION			Distance	Direction		
Justicss						from well:	_ from well:		
Address			-	ted well:	ft.	Source			
				water encountered:		description:			
Well location) ft.;) ft.; (Source:			
ven location						Distance from well:	Direction from well:		
at owner's		St	Static water level in well: ft.			Source			
address			measured belo on (mm/dd/y	ow land surface		description:			
ONSTRUCTION				ve land surface		No potential source	of contamination		
Borehole interval:	Borehole diamet	er:	on (mm/dd/y			within 100 feet.			
fromto ft.	. <u></u>	in. Es	stimated yield:	gpm		PERMIT & ID NUMBERS	(AS REQUIRED)		
romtoft.				ft. after	hours	DWR Application No.:			
Casing height above land				pumping	1	KDHE / EPA Project C	ode:		
If casing height is les			ump installed?		01	Site Name:			
has a variance been		No -				KDHE UIC Class V Fo	rm Completed: Ye	es l	
*variance not require				ected? Yes No		County Permit: Yes	No Permit ID:		
or environmental re	emediation wells	D	Date disinfected (mm/dd/yy):			Lease Name & Well #:			
Casing type:	G. 4-	_	quifer, if known	ı:		# of boreholes:	# of dewatering well	s:	
Blank casing interval:									
Blank casing diameter:			HOLOGIC LOG	LITHOLOGY INT	TDVALC				
Weight:	lbc/ft	_ -	ROM TO	LITHOLOGY IN	ERVALS				
	uge no.:								
Blank casing interval:	·	a							
Blank casing diameter:									
Casing joints:									
Weight:	lbs/ft.								
Wall thickness or ga	_								
Grout interval:									
Grout material:									
Grout interval:		со	MMENTS						
Grout material:									
Earson / norforation mat	orial.								
Screen / perforation mate Screen / perforation ope		_ _	NTRACTOD'S	OR LANDOWNERS C	FRTIFICATION				
creen / perforation inter				was constructed		-t-1 munousmt to t	ha atatad watan wa	.11	
Fromft. to					reconstru	•	the stated water we		
Slot size u				-		I certify tha			
From ft. to			•	· ·		vell record was complet			
Slot size u									
Gravel pack intervals:		K	ansas Water V	Vell Contractor's Li	cense No	under the aut	hority of the design	nated	
-	: Gravel size	. pe	erson as defin	ed in K.A.R. 28-30-	2(j) and signed	d and certified by the el	ectronic signature	of th	
From ft. to			esignated pers	son at its submittal:		·			
	π. : Gravel size					for your records. Fee of \$5	5.00 for each construc	ted w	
		_ in				EALTH AND ENVIRONM			
From ft. to _	It.		Bureau	of Water, Geology Sec	ction, 1000 SW J	ackson St., Suite 420, Tope	eka KS 66612-1367		

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record			
Doc ID	1794243			
Well Owner	RUSTY SEGER			
Contractor	Southwest Windmill & Water Well Service, Inc.			

Casing

From	То	Casing Diameter	Casing Joint		Wall Thickness or Gauge Number
0	445	5	Glued	200	
465	485	5	Glued	200	
505	525	5	Glued	200	

Form	WWC5.2 - Water Well Record		
Doc ID	1794243		
Well Owner	RUSTY SEGER		
Contractor	Southwest Windmill & Water Well Service, Inc.		

Lithology

From	То	Lithology Intervals
0	2	topsoil
2	100	clay
100	227	sand,fine to medium,clayey
227	370	sand,fine to medium
370	430	sand,fine to medium,clayey
430	455	sand,fine to medium,clayey,SOME SANDSTONE LAYERS
455	482	sandstone,unweathered,SOM E CLAY STREAKS
482	533	sandstone,unweathered
533	545	clay,red

Form	WWC5.2 - Water Well Record			
Doc ID	1794243			
Well Owner	RUSTY SEGER			
Contractor	Southwest Windmill & Water Well Service, Inc.			

Screen and Gravel

From	То		Gravel Pack Used			Gravel Size
445	465		Yes	25	465	
485	505		Yes	465	505	
525	545		Yes	505	545	