KOLAR DOC ID _____ WELL ID_

WATER WELL RECORD (WWC-5)

From _____ ft. to _____ ft.

OCATION OF WATER WELI	_		Original Reco				ord Correction Change in Well Use				
Latitude Longitude				Section	Township	Range	E W Fraction	1/4	1/4	1/4	
Datum	Elevation			County			**				
WATER WELL OWNER			WELL	WATER USI	 E		NEAREST SOURCE OF POTENTIAL CONTAMINATION				
Name							Source:				
			COMP	LETION			Distance	Direction	n		
Business				LETION			from well:	from wel	l:		
Address			Depth of completed well:ft. Depth(s) groundwater encountered:				Source description:				
				(1) ft.; (2) ft.;			Source:				
Well location			(3) ft.; (4) dry well				Source: Distance Direction				
		Static water level in well: ft.				from well: from well:					
at owner's address			measured below land surface on (mm/dd/yy):				Source description:				
CONSTRUCTION			m	easured abo	ve land surface		No potential sour	rce of contamin	nation		
Borehole interval: Borehole diameter:			on (mm/dd/yy):				PERMIT & ID NUMBERS (AS REQUIRED)				
fromto ft.		in.	Estimated yield: gpm				T ENIMIT & ID NOMBE	.iis (As itegoi			
fromto ft.		in.	Water level was: ft. afterhours				DWR Application No.:				
Casing height above land sur	face:	in.	pumping gpm				KDHE / EPA Project Code:				
If casing height is less that		Pump installed? Yes No				Site Name:					
has a variance been approved?* Yes No							KDHE UIC Class V Form Completed: Yes No				
*variance not required for monitoring			Water well disinfected? Yes No				County Permit: Yes No Permit ID:				
or environmental remediation wells			Date disinfected (mm/dd/yy):			Lease Name & Well #:					
Casing type:	ft to		Aguif	er, if known	1;		# of boreholes:	# of dewater	ing wells:		
Blank casing diameter:		1t.		LOGIC LOG							
Casing joints:			FROI		LITHOLOGY	NITEDWALC					
Weight: lbs			rkoi	10	Limologii	IVIERVALS					
Wall thickness or gauge 1											
Blank casing interval:											
Blank casing diameter:		1ι.									
Casing joints:											
Weight:lbs											
Wall thickness or gauge i	10.:										
Grout interval: ft. to Grout material:											
Grout interval: ft. to											
			COMM	IENTS							
Grout material:											
Samoon / monformation montonial											
Screen / perforation materials			CONT	DACTOR'S	OB LANDOWNER	CEDTIFICATION	<u> </u>				
Screen / perforation opening					OR LANDOWNER						
Screen / perforation intervals					was constructe		•	o the stated w			
Fromft. to	_		conti	ractor's lice	ense and was con	pleted on	I certify t	hat this record	l is true 1	to	
Slot size unit _			the b	est of my l	knowledge and b	elief. This water	well record was comp	leted on			
From ft. to	_		unde	r the busir	ness name of					,	
Slot size unit _			Kans	as Water V	Vell Contractor's	License No.	under the a	uthority of the	e designa	ited	
Gravel pack intervals:							d and certified by the	•	_		
Gravel pack not used:	Gravel size _	in	-			-	a and certified by the	ciccironic sig	,marune O		
From ft. to	ft.				son at its submitt		· · · · · · · · · · · · · · · · · · ·				
Gravel pack not used:	Gravel size	in	Send o	ne copy to V	VATER WELL OW	NER and retain on	e for your records. Fee of	\$5.00 for each	constructe	ed well	

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record
Doc ID	1792480
Well Owner	CHUCK LEININGER
Contractor	Southwest Windmill & Water Well Service, Inc.

Casing

From	То	Casing Diameter	Casing Joint		Wall Thickness or Gauge Number
0	325	5	Glued	200	
345	365	5	Glued	200	
385	405	5	Glued	200	

Form	WWC5.2 - Water Well Record
Doc ID	1792480
Well Owner	CHUCK LEININGER
Contractor	Southwest Windmill & Water Well Service, Inc.

Screen and Gravel

From	То	 	Gravel Pack Used			Gravel Size
325	345		Yes	25	345	
365	385		Yes	345	385	
405	425		Yes	385	425	