

Form	ACO1 - Well Completion
Operator	Enterra Resources, LLC
Well Name	KMU 8-3
Doc ID	1800980

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement	Number of Sacks Used	Type and Percent Additives
Surface	12.25	8.625	24	1596	Class A	800	CACL2
Production	7.875	5.5	14	5188	Class A	200	CACL2

J. M. HUBER CORPORATION

PIPE TALLY AND CEMENT RECORD

LEASE

F Smith

DATE 10-16-83

WELL NO. 19-4

COUNTY _____

Monty

STATE

Kunze

SIZE _____ WT. _____ GRD. _____ TYPE JT. _____ NO. JTS. _____ IT. NOS. _____ THRU _____ MAKE _____ FT. DEL. _____

SIZE _____ WT. _____ GRD. _____ TYPE JT. _____ NO. JTS. _____ JT. NOS. _____ THRU _____ MAKE _____ FT. DEL. _____

SIZE 8 3/4 WT. 24 GRD. K TYPE JT. SPC NO. JTS. 41 JT. NOS. 1 THRU 41 MAKE _____ FT. DEL. 18-96-S-8

SIZE 8⁵/₄ WT. 34 GRD. K TYPE JT. STC NO. JTS. 4 JT. NOS. 42 THRU 45 MAKE _____ FT. DEL. 156.83

[illegible]

Russell-Borger

NO. JTS. DELIVERED 45 NET FOOTAGE 1753.41

NO. JTS. RUN 71 NET FOOTAGE 1596.58

NO. JTS. NOT RUN* 4 GROSS FOOTAGE 15683

NO. & INTERVAL OF SCRATCHERS

NO. & INTERVAL OF CENTRALIZERS 1586 1562 1473 1395

CEMENT BRAND Howe SACKS 600 BLEND 27% CACI 2 + 4th Flockpe-3

CEMENT BRAND Hower Class HSACKS 200 BLEND 2 1/2 Co/2 Per Sack

REMARKS: Invert Float Valve @ 15'-5" - Float Held.

Shoe 1596

WT.	GRD.	NO.	JTS.	LENGTH	
14	X	41	1596	58	
			1596	58	
SHOE & COLLAR				80	
MISC. ITEMS					
SUB-TOTAL			1597	38	
K.B. TO TOP C.H.				58	
SETTING DEPTH			1596	00	

* TRANSFER NO.

BY:

TQ:

STATE KS.

Russell-Borgers

TO:

WT.	GRD.	NO.	JTS.	LENGTH
14	KSS	123		5185 04
SHOE & COLLAR				3 00
MISC. ITEMS DU				3 00
SUB-TOTAL				
K.B. TO TOP C.H.				3 00
SETTING DEPTH				5189 04