KOLAR Document ID: 1672632

Confidentiality Requested:

Yes No

#### Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	SecTwpS. R □East □ West
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:
☐ OG ☐ GSW	
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)
	Chloride content:ppm Fluid volume:bbls
Commingled Permit #:	Dewatering method used:
Dual Completion Permit #:	
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	Operator Name:
GSW Permit #:	Lease Name: License #:
	Quarter Sec TwpS. R
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	County: Permit #:

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
Wireline Log Received Drill Stem Tests Received						
Geologist Report / Mud Logs Received						
UIC Distribution						
ALT I II III Approved by: Date:						

KOLAR Document ID: 1672632

#### Page Two

Operator Name: _				Lease Name:			Well #:	
SecTwp.	S. R.	Ea	ast West	County:				
	flowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.go\	. Digital electronic log
Drill Stem Tests Ta			Yes No		_	on (Top), Depth ar		Sample
Samples Sent to G	Geological Surv	ey	Yes No	Na	me		Тор	Datum
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No					
		R			New Used	on, etc.		
Purpose of Strir		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING / S	QUEEZE RECORD	I		
Purpose:			pe of Cement	# Sacks Used		Type and F	Percent Additives	
Purpose:  Perforate Protect Casing Plug Back TD  Depth Top Bottom  Type of Cement # Sacks Used Type and Percent Additives  # Sacks Used Type and Percent Additives								
Plug Off Zon								
<ol> <li>Did you perform a</li> <li>Does the volume o</li> <li>Was the hydraulic</li> </ol>	of the total base f	luid of the hydraulic	fracturing treatment	_	=	No (If No, sk	ip questions 2 an ip question 3) out Page Three (	,
Date of first Producti Injection:	ion/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other (Explain)		
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			N INTERVAL: Bottom
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom
,	, Submit ACO-18.)				· · · · · · · · · · · · · · · · · · ·			
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid	Fracture, Shot, Cer (Amount and Kind	menting Squeeze  I of Material Used)	Record
TUBING RECORD:	Size:	Set /	At:	Packer At:				
. 5213 (1200) 10.	JIEG.			. 30.0.71				

Form	ACO1 - Well Completion
Operator	S & K Oil Production, Inc.
Well Name	PAGE I 47
Doc ID	1672632

### Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight		Type Of Cement		Type and Percent Additives
Surface	9.875	7	6	20	one	5	0
Production	5.875	2.875	6	679	one	78	0



Mound City, KS 620.224.7406

		* Weil #				Cas	ing
		Page #I-4	47			Surface	Longstring
	S&K	Oil Produc	tion, Inc.		Size:	7.000 "	Size: 2 7/8 "
			,		Tally:	20 '	Tally: 679 '
API #:	011-	24742 S-T	-R: 18-25S-22E		Cement	the state of the s	Bit: 5.875 "
KiloMSIT house; kalan JSM on kastantan	e Parameter et transce i decembre	n Co., KS Da	i		Bit:	9.875	Date: 9/26/2022
Top	garanga, at ) no û jercana zêretîn 300	Formatio	Comments for the second comments of the second comments are compared to the second compared to the second comments of the second comments	Top	- Buse	ran Marie Marie Marie and Araba Sanara a	
0		Soil & rock			- Verage		
2	5	Clay	en a espera que para com ase mentos por presentados en estados de parte en entre especial de como como como com En espera que en estado en en estado en estado en estado en estado en estado en entre en entre en entre en est	. Manazaran da karantar da		1/2000th:	b Mmay to 1
5	30	Lime	er ender til ender med som store den et vertice og men en endergren men med som endergren personer og som en e	nik demonstrika funksion, enskurensiste pers saas veri	an in terms of the first control of the first contr	congsiin	g Cemented I Production
30	35	Shale	Providence of the state of the second	gallet a malarin a del francisco del region derrota, con colordo est esta a col	Constant and the commission of	LUSEV 0	Produce to
35	46	Lime	о Adalah 1866 - 1866 - 1866 - 1866 - 1866 - 1866 - 1866 - 1866 - 1866 - 1866 - 1866 - 1866 - 1866 - 1866 - 186 - 1866 - 1866 - 1866 - 1866 - 1866 - 1866 - 1866 - 1866 - 1866 - 1866 - 1866 - 1866 - 1866 - 1866 - 1866 - 186	er Production of the American Section 2000	ner telped property, del competit adapte el property accepto	99:20	TI TOGACITOR
46	102	Shale	Воскі становів. При при при при при при при при при при п	kertikan angkalamat nggarmadi pagtingsi pagaman pagamananga a selum paga Bilangan Bilang Bilang Bilangan Bilang Bilang Bilang Bilang Bilang Bilanga	estina is deliment estimated as supress, a	mer e <sup>®</sup> 1900 in the dia children principal del mello actor de commo diagnos Speciales com <sub>mo</sub> accide acque per E	W178 SXS
102	115	Lime		A STATE OF THE PROPERTY OF THE	The state of the s	The state of the s	The second secon
115	190	Shale	en meneral en general de meneral de la companya de La companya de la companya del la companya de la companya del la companya de la compa	THE STATE OF THE S	* (Ind.)   140°	gest for account team requests a companient transfer on topological fields and a Martinesta List ordered as	American programme and the second
190	210	Lime	British kalikalish di dalam sa pakabah dalam ka ang paliman apada mananagga ayan paggangan ya		belondere bereiten begreten un		eginetati ya ku
210	282	Shale	Androide the confirmation of the demonstrative country is recognized account on the grant management of the demonstrative country.	and conservation the contraction of the boltomers of	all all thought out the supply that		The state of the s
282	300	Lime	to the transfer of the terms of the transfer that the transfer of the transfer		minters with with promise	The part of the contract of th	and the control of th
300	311	Shale	The Established of the control of th	and a second sec	PERMIT OF PERMITS OF	general control of the statement or state of Atherican beautiful and the state of t	g street methodostado friladoleto terros roma apas nas repositores meser repositor es el especia es el especial
311	. N. Call State Described and special sections.	Lime	Orda 2500-1888 Balako 1864 arti 252 (1500-a digitari turi van piposaania, duwanatingania, guay, magnasa	end albumon contactores of a contactor	stational control of the state	and September 1985 of the second section of the sect	to control with white the bound is an about the control of the con
334	in the company of the factor of the same o	Shale	en de sant de la company de la	BETT OF BUTTON	page of early wast to the first the	and the contraction with the states to the state of the s	The state of the s
380	402	Lime	T THE CONTROL OF CONTR	etter deleva a telek formaler men til at en strateger sa steta, tjansa aver	fallening fig. and the state of	g and the state of	E 
402	ودف غيران مورد المساور والمعادد مساد	Shale	g (\$75 kapate 1988). The transportation for the transport to the suppression development to the supersion and the supers	engagi kalungang mengang mengang Mengang kalungang mengang	Maken demand of the DA serve of the	The Control of Control (1990) or decourage, and control (1990) or or	The state of the s
438 505	505 515	Lime Shale	en e namera a sur esta en entre entre entre sentas en en mais se para sucur valuabres dem en sentes en enventado, asun	e tip opti (providence) av disk i de protestante, e e i tibre e tronslante.	r fall coefficient and a conserve conserve	Enter a management of any patent to the part of the pa	водинения и при при при при при при при при при п
515	525	Lime	the Control of the Co	and the state of t		e de la companya della companya della companya de la companya della companya dell	in a management of the second
525	alich laummo op meterne elec-	Shale	ermitensky krimen og men noten met sytem strometer men men strometer og strometer i men har men i strometer st Om tensor	aa halium dharma ahaa gaaraa aa milliish ahaa macaad maan oo aa ay dhaa annaan	Maria Ma	LDP	622
532		Lime	en manifest with military in the constitution of the description of the constitution o	et jakon kalain men et jakon kenan kalain kenan	altern de kontanje de vestre de Statistanie	Bottom	e proposition de participat de la confidence de la confidence de la confidence de la confidence de la confidence La confidence de la confidence del la confidence de la confiden
546		Sandy Shale	Slight odor	and the second s	Scholae (Schatter) - electron	Dottom	
622	CONTRACTOR WITH THE SPECIAL PROPERTY.	Sand	See below	ter another of the analysis of the second	Sill purhadi i Mikacini ki repusana jiyandi yada	The control of the co	**************************************
642		Shale	Slight odor, no show	कारणबन्द का स्थान है है। अस्ति के अस्ति के अस्ति के अस्ति का स्थान के अस्ति के अस हैं	manistrative of manipulations in	The states of states and entered construction of the state of the stat	g de la companya en mentalitan mandra de mandra de la companya de la transita de la companya mentalita de la compa La companya en mentalitan mandra de mandra de la companya de la companya de la companya mentalita de la compan
on that there is come in the second	-announced and an engine company.	g saa masangan asaa amaa oo masaa maasaa	of Montal to the Maria Anthony of the wilder of the second descriptions with the second between the tree of the second between the second betwe	T. J. W. Servey	S # 14.7	Said / Care Dr	etall.
pre sem nemane mentioneen   	in the first term of the second secon	$\sum_{i=1}^{n} (a_i x_i x_i) = \max_{i \in \mathcal{A}} a_i \max_{i \in \mathcal{A}} \sum_{i \in \mathcal{A}} a_i x_i x_i \sum_{i \in \mathcal{A}} a_i x_i x_i x_i x_i x_i x_i x_i x_i x_i x$	i provincia mendigi nime i si i movima e removama in est a remova no remova me menembrando estrumente estado c E	Core#1:	er er er er Herselska	Core #2:	
romen various e e e e e e e e e e e e e e e e e e e	in and a trial term of the state of the stat	de filmen i demonstration i processor que a segui na conseguiran e se esta esta esta en esta en esta en esta e Esta esta en e Esta en esta en	regulariness senting (programme angle resource) — en en en en en en eg a gar (per gan et a grande per en este d En en	622	625	Good sand, good o	
againer to these course of the paying	and the first selection of the first selection of the sel	entre de la companya de la companya La companya de la companya de	er galat v. y. v. m. giget (principles) i i i i i i i i i i i i i i i i i i i	625	630	gangga again, mana gampai masimmatan makultatahan si mattitishi katalah dari tahih di	rong odor, good bleed
1	and the same of the same of	y per the country to the country of	en er er er en fingliehet vertichte de kommen er	630	633	Less odor, but ok b	effektive eine seine filhelisti kolonistista 11000 indensitytte vers voista kindent einterse mannet v
The second secon	The Salvage range of the second		anneren er	633	639	Strong odor and bl	eed
ar flore broke i konzona variance.	Service designation of the property of			639	642	Odor and bleed go	ue.
projekt stocker en tekkeren en kaker byg	25 for Alberta Properties of September	Comment of the section of the sectio	arrangs kanag salahanan mang man ara manan manya mangunan mangunan manan salah salah salah salah salah salah s	anam kaliminan menghipanga menghipangan dan kanangan sebagai sebagai sebagai sebagai sebagai sebagai sebagai s	nd =10 v probability. Date: happygon.	The state of the s	and a more statement of the statement of t The statement of the statement
# 	er som år ogsåde i er state av er skylligger.	The state of the s	indicates the property of a latest all the latest answer (and then, more extremely according to the data		en classica e d'Educació di veleta l'e	en Production (1930), de Challade, locale grande approblematique des sens productions de	n der stelle
mano, n secon managana, i i i i i i i i i i i i i i i i i i i	المراد ال	ar province and in the construction of the con	ngayaya a ngjada a galapanananan ganapa a langabahayah kuman ngalah (Salah ka langabahaya). a n	tengg v, dicety v, pt pagatypy (greenpa, ya ni hawayanganyanyahan) t	ermens-vikesia erseves esperis	ega and defendent to the end of the state of	ritural materials de la filocologia mento commune commune com e tota colorido mente mente mente con com como c
ga, tipa-danggamiya na mastrus mon a ri	le survisionessa estresi	The state of the s	e skuleto – moderne relativosamo com contrata de conjunção da opposo e conjunção de conferencia de conferencia	gor () glywholyn y b	arms at the translative and arm gardens.	en fan de sign en terminal of Mondelpula Arthur de 2 maar in 1904 betre tropschauf de sistemaa	еку (1985) жылы жайын жайын жайын түскө түмкө түйнө түү жүү жайын жайын түс түүлүү түү түү түү түү
e de la companya de la de la companya de la	nghid discover rooty ord videal.	Take the take the second state of the second s	A SECTION OF THE PROPERTY OF T	recommendation of the second contraction of		The second section of the second seco	eng manggagal to , sangdoon sersiving states on , to nother tachers after the to to so with it then by out of
and a sure of a sure of a substitution	e	and the state of t			enne varancem messam vestimas	The state of the s	entitionalities on meeric (2) - a is teges, among og elder mil til trong kinds, pælje molys pille en men, molys
3		}	Total Depth:	685			



O

Coleman Hardware LLC. 505 Main Street Mound City KS 66056 913-795-2895

Fax: 913-795-2026

## CUSTOMER COPY



INVOICE

2211-047716

PAGE

1 OF

SOLD
S&KOIL
C/O STEVE JACKSON
1903 FARRIS ROAD
BLUE MOUND KS 66010

JOB ADDRESS S&KOIL C/O STEVE JACKSON 1903 FARRIS ROAD BLUE MOUND KS 66010

ACCOUNT JOB 20006 SOLD ON 11/4/2022 9:48:29 AM CUST PICKUP BRANCH 1000 CUSTOMER PO# OIL STATION C03 CASHIER SS

Thank you for your business!

SALESPERSON ORDER ENTRY

luantity	UM	Hem	Description		Pite trability and responsible to the second	- Marine St. Marine St. Ann	THE PARTY OF THE P
18	EA	SOP05454-000	2000 LB. BAGS OF PORTLAND	D T		Per	Amount
10	E4		CEMENT	Y	337.9900	EA	6,083.6
	EA	SOP05454-001	PALLET CHARGE PER PALLET	Y	25.0000	EA	
16	EA	SOP05454-002	WRAPPING CHARGE PER PALLET	Y	5.0000		450.
7	DP	FRT	Freight	N	91.0000		90.
-86	EA	SOP05454-001	PALLET CHARGE PER PALLET	Y	20.0000		91.
			Return Reason: DNN	'	20.0000	EA	-1,720.0
				1		į	
į							
[							
1							
ĺ	]						
İ	l						
1	]					•	
İ					ļ		
······································		el Division Comme					

Payment Method(s) Buyer: STEVE

Charge to Acct

5,411.64

SubTotal 4,994.82 Sales Tax 416.82 KST 8.50% Deposit Please Pay This 5,411.64 Amount