





|           |                            |
|-----------|----------------------------|
| Form      | ACO1 - Well Completion     |
| Operator  | S & K Oil Production, Inc. |
| Well Name | SWISHER I 4                |
| Doc ID    | 1674831                    |

#### Casing

| Purpose Of String | Size Hole Drilled | Size Casing Set | Weight | Setting Depth | Type Of Cement | Number of Sacks Used | Type and Percent Additives |
|-------------------|-------------------|-----------------|--------|---------------|----------------|----------------------|----------------------------|
| Surface           | 9.875             | 7               | 6      | 21            | 1              | 5                    | 0                          |
| Production        | 5.875             | 2.875           | 6      | 689           | 1              | 82                   | 0                          |
|                   |                   |                 |        |               |                |                      |                            |
|                   |                   |                 |        |               |                |                      |                            |

# McGOWN

## DRILLING, INC.

Mound City, KS  
620.224.7406

| Well #                                   |                 |             |                  |      | Casing  |                     |               |          |
|------------------------------------------|-----------------|-------------|------------------|------|---------|---------------------|---------------|----------|
| Swisher #1-4<br>S&K Oil Production, Inc. |                 |             |                  |      | Surface |                     | Longstring    |          |
|                                          |                 |             |                  |      | Size:   | 7.000 "             | Size:         | 2 7/8 "  |
| API #:                                   | 011-24731       | S-T-R:      | 18-25S-22E       |      | Tally:  | 21.6 '              | Tally:        | 689.95 ' |
| County:                                  | Bourbon Co., KS | Date:       | 10/26/2022       |      | Cement: | 5 sx                | Bit:          | 5.875 "  |
|                                          |                 |             |                  | Bit: | 9.875 " | Date:               | 10/27/2022    |          |
| Top                                      | Base            | Formation   |                  | Top  | Base    | Formation           |               |          |
| 0                                        | 3               | Soil & rock |                  | 656  | 666     | Shale               |               |          |
| 3                                        | 25              | Lime        |                  | 666  | 669     | Sandy Shale         |               |          |
| 25                                       | 28              | Black Shale |                  | 669  | 674     | Sand                | Fair oil show |          |
| 28                                       | 31              | Lime        |                  | 674  |         | Sandy Shale         |               |          |
| 31                                       | 38              | Shale       |                  |      |         |                     |               |          |
| 38                                       | 60              | Lime        |                  |      |         |                     |               |          |
| 60                                       | 62              | Shale       |                  |      |         |                     |               |          |
| 62                                       | 64              | Lime        |                  |      |         |                     |               |          |
| 64                                       | 78              | Shale       |                  |      |         |                     |               |          |
| 78                                       | 80              | Lime        |                  |      |         |                     |               |          |
| 80                                       | 83              | Black Shale |                  |      |         |                     |               |          |
| 83                                       | 111             | Shale       |                  |      |         | Seat Nipple:        | 657.05'       |          |
| 111                                      | 116             | Lime        |                  |      |         |                     |               |          |
| 116                                      | 218             | Shale       |                  |      |         |                     |               |          |
| 218                                      | 229             | Lime        |                  |      |         | Longstring cemented |               |          |
| 229                                      | 236             | Shale       |                  |      |         | S&K Oil Prod.       |               |          |
| 236                                      | 248             | Lime        |                  |      |         | w/ 82 sis           |               |          |
| 248                                      | 252             | RedBed      |                  |      |         |                     |               |          |
| 252                                      | 278             | Sandy Shale |                  |      |         | Top 610 669         |               |          |
| 278                                      | 320             | Shale       |                  |      |         | Bottom 625 672      |               |          |
| 320                                      | 340             | Lime        |                  |      |         |                     |               |          |
| 340                                      | 342             | Black Shale |                  |      |         |                     |               |          |
| 342                                      | 385             | Shale       |                  |      |         |                     |               |          |
| 385                                      | 401             | Lime        |                  |      |         |                     |               |          |
| 401                                      | 408             | Shale       |                  |      |         |                     |               |          |
| 408                                      | 413             | Lime        |                  |      |         |                     |               |          |
| 413                                      | 418             | Sandy Shale |                  |      |         |                     |               |          |
| 418                                      | 428             | Sand        | Grey, no show    |      |         |                     |               |          |
| 428                                      | 523             | Sandy Shale |                  |      |         |                     |               |          |
| 523                                      | 525             | Lime        |                  |      |         |                     |               |          |
| 525                                      | 527             | Shale       |                  |      |         |                     |               |          |
| 527                                      | 529             | Black Shale |                  |      |         |                     |               |          |
| 529                                      | 572             | Sandy Shale |                  |      |         |                     |               |          |
| 572                                      | 577             | Sand        | No show          |      |         |                     |               |          |
| 577                                      | 603             | Shale       |                  |      |         |                     |               |          |
| 603                                      | 635             | Sand        | Good show        |      |         |                     |               |          |
| 635                                      | 656             | Sandy Shale | w/some free sand |      |         |                     |               |          |
| Total Depth:                             |                 |             |                  | 694  |         |                     |               |          |



Coleman Hardware LLC.  
505 Main Street  
Mound City KS 66056  
913-795-2895  
Fax: 913-795-2026

CUSTOMER COPY



# INVOICE

2211-047716 PAGE 1 OF 1

| SOLD TO                                                                   |
|---------------------------------------------------------------------------|
| S & K OIL<br>C/O STEVE JACKSON<br>1903 FARRIS ROAD<br>BLUE MOUND KS 66010 |

| JOB ADDRESS                                                               |
|---------------------------------------------------------------------------|
| S & K OIL<br>C/O STEVE JACKSON<br>1903 FARRIS ROAD<br>BLUE MOUND KS 66010 |

| ACCOUNT      | JOB                  |
|--------------|----------------------|
| 20006        | 0                    |
| SOLD ON      | 11/4/2022 9:48:29 AM |
| CUST PICKUP  |                      |
| BRANCH       | 1000                 |
| CUSTOMER PO# | OIL                  |
| STATION      | C03                  |
| CASHIER      | SS                   |
| SALESPERSON  |                      |
| ORDER ENTRY  |                      |

Thank you for your business!

| Quantity | UM | Item         | Description                                    | D | T | Price    | Per | Amount    |
|----------|----|--------------|------------------------------------------------|---|---|----------|-----|-----------|
| 18       | EA | SOP05454-000 | 2000 LB. BAGS OF PORTLAND CEMENT               |   | Y | 337.9900 | EA  | 6,083.82  |
| 18       | EA | SOP05454-001 | PALLET CHARGE PER PALLET                       |   | Y | 25.0000  | EA  | 450.00    |
| 18       | EA | SOP05454-002 | WRAPPING CHARGE PER PALLET                     |   | Y | 5.0000   | EA  | 90.00     |
| 1        | DP | FRT          | Freight                                        |   | N | 91.0000  | DP  | 91.00     |
| -86      | EA | SOP05454-001 | PALLET CHARGE PER PALLET<br>Return Reason: DNN |   | Y | 20.0000  | EA  | -1,720.00 |

Payment Method(s) Buyer: STEVE

Charge to Acct 5,411.64

|                        |           |          |
|------------------------|-----------|----------|
| KST 8.50%              | SubTotal  | 4,994.82 |
|                        | Sales Tax | 416.82   |
|                        | Deposit   |          |
| Please Pay This Amount |           | 5,411.64 |

Signature STEVE