KOLAR Document ID: 1674832

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:					
Name:	Spot Description:					
Address 1:						
Address 2:	Feet from North / South Line of Section					
City:	Spot Description:					
Contact Person:	Footages Calculated from Nearest Outside Section Corner:					
Phone: ()	□NE □NW □SE □SW					
CONTRACTOR: License #	GPS Location: Lat: Long:					
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxxx)					
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84					
	County:					
	Lease Name: Well #:					
	Field Name:					
	Producing Formation:					
	Elevation: Ground: Kelly Bushing:					
	Total Vertical Depth: Plug Back Total Depth:					
	·					
•						
	feet depth to: sx cmt.					
Original Comp. Date: Original Total Depth:						
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Heserve Pit)					
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls					
	Dewatering method used:					
	Location of fluid disposal if hauled offsite:					
EOR	·					
GSW	Operator Name:					
Spud Date or Date Reached TD Completion Date or	QuarterSecTwpS. R East West					
Name:						

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY							
Confidentiality Requested							
Date:							
Confidential Release Date:							
Wireline Log Received Drill Stem Tests Received							
Geologist Report / Mud Logs Received							
UIC Distribution							
ALT I II Approved by: Date:							

KOLAR Document ID: 1674832

Page Two

Operator Name: _				Lease Name:			Well #:	
Sec Twp.	S. R.	Ea	ast West	County:				
	flowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	. Digital electronic log
Drill Stem Tests Ta			Yes No		_	on (Top), Depth ar		Sample
Samples Sent to G	Geological Surv	ey	Yes No	Na	me		Тор	Datum
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No					
		R			New Used	on, etc.		
Purpose of Strir		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING / S	QUEEZE RECORD	I		
Purpose:			pe of Cement	# Sacks Used		Type and F	Percent Additives	
Perforate Protect Casing Plug Back TD								
Plug Off Zon								
 Did you perform a Does the volume o Was the hydraulic 	of the total base f	luid of the hydraulic	fracturing treatment	_	=	No (If No, sk	ip questions 2 an ip question 3) out Page Three (,
Date of first Producti Injection:	ion/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other (Explain)		
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			N INTERVAL: Bottom
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom
,	, Submit ACO-18.)				· · · · · · · · · · · · · · · · · · ·			
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid	Fracture, Shot, Cer (Amount and Kind	menting Squeeze I of Material Used)	Record
TUBING RECORD:	Size:	Set /	At:	Packer At:				
. 5213 (1200) 10.	JIEG.			. 30.0.710				

Form	ACO1 - Well Completion
Operator	S & K Oil Production, Inc.
Well Name	SWISHER I 5
Doc ID	1674832

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight		Type Of Cement		Type and Percent Additives
Surface	9.875	7	6	21	1	5	0
Production	5.875	2.875	6	689	1	82	0



Mound City, KS 620.224.7406

		We	##			Casing				
		Swish	er #I-5				Surface Longstring			
	S&K	Oil Pro	duction	n, Inc.		Size: 7.000 " Size: 2 7/8 "			2 7/8 "	
				*		Tally: 21.3 ' Tally: 689.1 '				
API #:	011-	24732	S-T-R:	18-25S-22E		Cement:	PRODUCTION AND ADDRESS OF THE PARTY OF THE P	Bit:	5.875 "	
County	-	n Co., KS	married to symmetry	10/25/2022		Bit:	9.875 "	Date:	10/26/2022	
Тор	Base		ation			Base			1-0/-0/-0-	
0	3	Soil & ro	医高温剂性 医双氯		Тор	Dase	Formation			
3	5	Lime		# 17 Y 18 C - 18		1		-		
5	7	Clay	***************************************	(aut 1) 100 / 10 / 10 / 10 / 10 / 10 / 10 / 1			To the state of th	-		
7	62	Lime				-	American Company of the Law Special Company	-		
62	83	Shale				-		-		
83	96	Lime				-		-		
96	112	Shale				-				
112	120	Lime				1				
120	179	Shale		and the second of the second s				-		
179	188	Lime				-	The state of the s	-		
188	231	Shale		THE RESIDENCE OF THE PROPERTY	*-1-1			-		
231	238	Lime	Fuertium in the state of the st	AVERTOR IN TRANSPORT AND THE TAXABLE PARTY.	1		Seat Nipple:	656'		
238	291	Shale	Milyer Constitution of State S			-			The second secon	
291	325	Sandy SI	nale		Control Contro	and the state of t	Inna str	b 0	nomenter	
325	345	Lime					cong sinc	19)	
345	391	Shale					18 EV 10	IP	Cemented Od	
391	396	Lime		A TO CONTINUE OF THE CONTINUE AND THE CONTINUE OF THE CONTINUE					VA	
396	397	Shale				- I market market market		w	82 SXS	
397	406	Lime						w	V	
406	414	Shale								
414	419	Lime					Top	620	9 .630	
419	424	Shale		THE STREET STREET, SAN THE STR	THE RESIDENCE AND SECURE ASSESSMENT OF THE PARTY OF THE P	TO THE PERSON WHEN				
424	434	Sandy S	hale	in the second breaking to have another more set who were the			Bottom	660	2 672	
434	440	Shale		AT A STATE OF THE						
440	488	Sandy S	hale				Sand / Core D	etail		
488	528	Shale			Core #1		Core #2:			
528	529	Lime			608	619	Light brown sand,	no odor,	no show	
529	593	Shale			619	622	Good sand, good o	odor, fair	bleed	
593	595	Lime			622	625	Good sand, good o	odor, goo	d bleed	
595	608	Sandy Sl	nale		625	631	Black sand, good o	dor, fair	bleed	
608	640	Sand		Good show	631	640	Black sand, fair od	or, no ble	eed	
640	662	Sandy Sl	nale							
662	672	Sand		Good show	662	670	Good sand, good o	odor, goo	d bleed	
672	Name of the Party	Sandy S	hale		670	672	Good sand, good o	odor, fair	bleed	
					672		Sandy shale w/san	d, no sho	OW	
				Total Depth:	694		The Interior			



O

Coleman Hardware LLC. 505 Main Street Mound City KS 66056 913-795-2895

Fax: 913-795-2026

CUSTOMER COPY



INVOICE

2211-047716

PAGE

1 OF

SOLD
S&KOIL
C/O STEVE JACKSON
1903 FARRIS ROAD
BLUE MOUND KS 66010

JOB ADDRESS S&KOIL C/O STEVE JACKSON 1903 FARRIS ROAD BLUE MOUND KS 66010

ACCOUNT JOB 20006 SOLD ON 11/4/2022 9:48:29 AM CUST PICKUP BRANCH 1000 CUSTOMER PO# OIL STATION C03 CASHIER SS

Thank you for your business!

SALESPERSON ORDER ENTRY

luantity	UM	Hem	Description		Pite trability and responsible to the second	- Marine St. Marine St. Ann	THE PARTY OF THE P
18	EA	SOP05454-000	2000 LB. BAGS OF PORTLAND	D T		Per	Amount
10	E4		CEMENT	Y	337.9900	EA	6,083.6
	EA	SOP05454-001	PALLET CHARGE PER PALLET	Y	25.0000	EA	
16	EA	SOP05454-002	WRAPPING CHARGE PER PALLET	Y	5.0000		450.
7	DP	FRT	Freight	N	91.0000		90.
-86	EA	SOP05454-001	PALLET CHARGE PER PALLET	Y	20.0000		91.
			Return Reason: DNN	'	20.0000	EA	-1,720.0
				1		į	
į							
[
1							
ļ]						
İ	l						
1]					•	
İ					ļ		
······································		el Division Comme					

Payment Method(s) Buyer: STEVE

Charge to Acct

5,411.64

SubTotal 4,994.82 Sales Tax 416.82 KST 8.50% Deposit Please Pay This 5,411.64 Amount