KOLAR Document ID: 1672617

Confidentiality Requested:

Yes No

#### Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	SecTwpS. R
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxxx) (e.gxxx.xxxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet
CM (Coal Bed Methane)	Multiple Stage Cementing Collar Used? Yes No
Cathodic Other (Core, Expl., etc.):	
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to: w/ sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
☐ EOR Permit #:	Location of haid disposal if hadica offsite.
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R
Recompletion Date Recompletion Date	County: Permit #:

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received Drill Stem Tests Received
Geologist Report / Mud Logs Received
UIC Distribution
ALT I II Approved by: Date:

KOLAR Document ID: 1672617

#### Page Two

Operator Name:					Lease Nam	ne:			Well #:	
Sec Tw	pS. F	R [	East	West	County:					
open and closed and flow rates if	, flowing and sh gas to surface t ty Log, Final Lo	nut-in pressurest, along wit	es, whe h final c ain Geo	ther shut-in pre hart(s). Attach physical Data a	essure reached extra sheet if r and Final Electr	station more : ric Loc	level, hydrosta space is needed	tic pressures, d.	bottom hole tempe	val tested, time tool rature, fluid recovery,  Digital electronic log
Drill Stem Tests (Attach Addit			Ye	es No		Lo	og Formatio	n (Top), Deptl	n and Datum	Sample
Samples Sent to	Geological Sur	vey	Ye	es 🗌 No		Name	)		Тор	Datum
Cores Taken Electric Log Run Geologist Repor List All E. Logs F	t / Mud Logs		Y€  Y€	es No						
			Repo		RECORD [	Nev	w Used rmediate, producti	on. etc.		
Purpose of St		ze Hole Orilled	Siz	e Casing (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
				ADDITIONAL	OF MENTING /					
Purpose:	[	Depth	Typo				EEZE RECORD	Typo a	ad Parcent Additives	
Perforate Protect Ca	ADDITIONAL CEMENTING / SQUEEZE RECORD  Purpose: Perforate Protect Casing Plug Back TD  ADDITIONAL CEMENTING / SQUEEZE RECORD  Type and Percent Additives  Type and Percent Additives									
Plug Off Z										
Did you perform     Does the volum     Was the hydraul	e of the total base	fluid of the hyd	draulic fra	cturing treatmen		•	Yes ns? Yes	No (If No	, skip questions 2 an , skip question 3) , fill out Page Three o	,
Date of first Produ	ction/Injection or	Resumed Produ	uction/	Producing Meth			Coolift 0	thor (Fundain)		
Estimated Produc	otion	Oil Bb	le.	Flowing Gas	Pumping  Mcf	Wate		ther <i>(Explain)</i> bls.	Gas-Oil Ratio	Gravity
Per 24 Hours		Oli Bb	15.	Gas	IVICI	vvale	ı Di	JIS.	Gas-Oil Hallo	Gravity
DISPO	OSITION OF GAS	S:		N	METHOD OF CO	MPLE.	TION:		PRODUCTIO	N INTERVAL:
Vented	Sold Use	d on Lease	Open Hole Perf.			Dually Comp. Commingled (Submit ACO-5) (Submit ACO-4)		-	Top Bottor	
(If vente	ed, Submit ACO-18	.)			(5	SUDITIIL I	ACO-5) (SUDI	nit ACO-4)		
Shots Per Foot	Perforation Top	Perforation Bottom	on	Bridge Plug Type	Bridge Plug Set At		Acid,		Cementing Squeeze Kind of Material Used)	Record
TUBING RECOR	D: Size:		Set At:		Packer At:					

Form	ACO1 - Well Completion
Operator	S & K Oil Production, Inc.
Well Name	PAGE I 20
Doc ID	1672617

### Casing

Purpose Of String	Size Hole Drilled	Size Casing Set			Type Of Cement		Type and Percent Additives
Surface	9.875	7	6	20	one	5	0
Production	5.875	2.875	6	738	one	86	0



Mound City, KS 620,224,7406

		Wellt			1.72.73		e e e e e e e e e e e e e e e e e e e	620.224.74
		Page #I-2	0		75 F. 34		sing	
•	S&k	Oil Product	1			Auriace 10	an new Transfer and "4 Televines To	Longstring
			1011, 1116.		Size:	7.000 "	Size:	27/8 "
API#;		L-24739 S-T-			Tally:	20 '	Tally:	738.5 '
MATERIA PROPERTY AND ADDRESS OF		on Co., KS Date			Cement	trade processor territorios y applications, are tradeguise tradeguise activation and activation of the	Bit:	5.875 "
		and the second s	and the state of t		Bit:	9.875 "	Date:	10/10/2022
Top 0	Base		Esta de Calenda de Estado de Como de Calenda	Тар	Base	Formation		a series
2	2 12	AND THE REST OF THE PARTY OF TH	the relative or completely a trade of a trade of the property	The control of the co	The state of the s			
12	16	and organization of the state o	and the second of the second to the second to the second the second the second to the second to the second the	Santana da da santana	the order of the contract of t		i i	en (1915 manus), l'agranger 4. (Gran) à transière de replière : (1915 fille) modes des de
16	18	and the second section of the second section of the second second section of the second secon	では、これでは、これでは、これでは、これでは、それでは、これにない。 では、これでは、これでは、これでは、これでは、これにない。これにない。これにいてはない。これにいる。	The state of the s	El Nobel Pers, Nation (1984), social pengangang pe	englis er franz voraz er sems konsonnes agantus er sinan	To Manual Bolom	erete fina 1944 bleer in is seemakkennen applijk van indigenseemen als ja jasten
18	31	-4	and Makes and securities and securities and advances to the consequence of the securities and securities are securities are securities and securities are securities are securities and securities are se	aren de la companya servicio de la companya de la c	The manufactures are summer as	Longstr by 3 g K	ing	Comente
31	53	Lime	and the second of the second days on application and an analysing deposition of the second and all the self-the	energy of the second of the se	or or remains and a proper			Ž,
53	56	Shale	a managangan ngangangan tan il mah adingsa silang adampanan pandan tahunda bahadi adampa- (1971, 1974) a "And dampana		·	DY SEK	Well	Product
56	60	Lime	e mentage and indicated a transfer of the I regulated the separation of the dispersion of the separation of the	titir e region de conserva em mante des alguns a conserva	and the comments and the section of	and provide the state of the st	1	The grander transfer to the property and the second
60	67	Shale	inter profes distributionale is deletable individual activity than specimens are qualities about the account prof 	Marin San San San San San San San San San Sa	The second section of the state of the second section of the section of the section of the second section of the sectio	and the second control of the second	$ \omega $	86 SXS
67	87	Lime	(4) (1) HT (2) at the disposition of the second sequences (1) as a management of the sequence of the second of	وردو وی در	and annual continues of the state of the state of	against court states on the part of the state of the stat	-	announce of the state of the st
. 87	89	Shale	And the state of t	THE STREET CONTRACTOR AND THE STREET, IN MALE	as agreement and the server management	and a second sec	A STATE OF THE STA	ellet medianelle automore, e ggjergje og komponisk om bled og e en spriget eksperiere.
89	99	Sandy Shale	The state of the s	ann d'arthrophean a mar an 1944 ann an 1944	And the second s	And the state of t	The second section of the second sections of the section sections of the second sections of the section sections of the section sections of the section sections of the section section section section sections of the sect	The resonance of the More May Ville (1991) in the special section in the section (1991).
99	140	Shale	A CONTRACTOR OF THE STATE OF TH	The second secon	The thirten of propagagaming	egi, est a seminality de germ integrana meganteur i reger par, mengraphe para mas fembles (2006), e alama e a Se Se Se	and the second second second second	is selection as the community of the selection of the sel
140	146	Lime	The stage supported and the section of the section			The second secon	elle (Marie ann Ingeregger)	ik in film stade stade manager engliggigt stade film de
146 249	249	Shale	errichte gestellt der anterstelle erwalterstelle maar vandelig verstellt digt de gestellt de stelle erwalterstelle er s	THE CONTRACTOR OF MAINTAINING STORY		in the country dependent toward of the following Languages constructed and of missions.	The second section of the second seco	бог ст нервинграфуу (Мафия) көз Ейни. Хинакттикатында Черкейн, т
249 260	260 271	Lime Shale	and the state of t	B 	The state of the s		A STATE OF THE PERSON OF THE P	ell feder a de commente, i mentionappe elegación de cima empresano (s. c. consecutivos).
271	271	RedBed	Agrico en la manufacta de la porte directamente en mandendare constituidade de designamente destignamente des directamentes de la constituidade del constituidade del constituidade de la	a to the state of	TOTAL AND A SHART TOTAL SHAPE TO A SHAPE TO	The winder obstance, interpresentational substitutions, province making with		California de la companio del la companio del la companio de la companio del la companio de la companio del la companio de la companio de la companio del
276	288	Shale	There are the recommendate secretarities approximately a proposition of the secretarities and the secretarities and the secretarities and the secretarities are secretarities are secretarities and the secretarities are secretarities and the secretarities are secretarities are secretarities are secretarities and the secretarities are secretarities are secretarities and the secretarities are secretarities ar	e di diamonistra in indica di manggangangang	The second state of the se	Top	68'	7
288	301	Sand	Grey, dry	ik dağır cılığır. Nür Yülerinde "Marring" rapygalarını, Haydda	The second secon			Section of the sectio
301	352	Shale	Engineering makka waka waxaa harak saara nada ahaa yaa ahaa ahaa ahaa ahaa ahaa ah	in the second of the second section of the second s	<del>-</del>	Dottom	101	e delimber den i kalliste in die delimber int den delimber in November in den die delimber in des delimber in deli
352	372	Lime	na na salah sa Salah salah sa	ilan James - Baker y Mikalahaniya ila sasar ila sasar -	re their datum promise and a copy some loc	and the states is a member of the familiar of the state of	and open or a supplemental constraint	echni selen i selen etiski eriski eriski koperati i esi yekir. Eriski i
372	394	Shale	in to the field and the highest them to the particular that the second of the second s	-	15. Medalori (150 pagagas, 10 misya	TO STAN AND A STAN AND AND AND AND AND AND AND AND AND A	and with the company of the state of the sta	and we have the first of the section
394	395	Lime	و من المنظم المن	eral derivation of marketing them, in an appropriate and	er to be a constituted in a testing.	entre den 1514 in Nobel framer 1. ett til et erspelligteligte, afhand formågen et lillbor fram fler i et	The AMP March 1—10 and the Company of the	e - † ki manuser i Livera or orași i ver ingregi est personer i registriji i e
395	416	Shale	er og skildere gang planer, sikk og se i vog skildere flette fra helpere i som en er er gelskildere og skilder	- 72 8 9 7 7 2		Sano / Core se		
416	430	Lime	and the state of t	Core #1:	1	Core #2.	Sealt.	
430	437	Shale	Black	461	464	Laminated sand, go	od odor s	light blood
437	441	Lime	The state of the s	To the Control of the		indiana dikanggangan Bhashi namulyang angsa takebasa	To commercial Allebation description	THE DICEU
441	455	Sandy Shale		687	695	Sand, good odor, go	od bleed	وسيع مراجع المعالم المناطق المناطق المناطق المناطق المناطق المناطق المناطق المناطقة المناطقة المناطقة المناطقة
455	461	Sand	w/sandy shale, slight odor	695		Laminated, mostly s	terre and the second second second second second	d odor, but
461 464	464	Sand	Good odor, slight bleed			poor bleed	NOTE OF THE PARTY	meterosco acesar a esta e material de la Nova e esta
468	468 658	Sandy Shale	and the state of t	697	699	Sand, good odor, he	avy bleed	derm medicial (1). Elizado interdebelo e i minamanemente in Lab Lene (1446 antes 14
658	فحريهن والتهادية بالانتهام والمصاحبين الأحاس	Shale Sandy Shale	а) — по месте в село с условно постоя видом в серонория для от	699	702	Sand, good odor, fa	r bleed	over (1999) iş iliştiği yardığının iştir. Yağı dürür bir yardının yardığının görü görü görü görü görü görü görü
682	Park and Company of the State o	Shale	Slight odor		narian mengaman anam ang kingun kaci sali i s	ente di Salah Krassanga Hangsa (1984), dikapan tisakan balan kalinga yang pa	The office that we work the second state of the second	norm kanting in der 1900 in der Steinstelle der kanting der der kanting dem der Australia er der Australia er Der Steinstelle der der der Steinstelle der Steinstelle der der der der der der der der der de
687	erice o mornemancy	Sand	Cood char	C		erfold (100 mm) p. op indagsterfolg god limitarier en man e trot mort per efficiely bester i m	Target symmetric region of systems in section in the section of th	and the second s
702	في من يسمين معروب والمدينة	Sandy Shale	Good show	NEW WORLD COLUMN TO THE WAR AND THE PARTY.		lind modern very programminglike en slider vermenninge projekt plantisk fliderede between en	e en 20 Gebru (1970) (Some Artificial St. Comm	entre de la constitución de la c
months and the control of the contro	Au-Tiblis traditioner - wag cap-	Carrier and Carrier Programmer Commenter of the Commenter			ear, which means a manners of attentional Salvage Salv	estamania regeri reprincipa ira meto e re se to estre plantiste de resultação másseça	وليلين ورده دونان والمتاوا	No. 1888 + 27 · 11 : The display of them of the property of the
			Total Pepth: 7	42	A compression of the compression			



O

Coleman Hardware LLC. 505 Main Street Mound City KS 66056 913-795-2895

Fax: 913-795-2026

## CUSTOMER COPY



INVOICE

2211-047716

PAGE

1 OF

SOLD
S&KOIL
C/O STEVE JACKSON
1903 FARRIS ROAD
BLUE MOUND KS 66010

JOB ADDRESS S&KOIL C/O STEVE JACKSON 1903 FARRIS ROAD BLUE MOUND KS 66010

ACCOUNT JOB 20006 SOLD ON 11/4/2022 9:48:29 AM CUST PICKUP BRANCH 1000 CUSTOMER PO# OIL STATION C03 CASHIER SS

Thank you for your business!

SALESPERSON ORDER ENTRY

luantity	UM	Hem	Description		Pite trability and responsible to the second	- Marine St. Marine St. Ann	THE PARTY OF THE P
18	EA	SOP05454-000	2000 LB. BAGS OF PORTLAND	D T		Per	Amount
10	E4		CEMENT	Y	337.9900	EA	6,083.6
	EA	SOP05454-001	PALLET CHARGE PER PALLET	Y	25.0000	EA	
16	EA	SOP05454-002	WRAPPING CHARGE PER PALLET	Y	5.0000		450.
7	DP	FRT	Freight	N	91.0000		90.
-86	EA	SOP05454-001	PALLET CHARGE PER PALLET	Y	20.0000		91.
			Return Reason: DNN	'	20.0000	EA	-1,720.0
				1		į	
į							
[							
1							
ĺ	]						
İ	l						
1	]					•	
İ					ļ		
······································		el Division Comme					

Payment Method(s) Buyer: STEVE

Charge to Acct

5,411.64

SubTotal 4,994.82 Sales Tax 416.82 KST 8.50% Deposit Please Pay This 5,411.64 Amount