WELL ID

KOLAR DOC ID

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

## **WATER WELL RECORD** (WWC-5)

From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

LOCATION OF WATER V	WELL					•	Origina	l Recor	d Correction	Chang	e in Wel	ll Use
Latitude	Longitude		S	ection		Township		Range	E W Fraction	1/4	1/4	1/4
Datum	Elevation		C	ounty					VV			
WATER WELL OWNER		<u> </u>		ATER US	E				NEAREST SOURCE OF F	POTENTIAL C	ONTAMIN	IATION
Name									Source:			
Business			COMPLI	TION								
Dustriess					. 1	11			from well:	_ from wel	l:	
Address			Depth of completed well:ft.  Depth(s) groundwater encountered:				ft.	Source description:				
			(1) ft.; (2) ft.;						Source:			
Well location			(3) ft.; (4) dry well					Distance from well:		n ll:		
at owner's address			Static water level in well: ft.  measured below land surface on (mm/dd/yy):					Source description:				
CONSTRUCTION			measured above land surface					No potential source of contamination within 100 feet.				
	Borehole interval: Borehole diameter:			on (mm/dd/yy):					PERMIT & ID NUMBERS (AS REQUIRED)			
fromto ft		in.	Estimat	ed yield:		gpm						
fromto ft		in.	Water l	evel was:		ft. after			DWR Application No.:			
Casing height above lan	d surface:	in.				pumping	gp1	m	KDHE / EPA Project Code:			
If casing height is les has a variance been		s No	Pump installed? Yes No					Site Name: KDHE UIC Class V Form Completed: Yes No				
*variance not requir	• •	5 110	Water well disinfected? Yes No					County Permit: Yes No Permit ID:				
or environmental re			Date disinfected (mm/dd/yy):					Lease Name & Well #:				
Casing type:			Aquifer, if known:					# of boreholes:				
Blank casing interval:			-									
Blank casing diameter:				OGIC LO								
Casing joints: Weight:			FROM	то	<u>_</u>	ITHOLOGY IN	NIEKVAI	LS				
Wall thickness or ga												
Blank casing interval:												
Blank casing diameter:												
Casing joints:												
Weight:												
Wall thickness or ga					_							
Grout interval:												
Grout material:												
Grout interval:												
Grout material:	) (	COMME	NTS									
Cancar I monformation most	out al.											
Screen / perforation mat Screen / perforation ope			CONTR	ACTOP'S	OD 1 4	ANDOWNERS	CEDTIE	CATION				
Screen / perforation inte									atad nursuant to	the stated w	ratan rurall	
-	reen / perforation intervals:  This water well was constructed reconstructed pursuant to the stated water well contractor's license and was completed on I certify that this record is true to											
							_		•			to
	Slot size unit the best of my knowledge and belief. This water well record was completed on						—					
Slot size unit				under the business name of,								
Gravel pack intervals:			Kansas Water Well Contractor's License No under the authority of the designated									
-	in	person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the										
	Gravel pack not used: Gravel size in From ft. to ft in designated person at its submittal:											
Gravel pack not used		in	Send one	copy to	WATE	R WELL OWN	NER and 1	retain one	for your records. Fee of \$	5.00 for each	constructe	ed well.
Enom. G. t.	KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT											

Form	WWC5.2 - Water Well Record	
Doc ID	1800620	
Well Owner	Weston Unruh	
Contractor	Jantzen Water Well LLC #1046	

## Lithology

From	То	Lithology Intervals
0	2	topsoil
2	45	clay,tan
45	130	clay,sandy,tan
130	140	sand,fine to medium
140	246	sand, medium to coarse
246	250	clay,sandy,tan
250	262	sand,fine to medium
262	264	clay,sandy,tan
264	282	sand,fine to medium
282	286	clay,sandy,tan
286	296	sand,fine
296	299	clay,sandy,tan
299	315	sand,fine
315	328	sand,fine to medium
328	333	clay,sandy,tan
333	374	sand,fine to medium
374	377	clay,sandy,tan
377	387	sand,medium
387	390	clay,sandy,tan
390	408	sand,medium
408	412	clay,sandy,tan
412	424	sand,fine to medium
424	435	clay,sandy,tan
435	460	sand,fine to medium

Form	WWC5.2 - Water Well Record
Doc ID	1800620
Well Owner	Weston Unruh
Contractor	Jantzen Water Well LLC #1046

## Lithology

From	То	Lithology Intervals
460	467	clay,sandy,tan
467	510	sand,fine to medium
510	540	clay,white,moist,hard