KOLAR Document ID: 1802702

Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

Kansas Corporation Commission Oil & Gas Conservation Division

WELL PLUGGING RECORD K.A.R. 82-3-117

Form CP-4
March 2009
Type or Print on this Form
Form must be Signed
All blanks must be Filled

| OPERATOR: License #: | | | | API No. 15 | ō | | | | | |
|---|------------------------------|-------------------|------------------------|--|-----------------------|---|--|--|--|--|
| Name: | | | | | Spot Description: | | | | | |
| Address 1: | | | Sec Twp S. R East West | | | | | | | |
| Address 2: | | | | Feet from North / South Line of Section | | | | | | |
| City: | | | | Feet from | | | | | | |
| Contact Person: | | | | Footages Calculated from Nearest Outside Section Corner: | | | | | | |
| Phone: () | | | - 1 | NE NW SE SW | | | | | | |
| | other: | SWD Permit #: | | County: Well #: | | | | | | |
| ENHR Permit #: | | rage Permit #: | _ I | Date Well Completed: | | | | | | |
| Is ACO-1 filed? Yes | | log attached? Yes | 」No | The plugging proposal was approved on: (Date) | | | | | | |
| Producing Formation(s): List A | · | | | by: | | (KCC District Agent's Name) | | | | |
| Depth to | | m: T.D | | Plugging Commenced: | | | | | | |
| Depth to | • | m: T.D | | Plugging C | Completed: | | | | | |
| Depth to | Top: Botto | m:T.D | | | | | | | | |
| Show depth and thickness of a | all water, oil and gas forma | ations. | | | | | | | | |
| Oil, Gas or Water | Records | | Casing Record (Su | | | (Surface, Conductor & Production) Setting Depth Pulled Out | | | | |
| Formation | Content | Casing | Size | | Pulled Out | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| Describe in detail the manner cement or other plugs were us | | • | | • | | ds used in introducing it into the hole. If | | | | |
| Plugging Contractor License # | : | | Name: _ | e: | | | | | | |
| Address 1: | | | Address | ss 2: | | | | | | |
| City: | | | State: + + | | | | | | | |
| Phone: () | | | | | | | | | | |
| Name of Party Responsible for | r Plugging Fees: | | | | | | | | | |
| State of | County, _ | | | | | | | | | |
| | (Print Name) | | | _ | ployee of Operator or | Operator on above-described well, | | | | |

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.



| Customer | Vess Oil Corporati | ion | Lease & Well # | Koogler A #298 | | | | Date | 10/ | 31/2024 | |
|------------------|----------------------|---------------------------|--------------------|----------------------|--|--------------------|----------------|------------------|---------------|---------------|--|
| Service District | Eureka | County & State Butler, KS | | | Legals S/T/R | 17 265 | 3 5E | Job# | | | |
| Job Type | PTA | ✓ PROD | ☐ INJ | SWD | New Well? | YES | ✓ No | Ticket # | El | P15401 | |
| Equipment # | Driver | | | Job Safety Ana | alysis - A Discuss | ion of Hazards | & Safety Pro | cedures | | | |
| 1006 | David | ✓ Hard hat | | ✓ Gloves | | Lockout/Ta | gout | Warning Sign | ns & Flagging | | |
| 1203 | Broker | ✓ H2S Monitor | | ✓ Eye Protection | | Required Pe | ermits | Fall Protection | | | |
| 1215 | Monty | ✓ Safety Footw | ear | Respiratory Pro | otection | ✓ Slip/Trip/Fa | II Hazards | ✓ Specific Job | Sequence/Exp | ectations | |
| | | FRC/Protective | ve Clothing | Additional Che | mical/Acid PPE | ✓ Overhead H | lazards | ✓ Muster Point | /Medical Loca | ations | |
| | | Hearing Prot | ection | ✓ Fire Extinguish | er | Additional | concerns or is | sues noted below | | | |
| | | | | | Com | ments | | | | | |
| Product/ Service | | API# 15-01 | 5-23444-00-0 | 2. TD - 2431', ! | 5 1/2" Casing | ı - 2391', Cli | BP - 2250 | ' . | | | |
| Code | | Desc | ription | | Unit of Measure | Quantity | | | | Net Amount | |
| C013 | Cement Pump Serv | rice | | | ea | 1.00 | | | | \$1,250.00 | |
| M010 | Heavy Equipment M | /lileage | | | mi | 40.00 | | | | \$160.00 | |
| M015 | Light Equipment Mil | leage | | | mi | 40.00 | | | | \$80.00 | |
| M020 | Ton Mileage | | | | tm | 286.30 | | | | \$429.45 | |
| CP010 | Class A Cement | | | | sack | 145.00 | | | | \$2,900.00 | |
| CP100 | Calcium Chloride | | | | lb | 410.00 | | | | \$307.50 | |
| CP095 | Bentonite Gel | | | | lb | 275.00 | | | | \$123.75 | |
| | | | | | | | | | | | |
| CP095 | Bentonite Gel | | | | lb | 400.00 | | | | \$180.00 | |
| CP165 | Cottonseed Hulls | | | | lb | 40.00 | | | | \$40.00 | |
| | | | | | | | | | | | |
| 9999 | 1" Hydril Tubing & S | Swivel Rental | | | ea | 1.00 | | | | \$200.00 | |
| | | | | | | | | | | | |
| R061 | Service Supervisor | | | | day | 1.00 | | | | \$275.00 | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| Custo | omer Section: On the | e following scale b | now would you rate | Hurricane Services | Inc 2 | | | | 1 | 650455 | |
| Gusto | mer Section. On the | c following scale i | low would you rate | Hambane Services | me.: | Total Taxable | \$ - | Tax Rate: | Net: | \$5,945.70 | |
| Ва | sed on this job, how | w likely is it you v | would recommend | d HSI to a colleague | 9? | State tax laws dee | | ı | Sale Tax: | \$. | |
| | | | | | used on new wells to be sales tax exempt. Hurricane Services relies on the customer provided well information above to make a determination if | | | | | | |
| | | | | | | HSI Represe | entative: | David Gard | ner | | |

TERMS: Cash in advance unless Hurricane Services Inc. (HSI) has approved credit prior to sale. Credit terms of sale for approved accounts are total invoice due on or before the 30th day from the date of invoice. Past due accounts shall pay interest on the balance past due at the rate of 1 ½% per month or the maximum allowable by applicable state or federal laws. In the event it is necessary to employ an agency and/or attorney to affect the collection, Customer hereby agrees to pay all fees directly incurred for such collection. In the event that Customer's account with HSI becomes delinquent, HSI has the right to revoke any discounts previously applied in arriving at net invoice price. Upon revocation, the full invoice price without discount is immediately due and subject to collection. Prices quoted are estimates only and are good for 30 days from the date of issue. Pricing does not include federal, state, or local taxes, or royalties and stated price adjustments. Actual charges may vary depending upon time, equipment, and material ultimately required to perform these services. Any discount is based on 30 days net payment terms or cash. DISCLAIMER NOTICE: Technical data is presented in good faith, but no warranty is stated or implied. HSI assumes no liability for advice or recommendations made concerning the results from the use of any product or service. The information presented is a best estimate of the actual results that may be achieved and should be used for comparison purposes and HSI makes no guarantee of future production performance. Customer represents and warrants that well and all associated equipment in acceptable condition to receive services by HSI. Likewise, the customer guarantees proper operational care of all customer owned equipment and property while HSI is on location performing services. The authorization below acknowledges the receipt and acceptance of all terms/conditions stated above, and Hurricane has been provided accurate well information in determining taxable services.

Shane

CUSTOMER AUTHORIZATION SIGNATURE

ftv: 16-2022/08/12 mplv: 473-2024/10/23



| CEMENT TREATMENT REPORT | | | | | | | | | | | | | |
|--------------------------------|--|-------|--------------|-------------------------------|---|----------------------|------------------|-----------------------------------|---------------------------|----------|--|--|--|
| Customer: Vess Oil Corporation | | | | | Well: | Well: Koogler A #298 | | | Ticket: | EP15401 | | | |
| City, State: | | | County: | - | | | Date: | 10/31/2024 | | | | | |
| Field Rep: Shane | | | S-T-R: | 17 26S 5E | | | Service: | PTA | | | | | |
| | | | | | | | | Ī | | | | | |
| Downhole Information | | | Calculated S | culated Slurry - Tail | | | | | | | | | |
| | Hole Size: 7 7/8 in | | • | | | , 3%,2% | | | | | | | |
| | Depth: | 2431 | | | Weight: | | 15.2 ppg | | Weight: | ppg | | | |
| | g Size: | 5 1/2 | | • | Water / Sx: | | gal / sx | | Water / Sx: | gal / sx | | | |
| Casing Depth: 2391 ft | | | Yield: | 1.35 | ft ³ / sx | | Yield: | ft ³ / sx bbs / ft. | | | | | |
| | Tubing / Liner: 2 3/8 in Depth: 1964 ft | | | Annular Bbls / Ft.: Depth: | | bbs / ft. | | Annular Bbls / Ft.: Depth: | ft | | | | |
| Tool / P | - | | | | Annular Volume: | | | | Annular Volume: | 0 bbls | | | |
| Tool Depth: | | | Excess: | | | | Excess: | | | | | | |
| | | bbls | • | Total Slurry: | | bbls | Total Si | | 0.0 bbls | | | | |
| | | | STAGE | TOTAL | Total Sacks: | | | | Total Sacks: | 0 sx | | | |
| TIME | RATE | PSI | BBLs | BBLs | REMARKS | | | | | | | | |
| | | | | - | Safety Meeting: | | | | | | | | |
| | | | | - | Rig up to 2 3/8" Tubing | j. Plug well a | s follows: | | | | | | |
| | | | | - | | 1964'. TOOF | l w/ tubing. Wa | it 1 hour. Ta | g cement @ 1320' w/ wirel | ine. | | | |
| | | | | - | Gel Spacer | | | | | | | | |
| | | | | - | Rig up to 5 1/2" Casing | | | | | | | | |
| | | | | - | Run 1" Hydril Tubing down 5 1/2" Annulus. Tag solid cement @ 260'. Cement to surface w/ 75 sks. TOOH w/ 1" Hydril. | | | | | | | | |
| | | | | | Run 2 3/8" Tubing down 5 1/2" Casing to 300'. Cement to surface w/ 30 sks. TOOH w/ Tubing. Top well off w/ cement. Well standing full of cement. | | | | | | | | |
| | | | | | Job complete. Rig dow | | | | | | | | |
| | | | | _ | ooz complete mg con | | | | | | | | |
| | | | | - | | | | | | | | | |
| | | | | - | | | | | | | | | |
| | | | | - | | | | | | | | | |
| | | | | - | | | | | | | | | |
| | | | | - | | | | | | | | | |
| | | | | - | | | | | | | | | |
| | | | | - | | | | | | | | | |
| | | | | - | | | | | | | | | |
| | | | | - | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | _ | | | | | | | | | |
| | | | | - | | | | | | | | | |
| | | | | - | | | | | | | | | |
| | | | | - | | | | | | | | | |
| | | | | - | | _ | | | | | | | |
| | | CREW | | | UNIT | | SUMMARY | | | | | | |
| Cer | Cementer: David | | 1006 | | Average | e Rate | Average Pressure | Total Fluid | | | | | |
| Pump Operator: Broker | | | 1203 | | 0.0 bpm - psi - bbls | | | | | | | | |
| Bulk #1: Monty Bulk #2: | | | | | 1215 | | | | | | | | |
| | 2.11V///4 | | | |] | | | | | | | | |

ftv: 16-2022/08/12 mplv: 473-2024/10/23