WELL ID

KOLAR DOC ID

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

From _____ ft. to _____ ft.

LOCATION OF WATER V	WELL					•	Origina	l Recor	d Correction	Chang	e in Wel	ll Use
Latitude	Longitude		S	ection		Township		Range	E W Fraction	1/4	1/4	1/4
Datum	Elevation		C	ounty					VV			
WATER WELL OWNER		<u> </u>		ATER US	E				NEAREST SOURCE OF F	POTENTIAL C	ONTAMIN	IATION
Name									Source:			
Business			COMPLI	TION								
Dustriess					. 1	11			from well:	_ from wel	l:	
Address			_	-		ell:encountered:		ft.	Source description:			
			(1)	ft.;	(2)	ft.;			Source:			
Well location			(3) ft.; (4) dry well						Distance from well:		n ll:	
at owner's address			Static water level in well: ft. measured below land surface on (mm/dd/yy):					Source description:				
CONSTRUCTION			mea	sured ab	ove lar	nd surface			No potential sourc within 100 feet.	e of contami	nation	
	orehole interval: Borehole diameter:			on (mm/dd/yy):					PERMIT & ID NUMBERS (AS REQUIRED)			
fromto ft		in.	Estimat	ed yield:		gpm						
fromto ft		in.	Water l	evel was:		ft. after			DWR Application No.:			
Casing height above lan	d surface:	in.				pumping	gp1	m	KDHE / EPA Project Code:			
If casing height is les has a variance been		s No	Pump installed? Yes No					Site Name: KDHE UIC Class V Form Completed: Yes No				
*variance not requir	• •	5 110	Water well disinfected? Yes No					County Permit: Yes No Permit ID:				
or environmental re			Date disinfected (mm/dd/yy):					Lease Name & Well #:				
Casing type:			Aquifer, if known:					# of boreholes:				
Blank casing interval:			-									
Blank casing diameter:				OGIC LO								
Casing joints: Weight:			FROM	то	<u>_</u>	ITHOLOGY IN	NIEKVAI	LS				
Wall thickness or ga												
Blank casing interval:												
Blank casing diameter:												
Casing joints:												
Weight:												
Wall thickness or ga					\perp							
Grout interval:												
Grout material:												
Grout interval:												
Grout material:) (COMME	NTS								
Cancar I monformation most	out al.											
Screen / perforation mat Screen / perforation ope			CONTR	ACTOP'S	OD 1 4	ANDOWNERS	CEDTIE	CATION				
Screen / perforation inte									atad nursuant to	the stated w	ratan rurall	
-	reen / perforation intervals: This water well was constructed reconstructed pursuant to the stated water well contractor's license and was completed on I certify that this record is true to											
Slot size u							_		•			to
From ft. to		the best of my knowledge and benefit. This water wen record was completed on						—				
Slot size unit												
Gravel pack intervals:				Water	Well (Contractor's l	License l	No	under the aut	thority of th	e designa	ated
Gravel pack not used: Gravel size in				person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the								
From ft. to _			design	ated per	son a	t its submitta	ıl:		·			
Gravel pack not used		in	Send one	copy to	WATE	R WELL OWN	NER and 1	retain one	for your records. Fee of \$	5.00 for each	constructe	ed well.
Enom. G. t.	KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT											

Form	WWC5.2 - Water Well Record
Doc ID	1801202
Well Owner	KANSAS ARMY NATIONAL GUARD
Contractor	Plains Environmental Services, Inc #1039

Grout

From	То	Grout Material
0	1	Cement
1	2.8	Neat Cement
2.8	4	Bentonite

Form	WWC5.2 - Water Well Record
Doc ID	1801202
Well Owner	KANSAS ARMY NATIONAL GUARD
Contractor	Plains Environmental Services, Inc #1039


Lithology

From	То	Lithology Intervals
0	.5	clay,fine,sandy
.5	3	clay,fine,silty
3	6.5	clay,fine,sandy
6.5	12	clay,fine,silty
12	13.5	clay,fine,sandy
13.5	14	clay,fine
14	16	limestone,highly weathered



PFAS Remedial Investigation Topeka AASF, Topeka, Kansas

Figure 1 **FPR001 Proposed Sampling Locations** for AOI 1 and AOI 2 (Overview)



Area of Interest

Secondary Release Area

River/Stream (Perennial)

Stream (Intermittent)

NHDWaterbody

Estimated Groundwater Flow Direction

Prescriptive Sample Locations

Soil

Soil Boring/Grab Groundwater

Grab Groundwater

Existing Monitoring Well

Soil (Hand Auger) (4 total)

Surface Water/Sediment (10 total)

Existing Monitoring Well (Grab Sample) (1 total)

New Permanent Monitoring Well (10 total)

Soil Boring/Permanent Monitoring Well (2 total)

AOI = area of interest


Data Sources: AECOM, GIS Data ESRI, ArcGIS Online, Aerial Imagery Google Earth, Aerial Imagery (Inset)

> Coordinate System: WGS 1984, UTM Zone 15 North



PFAS Remedial Investigation Topeka AASF, Topeka, Kansas

Figure 2 **FPR001 Proposed Sampling Locations for** AOI 1 and AOI 2 (Facility Only)



Facility Boundary

Area of Interest

Secondary Release Area

Surface Water Flow Direction

Estimated Groundwater Flow Direction

Prescriptive Sample Locations

Soil Boring/Grab Groundwater

Grab Groundwater

Existing Monitoring Well

Proposed Adaptive Sample Locations

Soil (Hand Auger) (4 total)

Surface Water/Sediment (10 total)

Existing Monitoring Well (Grab Sample) (1 total)

New Permanent Monitoring Well (10 total)

Soil Boring/Permanent Monitoring Well (2 total)

AOI = area of interest

Data Sources: AECOM, GIS Data ESRI, ArcGIS Online, Aerial Imagery Google Earth, Aerial Imagery (Inset)

Coordinate System: WGS 1984, UTM Zone 15 North