
## **WATER WELL RECORD** (WWC-5)

					KOLAR D	R DOC ID WELL ID		
OCATION OF WATER W	ELL			Ori	ginal Recor	d Correction	Change in We	II Us؛
Latitude	Longitude		Section	Township	Range	E W Fraction	1/4 1/4	1,
Datum	Elevation		County	-		***		
ATER WELL OWNER			WELL WATER USE			NEAREST SOURCE OF PO	OTENTIAL CONTAMI	NATIC
Jame						Source:		
Business			COMPLETION			Distance	Direction	
743111033						from well:	from well:	
Address			Depth of completed Depth(s) groundwa	d well:	ft.	Source description:		
			(1) ft.; (2					
Well location			(3) ft.; (4)			Source:		
						Distance from well:	from well:	
at owner's			Static water level in well: ft.  measured below land surface			Source		
address			on (mm/dd/yy)			description:		
ONSTRUCTION			measured above			No potential source within 100 feet.	of contamination	
Borehole interval: Borehole diameter:		neter:	on (mm/dd/yy):			PERMIT & ID NUMBERS (AS REQUIRED)		
romto ft.		in.	Estimated yield:	gpm		PERMIT & ID NUMBERS	(AS REQUIRED)	
fromto ft.		in.	Water level was:	ft. after	hours	DWR Application No.:		
Casing height above land surface: in.			pumpinggpm			KDHE / EPA Project Code:		
If casing height is less than 12 in.			Pump installed?	Yes No		Site Name:		
has a variance been ap		No	747 . 11 11	. 10		KDHE UIC Class V For	•	
*variance not required for monitoring or environmental remediation wells			Water well disinfected? Yes No  Date disinfected (mm/dd/yy):			County Permit: Yes No Permit ID:		
Casing type:	nediation wens		Date disinfected (n	nm/dd/yy):		Lease Name & Well #: _		
Blank casing interval:	ft. to	ft.	Aquifer, if known:			# of boreholes:	# of dewatering wells	::
Blank casing diameter:			LITHOLOGIC LOG					
Casing joints:			FROM TO	LITHOLOGY INTE	RVALS			
Weight:	lbs/ft.							
Wall thickness or gau	ge no.:	_						
Blank casing interval:	ft. to	ft.						
Blank casing diameter: _	in.							
Casing joints:								
0	lbs/ft.							
Wall thickness or gau	ge no.:							
Grout interval: ft	t. toft.							
Grout material:								
Grout interval: ft	t. toft.		COMMENTS					
Grout material:			COMMENTS					
Screen / perforation mater								
creen / perforation open				R LANDOWNERS CE		. 1	1	11
Screen / perforation interv				vas constructed	reconstru	•	he stated water wel	
Fromft. to				•		I certify that		
Slot size un From ft. to			•			vell record was complet		
Slot size un								
Gravel pack intervals:			Kansas Water We	ell Contractor's Lic	ense No	under the autl	nority of the design	ıatec
Gravel pack not used:	Gravel size	in	person as defined	d in K.A.R. 28-30-2	(j) and signed	d and certified by the el	ectronic signature	of th
From ft. to		III	designated perso	on at its submittal:_		·		
			-					
Gravel pack not used:	Gravel size	in	Send one copy to WA	ATER WELL OWNER	and retain one	for your records. Fee of \$5	5.00 for each construct	tea w

(785) 296-3565 | K.S.A. 82a-1212 | v2022c



## **DENNIS L HANDKE**

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Jess Chapman Larsen & Assoc. 1311 E. 25<sup>th</sup> St., Suite B Lawrence, Kansas 66046

September 2, 2024

RE: Monitor Well Elevation Survey 102 S. Webster, Spring Hill, Kansas

top pipe

Proj. 24-00MM C&H Quick Shop KDHE ID U4-046-15421

Long = 94.82617

Bench Mark: Chisled Square on East end of concrete pump island North of building. Elev: 1061.66 North 1859.75 West 2702.74 (from SE Cor. Sec. 14-15-23E) MW-9 rim 1070.54 North 1559.21 SE1/4,SE1/4,NE1/4,SW1/4 top pipe 1070.25 West 2836.16 Lat = 38.74271 Long = 94.82573MW-10 rim 1058.95 North 2023.00 NE1/4,SE1/4,NE1/4,SW1/4 top pipe 1058.50 West 2824.87 Lat = 38.74398 Long = 94.82569MW-11 rim 1063.33 North 1973.49 NE1/4,SE1/4,NE1/4,SW1/4

Lat = 38.74385

Elevation derived from existing project. NAVD 88.

1062.97

Lat & Long derived from Spring Hill 7.5 Quad Map WGS84

If you have any questions, please feel free to call me. Thank you for the opportunity to be of service to you.

West 2962.95

S-786

MANUAL SURVE