### KOLAR Document ID: 1803973

| Confiden | tiality Requeste | d: |
|----------|------------------|----|
| Yes      | No               |    |

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 January 2018 Form must be Typed Form must be Signed All blanks must be Filled

## WELL COMPLETION FORM

| WELL | HISTORY | <ul> <li>DESCRIPTION</li> </ul> | VOF WELL | & LEASE |
|------|---------|---------------------------------|----------|---------|

| OPERATOR: License #                                   | API No.:   |
|---|--|
| Name:   | Spot Description:  |
| Address 1:  |  |
| Address 2:  | Feet from Dorth / South Line of Section                  |
| City: State: Zip:+                                    | Feet from East / West Line of Section                    |
| Contact Person:                                       | Footages Calculated from Nearest Outside Section Corner: |
| Phone: ()   |  |
| CONTRACTOR: License #                                 | GPS Location: Lat:, Long:                                |
| Name:   | (e.g. xx.xxxx) (e.gxxx.xxxx)                             |
| Wellsite Geologist:                                   | Datum: NAD27 NAD83 WGS84                                 |
| Purchaser:  | County:  |
| Designate Type of Completion:                         | Lease Name: Well #:                                      |
| New Well Re-Entry Workover                            | Field Name:  |
|   | Producing Formation:                                     |
| ☐ Oil ☐ WSW ☐ SWD<br>□ Gas □ DH □ EOR                 | Elevation: Ground: Kelly Bushing:                        |
|   | Total Vertical Depth: Plug Back Total Depth:             |
| CM (Coal Bed Methane)                                 | Amount of Surface Pipe Set and Cemented at: Feet         |
| Cathodic Other (Core, Expl., etc.):                   | Multiple Stage Cementing Collar Used?                    |
| If Workover/Re-entry: Old Well Info as follows:       | If yes, show depth set: Feet                             |
| Operator:   | If Alternate II completion, cement circulated from:      |
| Well Name:  | feet depth to:w/sx cmt.                                  |
| Original Comp. Date: Original Total Depth:            |  |
| Deepening Re-perf. Conv. to EOR Conv. to SWD          | Drilling Fluid Management Plan                           |
| Plug Back Liner Conv. to GSW Conv. to Producer        | (Data must be collected from the Reserve Pit)            |
|   | Chloride content: ppm Fluid volume: bbls                 |
| Commingled Permit #:                                  | Dewatering method used:                                  |
| Dual Completion Permit #:     SWD Permit #:           |  |
| SWD Permit #:      EOR Permit #:                      | Location of fluid disposal if hauled offsite:            |
| GSW Permit #:   | Operator Name:   |
|   | Lease Name: License #:                                   |
| Spud Date or Date Reached TD Completion Date or       | Quarter Sec TwpS. R East West                            |
| Recompletion Date Recompletion Date Recompletion Date | County: Permit #:  |

#### AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

### Submitted Electronically

| KCC Office Use ONLY                             |
|---|
| Confidentiality Requested                       |
| Date:   |
| Confidential Release Date:                      |
| Wireline Log Received Drill Stem Tests Received |
| Geologist Report / Mud Logs Received            |
| UIC Distribution                                |
| ALT I II III Approved by: Date:                 |

#### KOLAR Document ID: 1803973

| Operator Nam | ne: |      |           | Lease Name: | _ Well #: |
|--------------|-----|------|-----------|-------------|-----------|
| Sec          | Twp | S. R | East West | County:     |           |

Page Two

**INSTRUCTIONS:** Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

| Drill Stem Tests Taken<br>(Attach Additional Sh  | eets)   | Y                            | es 🗌 No                    |                       |             | og Formatio                   | n (Top), Depth        | and Datum   | Sample                        |
|--|---|------------------------------|----------------------------|-----------------------|-------------|-------------------------------|-----------------------|---|-------------------------------|
| Samples Sent to Geolog   | *   |                              | és 🗌 No                    | Ν                     | lame        | e                             |                       | Тор   | Datum                         |
| Cores Taken<br>Electric Log Run<br>Geologist Report / Mud<br>List All E. Logs Run:   |   |                              | ies No<br>ies No<br>ies No |                       |             |                               |                       |   |                               |
|  |   | Repo                         | CASING I                   |                       | ] Ne        | w Used<br>rmediate, productio | on, etc.              |   |                               |
| Purpose of String  | Size Hole<br>Drilled                                |                              | ze Casing<br>tt (In O.D.)  | Weight<br>Lbs. / Ft.  |             | Setting<br>Depth              | Type of<br>Cement     | # Sacks<br>Used   | Type and Percent<br>Additives |
|  |   |                              |                            |                       |             |                               |                       |   |                               |
|  |   |                              |                            |                       |             |                               |                       |   |                               |
|  |   |                              | ADDITIONAL                 | CEMENTING /           | SQU         | EEZE RECORD                   |                       |   |                               |
| Purpose:<br>Perforate  | Depth<br>Top Bottom                                 | Туре                         | e of Cement                | # Sacks Used          | k           |                               | Type and              | Percent Additives   |                               |
| Protect Casing Plug Back TD Plug Off Zone  |   |                              |                            |                       |             |                               |                       |   |                               |
| <ol> <li>Did you perform a hydra</li> <li>Does the volume of the is</li> <li>Was the hydraulic fractu</li> <li>Date of first Production/Inj</li> </ol> | total base fluid of the h<br>ring treatment informa | nydraulic fra<br>tion submit | acturing treatment         | al disclosure regis   | -           | Yes Yes Yes Yes               | No (If No, s          | kip questions 2 ar<br>kip question 3)<br>ill out Page Three |                               |
| Injection:   |   |                              | Flowing                    | Pumping               |             | Gas Lift 🗌 O                  | ther <i>(Explain)</i> |   |                               |
| Estimated Production<br>Per 24 Hours   | Oil   | Bbls.                        | Gas                        | Mcf                   | Wate        | er Bb                         | ls.                   | Gas-Oil Ratio   | Gravity                       |
| DISPOSITION  | I OF GAS:   |                              | M                          | ETHOD OF COM          | <b>IPLE</b> | TION:                         |                       |   | ON INTERVAL:                  |
| Vented Sold<br>(If vented, Subm  | Used on Lease                                       |                              | Open Hole                  |                       | -           |                               | mingled               | Тор   | Bottom                        |
|  | oration Perfora<br>Top Botto                        |                              | Bridge Plug<br>Type        | Bridge Plug<br>Set At |             | Acid,                         |                       | ementing Squeeze  |                               |
|  |   |                              |                            |                       |             |                               |                       |   |                               |
|  |   |                              |                            |                       |             |                               |                       |   |                               |
|  |   |                              |                            |                       |             |                               |                       |   |                               |
|  |   |                              |                            |                       |             |                               |                       |   |                               |
| TUBING RECORD:   | Size:   | Set At:                      |                            | Packer At:            |             |                               |                       |   |                               |

| Form      | ACO1 - Well Completion |
|-----------|------------------------|
| Operator  | RJ Energy, LLC         |
| Well Name | WILSON MELCHER 6W      |
| Doc ID    | 1803973                |

# Casing

| Purpose<br>Of String | Size Hole<br>Drilled | Size<br>Casing<br>Set | Weight | Setting<br>Depth | Type Of<br>Cement |     | Type and<br>Percent<br>Additives |
|----------------------|----------------------|-----------------------|--------|------------------|-------------------|-----|----------------------------------|
| Surface              | 9.875                | 7                     | 17     | 20               | portland          | 5   | n/a                              |
| Production           | 5.875                | 2.875                 | 9      | 843              | portland          | 110 | n/a                              |
|                      |                      |                       |        |                  |                   |     |                                  |
|                      |                      |                       |        |                  |                   |     |                                  |

# wilson melcher 6w

| 1   | Soil          | 1    |           |                     |
|-----|---------------|------|-----------|---------------------|
| 3   | clay and rock | 4    |           |                     |
| 42  | Lime          | 46   |           | start 9/3/2024      |
| 169 | Shale         | 215  |           | finish 9/4/2024     |
| 61  | Lime          | 246  |           | set 20' 7"          |
| 669 | Shale         | 312  |           | ran 843' 2 7/8      |
| 105 | Lime          | 417  |           | cemented to surface |
| 170 | Shale         | 587  |           | with 110 sxs        |
| 27  | Lime          | 6914 |           |                     |
| 60  | Shale         | 674  |           |                     |
| 28  | Lime          | 702  |           |                     |
| 23  | Shale         | 725  |           |                     |
| 7   | Lime          | 732  |           |                     |
| 19  | Shale         | 751  |           |                     |
| 8   | Lime          | 759  |           |                     |
| 5   | Shale         | 764  |           |                     |
| 7   | Lime          | 771  |           |                     |
| 19  | Shale         | 790  |           |                     |
| 6   | sandy shale   | 796  | odor      |                     |
| 28  | bkn sand      | 824  | good show |                     |
| 4   | dk sand       | 828  | show      |                     |
| 25  | Shale         | 853  | td        |                     |

#### IMG\_8195.jpg

|   | HAMMERSON CORPORATION  |                             |  | Invoid  |
|---|--|-----------------------------|--|---|
| _   | - PO BOX 189<br>Gas, KS 66742  |                             | and the second | ate Invoice<br>1/2024 24653   |
| Bil   | То   | -                           |  |   |
| 22082   | NERGY LLC<br>NE NEOSHO RD<br>NETT, KS 66032  |                             |  |   |
|   |  |                             |  |   |
|   | and the second   | P.O. No.                    | Terms  | Project   |
|   |  | Wilson Melcher 27A          | Due on receipt   | riojoot   |
| Quantity  | Description  |                             | , Rate   | Amoun   |
| 1<br>110<br>1<br>110<br>110<br>1<br>1<br>110<br>1<br>1<br>1 | Well Mud (\$10.20 Per Sack) Wilson Meleher 27A Ti<br>Hour Rate<br>Fuel Surcharge<br>Well Mud (\$10.20 Per Sack) Wilson Melcher 19A Ti<br>Hour Rate<br>Fuel Surcharge<br>Well Mud (\$10.20 Per Sack) Wilson Melcher 6W Tid<br>Hour Rate<br>Fuel Surcharge<br>Well Mud (\$10.20 Per Sack) Wilson Melcher 14W T<br>Hour Rate<br>Fuel Surcharge<br>SALES TAX | icket #24664<br>cket #24672 |  | 10.20       1,         65.00       35.00         10.20       1,         65.00       35.00         10.20       1,         65.00       35.00         10.20       1,         65.00       35.00         10.20       1         65.00       35.00         65.00       35.00         65.00       35.00         65.00       35.00 |
|   |  |                             |  |   |