WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

## **WATER WELL RECORD** (WWC-5)

LOCATION OF WATER WEL	.L					Original Reco	rd Correction	Change	in Wel ؛	ll Use
Latitude	Longitude			Section	Township	Range	E W Fraction	1/4	1/4	1/4
Datum	Elevation		(	County	1		**			
WATER WELL OWNER			WELL V	VATER USE	•		NEAREST SOURCE OF PO	OTENTIAL CO	ONTAMIN	NATION
Name							Source:			
Business			COMPL	FTION			Distance from well:		1	
Dubiness					1 11		from well:	from well	:	
Address					ed well:		Source description:			
			1 -		water encountered	:	-			
Well location					(2) ft.; (4) dry well		Source:			
77611100411011							Distance from well:	Direction from well	l:	
at owner's					in well:	ft.	Source			
address				asured belo (mm/dd/yy	ow land surface		description:			
CONSTRUCTION					ve land surface		No potential source	of contamir	ation	
Borehole interval:	Borehole dia	meter:	on (mm/dd/yy):			within 100 feet.				
fromto ft.		in.	Estima	ited vield:	gpm		PERMIT & ID NUMBERS	(AS REQUI	RED)	
fromto ft.			I	-	ft. after	hours	DWR Application No.:			
Casing height above land su				_	pumping		KDHE / EPA Project Co	ode:		
If casing height is less th			Pump	installed?	Yes No		Site Name:			
has a variance been app		s No					KDHE UIC Class V For	m Complete	d: Yes	No
*variance not required for monitoring			Water well disinfected? Yes No			County Permit: Yes No Permit ID:				
or environmental remediation wells			Date disinfected (mm/dd/yy):			Lease Name & Well #:				
Casing type:Blank casing interval:	ft. to	ft	Aquife	r, if known	:		# of boreholes:	# of dewateri	ing wells:	
Blank casing diameter:			LITHOL	OGIC LOG						
Casing joints:			FROM	то то	LITHOLOGY	INTERVALS				
Weight: lb										
Wall thickness or gauge	no.:									
Blank casing interval:	ft. to	ft.								
Blank casing diameter:	in.									
Casing joints:										
Weight:lb	s/ft.									
Wall thickness or gauge	no.:									
Grout interval: ft. t	o ft.									
Grout material:										
Grout interval: ft. t	oft.									
Grout material:			COMM	ENTS						
Screen / perforation materia	l:									
Screen / perforation openin	-		CONTR	ACTOR'S	OR LANDOWNER	S CERTIFICATION				
Screen / perforation interval			This v	vater well	was constructe	d reconstru	icted pursuant to t	he stated wa	ater well	1
Fromft. to			contra	actor's lice	nse and was con	npleted on	I certify that	this record	l is true	to
Slot size unit			the be	est of my k	nowledge and b	elief. This water	well record was complet	ed on		
From ft. to	_		under	the busin	ess name of					,
Slot size unit			Kansa	ıs Water V	Vell Contractor's	License No	under the auth	nority of the	e designa	ated
Gravel pack intervals:	Cwarral -!	.	perso	n as defin	ed in K.A.R. 28-	30-2(j) and signe	d and certified by the ele	ectronic sig	nature o	of the
Gravel pack not used: From ft. to		in	1 -		on at its submitt	,	· 	C		
Gravel pack not used:		20-					e for your records. Fee of \$5	.00 for each c	constructe	ed well.
From ft. to		in			KANSAS D	EPARTMENT OF H	EALTH AND ENVIRONME	ENT		
11011111.10	1			Bureau	of Water, Geology	Section, 1000 SW	Jackson St., Suite 420, Tope	ka KS 66612	-1367	

Form	WWC5.2 - Water Well Record		
Doc ID	1788928		
Well Owner	Quad K Farms		
Contractor	Burton Well Drlg., Inc.		

## Lithology

From	То	Lithology Intervals
0	55	topsoil,fine,sandy,light,black, moist,soft,not cemented
55	70	sand,fine,sandy,light,brown,m oist,loose,not cemented
70	92	sand & gravel,coarse,sandy,light,bro wn,moist,loose,not cemented
92	95	sand,fine to coarse,clayey,light,brown,moi st,loose,not cemented
95	104	sand,fine to coarse,sandy,light,brown,moi st,loose,not cemented
104	107	sand,fine to coarse,clayey,light,brown,moi st,firm,weakly cemented
107	117	loam,medium,loamy,light,gray ,wet,hard,moderately cemented
117	125	sand & gravel,medium,sandy,light,gr een,wet,hard,weakly cemented
125	132	sand & gravel,medium to coarse,sandy,light,red,wet,loo se,not cemented
132	140	sand & gravel,coarse,sandy,light,gra y,wet,loose,not cemented

Form	WWC5.2 - Water Well Record		
Doc ID	1788928		
Well Owner	Quad K Farms		
Contractor	Burton Well Drlg., Inc.		

## Lithology

From	То	Lithology Intervals
140	145	sand & gravel,coarse,clayey,light,gra y,wet,loose,not cemented
145	167	clay-lean,fine to coarse,sandy,light,gray,wet,lo ose,not cemented
167	193	sand & gravel,medium,clayey,light,gr ay,wet,loose,not cemented
193	210	sand & gravel,fine,clayey,light,gray,w et,loose,not cemented
210	215	gravel,coarse,sandy,light,gray ,saturated,loose,not cemented
215	227	sand & gravel, fine to coarse, sandy, light, gray, satur ated, loose, not cemented