WELL ID

KOLAR DOC ID

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

From _____ ft. to _____ ft.

LOCATION OF WATER V	WELL					•	Origina	l Recor	d Correction	Chang	e in Wel	ll Use
Latitude	Longitude		S	ection		Township		Range	E W Fraction	1/4	1/4	1/4
Datum	Elevation		C	ounty					VV			
WATER WELL OWNER		<u> </u>		ATER US	E				NEAREST SOURCE OF F	POTENTIAL C	ONTAMIN	IATION
Name									Source:			
Business			COMPLI	TION								
Dustriess					. 1	11			from well:	_ from wel	l:	
Address			_	-		ell:encountered:		ft.	Source description:			
			(1)	ft.;	(2)	ft.;			Source:			
Well location						dry well			Distance from well:		n ll:	
at owner's address			Static water level in well: ft. measured below land surface on (mm/dd/yy):					Source description:				
CONSTRUCTION			mea	sured ab	ove lar	nd surface			No potential sourc within 100 feet.	e of contami	nation	
Borehole interval:	Borehole dia	meter:	on (mm/dd/y	/y):				PERMIT & ID NUMBER	S (AS REQUI	RED)	
fromto ft		in.	Estimat	ed yield:		gpm						
fromto ft		in.	Water level was: ft. afterhours					DWR Application No.:				
Casing height above lan	d surface:	in.				pumping	gp1	m	KDHE / EPA Project Code:			
If casing height is les has a variance been		s No	Pump installed? Yes No				Site Name: KDHE UIC Class V Form Completed: Yes No					
*variance not requir	• •	5 110	Water well disinfected? Yes No					County Permit: Yes No Permit ID:				
or environmental re			Date disinfected (mm/dd/yy):					Lease Name & Well #:				
Casing type:			A:6	:61					# of boreholes:			
Blank casing interval:			-	, if know								
Blank casing diameter:				OGIC LO								
Casing joints: Weight:			FROM	то	<u>_</u>	ITHOLOGY IN	NIEKVAI	LS				
Wall thickness or ga												
Blank casing interval:												
Blank casing diameter:												
Casing joints:												
Weight:												
Wall thickness or ga					_							
Grout interval:												
Grout material:												
Grout interval:												
Grout material:) (COMME	NTS								
Cancar I monformation most	out al.											
Screen / perforation mat Screen / perforation ope			CONTR	ACTOP'S	OD 1 4	ANDOWNERS	CEDTIE	CATION				
Screen / perforation inte									atad nursuant to	the stated w	ratan rurall	
Fromft. to						constructed		econstru	1			
Slot size u							_		I certify the			to
From ft. to				-		-			vell record was comple			—
Slot size u												
Gravel pack intervals:	· · · · · · · · · · · · · · · · · · ·		Kansa	Water	Well (Contractor's l	License l	No	under the aut	thority of th	e designa	ated
Gravel pack not used	l: Gravel size	in	persor	as defir	ned in	K.A.R. 28-3	0-2(j) ar	nd signed	d and certified by the e	lectronic sig	gnature o	f the
From ft. to _			design	ated per	son a	t its submitta	ıl:		·			
Gravel pack not used		in	Send one	copy to	WATE	R WELL OWN	NER and 1	retain one	for your records. Fee of \$	5.00 for each	constructe	ed well.
Enom. G. t.	<u>.</u>					KANSAS DE	PARTME	NT OF H	EALTH AND ENVIRONM	ENT		

Form	WWC5.2 - Water Well Record		
Doc ID	1799638		
Well Owner	JIM PERSINGER		
Contractor	Southwest Windmill & Water Well Service, Inc.		

Casing

From	То	Casing Diameter	Casing Joint		Wall Thickness or Gauge Number
0	225	5	Glued	200	
225	405	5	Glued	250	
445	465	5	Glued	250	

Form	WWC5.2 - Water Well Record		
Doc ID	1799638		
Well Owner	JIM PERSINGER		
Contractor	Southwest Windmill & Water Well Service, Inc.		

Lithology

From	То	Lithology Intervals
0	2	topsoil
2	38	clay
38	46	sand,medium
46	86	caliche,clayey
86	190	sand,medium
190	212	clay
212	268	sand,fine to medium
268	432	sand,fine to medium,FEW SANDY CLAY LAYERS
432	480	clay,SOME SAND STREAKS
480	485	clay,red,RED BED