WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

OCATION OF WATER WE	ELL.					Original Re	cor	d Co	rrection	Chang	e in We	l Use
Latitude	Longitude			Section	Township	Ran	ige	E W	Fraction	1/4	1/4	1/4
Datum	Elevation			County	1			vv				
WATER WELL OWNER				WATER US	 E			NEAREST	SOURCE OF	POTENTIAL C	ONTAMIN	IATION
Name					_							.,
			COMP	LETION				Distance		Direction		
Business			COMP	LETION				from well	<u></u>	from wel	İ:	
Address					ted well:			Source				
			-	-	water encountered	:		description				
747 11 1					(2) ft.;							
Well location			(3)	ft.;	(4) dry well			Distance from well		Direction	1 I.	
at owner's			Static water level in well: ft.				Distance Direction from well: Source					
address			measured below land surface				description:					
CONSTRUCTION				(mm/dd/y			-	No po	tential sour	ce of contami	nation	
Borehole interval:	Borehole dia	meter	measured above land surface on (mm/dd/yy):				No potential source of contamination within 100 feet.					
							+	PERMIT &	ID NUMBE	RS (AS REQUI	RED)	
fromto ft.		in.			gpm	,		DIAZD 4	ulianti DT			
fromto ft.			Water		ft. after			1	-	0.:		
Casing height above land	surface:	in.	pumping gpm				KDHE / EPA Project Code: Site Name:					
If casing height is less that a variance been ap		- N-	Pump	installed?	Yes No					Form Complete		No
*variance not required	-	s No	Water	well disinf	ected? Yes N	o				s No Permi		
or environmental rem					(mm/dd/yy):					:		
Casing type:							-			# of dewater		
Blank casing interval:	ft. to	ft.	Aquif	er, if knowr	1:			" Of boiler		# Of dewater	ing wens:	
Blank casing diameter: _	in.		LITHO	LOGIC LOG	i							
Casing joints:			FRO	и то	LITHOLOGY	NTERVALS						
Weight:l	lbs/ft.											
Wall thickness or gaug												
Blank casing interval:		ft.										
Blank casing diameter: _												
Casing joints:												
Weight:l												
Wall thickness or gaug	ge no.:											
Grout interval: ft.	toft.											
Grout material:												
Grout interval: ft.	toft.		601414	FNITC								
Grout material:			COMM	IENIS								
Screen / perforation materi	ial:											
Screen / perforation openi			CONTI	RACTOR'S	OR LANDOWNER	S CERTIFICAT	ION					
Screen / perforation interva			This	water well	was constructe	d recon	stru	cted 1	oursuant to	the stated w	ater well	
Fromft. to	ft.		contr	actor's lice	ense and was con	npleted on _			I certify th	at this recor	d is true	to
Slot size uni			the b	est of my l	knowledge and b	elief. This wa	ter w	vell record	was compl	eted on		
From ft. to			unde	r the busii	ness name of							,
Slot size uni	it				Well Contractor's							
Gravel pack intervals:										•	_	
Gravel pack not used:		in	person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the designated person at its submittal:									
From ft. to								<i>C</i>		*F.00.C		, .
Gravel pack not used:	Gravel size	in	Send or	ne copy to V	VATER WELL OW	NER and retain EPARTMENT (•			constructe	ed well
From ft. to	ft.			Bureau	of Water, Geology						2-1367	

Form	WWC5.2 - Water Well Record
Doc ID	1799636
Well Owner	BOEKHAUS FARMS INC
Contractor	Southwest Windmill & Water Well Service, Inc.

Casing

From	То	Casing Diameter	Casing Joint		Wall Thickness or Gauge Number
0	225	5	Glued	200	
225	305	5	Glued	250	
325	345	5	Glued	250	
365	385	5	Glued	250	

Form	WWC5.2 - Water Well Record
Doc ID	1799636
Well Owner	BOEKHAUS FARMS INC
Contractor	Southwest Windmill & Water Well Service, Inc.

Lithology

From	То	Lithology Intervals
0	2	topsoil
2	55	clay
55	58	other,unknown,HARD ROCK
58	78	clay,gray
78	120	clay,black
120	145	other,unknown,HARD ROCK
145	250	sandstone,unweathered
250	260	shale,unweathered,red
260	398	sandstone,unweathered,SOM E CLAY
398	405	shale,unweathered,red

Form	WWC5.2 - Water Well Record
Doc ID	1799636
Well Owner	BOEKHAUS FARMS INC
Contractor	Southwest Windmill & Water Well Service, Inc.

Screen and Gravel

From	То	 	Gravel Pack Used			Gravel Size
305	325		Yes	25	325	
345	365		Yes	325	365	
385	405		Yes	365	405	