
WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

### **WATER WELL RECORD** (WWC-5)

LOCATION OF WATER WELL						Original Reco	ord (	Correction	Chang	e in Wel	l Use
Latitude	Longitude		S	ection	Township	Range		E W Fraction	1/4	1/4	1/4
Datum	Elevation			ounty	1	8		W			
WATER WELL OWNER	Lievation			ATER USE			NEADE	ST SOURCE OF	DOTENTIAL C	ONITA MAIN	IATION
			VV LLL VV	AI LK OJL	-						IATION
Name							Distan	::	Direction		
Business			COMPL	ETION			from v	vell:	from wel	l:	
Address			Depth of completed well:ft.				Source				
Address			Depth(	s) groundv	water encountered:		descrip				
			(1)	ft.;	(2) ft.;		Source	::			
Well location			(3)	ft.; (	(4) dry well		D		D: .:	n	
			Static v	ater level	in well:f	t.			from we	l:	
at owner's address			mea		ow land surface		Source descrip				
CONSTRUCTION			mea	sured abo	ve land surface			potential source	e of contami	nation	
Borehole interval:	Borehole dia	meter:	on (	mm/dd/y	y):				OS (AS DEQUI	DED)	
fromto ft.		in.	Estima	ed yield:	gpm		PERIVII	& ID NUMBER	IJ (MO REQUI	NEU)	
fromto ft.		in.	Water l	evel was:	ft. after	hours	DWR	Application No.	.:		
Casing height above land sur					pumping	gpm	KDHE	E / EPA Project (	Code:		
If casing height is less tha			Pump i	nstalled?	Yes No		Site Name:				
has a variance been approved?* Yes No							KDHE UIC Class V Form Completed: Yes No				No
*variance not required for monitoring			Water well disinfected? Yes No			County Permit: Yes No Permit ID:					
or environmental remed	iation wells		Date di	sinfected (	mm/dd/yy):		Lease ?	Name & Well #:			
Casing type:Blank casing interval:	ft to		Aquife	; if known	:		# of bo	oreholes:	# of dewater	ing wells:	
Blank casing diameter:				OGIC LOG							
Casing joints:			FROM		LITHOLOGY I	NTERVALS					
Weight: lbs/			TROM	10	Emilozodii	NILIVALS					
Wall thickness or gauge n											
Blank casing interval:											
Blank casing diameter:											
Casing joints:											
Weight: lbs/											
Wall thickness or gauge n											
Grout interval: ft. to											
Grout material:											
Grout interval: ft. to			СОММЕ	NTS							
Grout material:											
Screen / perforation material:											
Screen / perforation opening					OR LANDOWNERS						
Screen / perforation intervals:			This w	ater well	was constructed	d reconsti	ructed	pursuant to	the stated w	ater well	
Fromft. to			contra	ctor's lice	ense and was com	pleted on		I certify th	at this recor	d is true 1	to
Slot size unit _			the be	st of my k	nowledge and be	elief. This water	well reco	rd was comple	eted on		
Fromft. to			under	the busin	ess name of						,
Slot size unit _			Kansa	s Water V	Vell Contractor's	License No.		under the au	thority of th	e designa	ited
Gravel pack intervals:									•	_	
Gravel pack not used:	person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the designated person at its submittal:										
From ft. to							no for	racorda ECA	E 00 for1	conctu	d r.r.11
Gravel pack not used:		in	sena one	copy to V	VATER WELL OW: KANSAS DI	NER and retain o E <b>PARTMENT OF</b>				constructe	a well.
From ft. to	_ ft.			Bureau	of Water, Geology					2-1367	



# FIGURE 2 - 500 FT RADIUS AREA BASE MAP



1311 E 25th St., Suite B, Lawrence, KS 66046

Office: (785) 841-8707

#### PROJECT:

Good Trip 1320 SW 6th, Topeka, KS KDHE ID: U4-089-15600 Date: 8/5/24

100 feet

### **.EGEND:**

Approximate Location of Active UST Basin and Pump Island

Approximate Location of Former UST Basin and Pump Island

**Building with Basement** 

Monitoring Well (Former Doug's Auto; U4-089-00785/C001617)

Proposed Monitoring Well

X Proposed Soil Boring

\* Tree/shrub

Fire Hydrant

s Sewer Overhead Lines (25-40 ft high)

Gas (2 - 6 ft BGS) NOTE: Utility depths, heights and locations are approximate.
NOTE: SB5 & SB6 will be drilled to collect hydrologic samples

## **DENNIS L HANDKE**

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Jess Chapman Larsen & Associates 1311 E. 25<sup>th</sup> Street, Suite B Lawrence, Kansas 66046 September 30, 2024

RE: Monitor Well Elevation Survey 1320 SW 6<sup>th</sup> Ave., Topeka, Kansas

Proj. 24-00PP Good Trip KDHE ID U4-089-15600

Bench Mark: Chisled Sq. on SE corner of North concrete Good Trip sign base near the SW corner of property.

Elev: 926.62	North	4550.22	West	1153.44	(from S	E Cor. Sec. 36-12-16E)
MW-1 rir				4544.57 1147.32	NW1/4,SW1/4,N Lat = 39.05667	E1/4,NE1/4 Long = 95.69153
MW-2 rin				4514.02 1070.77	NW1/4,SW1/4,N Lat = 39.05658	E1/4,NE1/4 Long = 95.69126
MW-3 rir to				4599.32 1132.44	NW1/4,SW1/4,N Lat = 39.05682	
MW-4 rir				4765.54 1234.47	NW1/4,SW1/4,N Lat = 39.05677	
MW-5 rin					NW1/4,SW1/4,NI Lat = 39.05630	E1/4,NE1/4 Long = 95.69163
MW-6 rin					NW1/4,SW1/4,NI Lat = 39.05612	
MW-7 rin					NW1/4,SW1/4,NI Lat = 39.05599	E1/4,NE1/4 Long = 95.69184
MW-8 rin					NW1/4,SW1/4,NI Lat = 39.05591	E1/4,NE1/4 Long = 95.69124
MW-9 rin			The Control of Control of Control		SW1/4,NW1/4,NI Lat = 39.05707	E1/4,NE1/4 Long = 95.69171

Elevation derived from City of Topeka BM# 281. NAVD 88

Lat & Long derived from Topeka 7.5 Quad Map WGS84

If you have lany directions, please feel free to call me. Thank you for the opportunity to be

Denmist Handke RPS

Plant S 78630, 2024

ANSAS

SURVEY

SURVEY