KOLAR Document ID: 1805219

Confidentiality Requested:
☐ Yes ☑ No

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 3895
Name: Bobcat Oilfield Service, Inc.
Address 1: 602 W. AMITY SUITE 103
Address 2:
City: LOUISBURG State: KS Zip: 66053 + 3542
Contact Person: Rob Eberhart
Phone: (913) 837-5199
CONTRACTOR: License # 4339
Name: Jackson, Dale E & Sue Ellen dba Dale E. Jackson Production Co.
Wellsite Geologist: NA
Purchaser:

Designate Type of Completion:
☐ New Well ☐ Re-Entry ☑ Workover
☐ Oil ☐ WSW ☐ SWD
☐ Gas ☐ DH ☑ EOR
☐ OG ☐ GSW
☐ CM *(Coal Bed Methane)*
☐ Cathodic ☐ Other *(Core, Expl., etc.)*:

If Workover/Re-entry: Old Well Info as follows:
Operator: 3895
Well Name: Snyder R-23S
Original Comp. Date: 09/22/2008 Original Total Depth: 342
☐ Deepening ☐ Re-perf. ☑ Conv. to EOR ☐ Conv. to SWD
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer

☐ Commingled Permit #:
☐ Dual Completion Permit #:
☐ SWD Permit #:
☐ EOR Permit #:
☐ GSW Permit #:

11/22/2019 Spud Date or Recompletion Date
Date Reached TD
11/22/2019 Completion Date or Recompletion Date

API No.: 15-107-23961-00-01
Spot Description:
__ - SE - SW - NE Sec. 8 Twp. 20 S. R. 23 ☑ East ☐ West
3019 Feet from ☐ North / ☑ South Line of Section
1457 Feet from ☑ East / ☐ West Line of Section
Footages Calculated from Nearest Outside Section Corner:
☐ NE ☐ NW ☑ SE ☐ SW
GPS Location: Lat: *(e.g. xx.xxxxx)* , Long: *(e.g. -xxx.xxxxx)*
Datum: ☐ NAD27 ☐ NAD83 ☐ WGS84
County: Linn
Lease Name: SNYDER Well #: R-23S
Field Name:
Producing Formation: Peru
Elevation: Ground: 923 Kelly Bushing: 0
Total Vertical Depth: 342 Plug Back Total Depth:
Amount of Surface Pipe Set and Cemented at: 20 Feet
Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
If yes, show depth set: Feet
If Alternate II completion, cement circulated from: 0
feet depth to: 338 w/ 50 sx cmt.

Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit)
Chloride content: 1500 ppm Fluid volume: 80 bbls
Dewatering method used: Evaporated
Location of fluid disposal if hauled offsite:
Operator Name:
Lease Name: License #:
Quarter Sec. Twp. S. R. ☐ East ☐ West
County: Permit #:

AFFIDAVIT
I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
☐ **Confidentiality Requested**
Date:
☐ **Confidential Release Date:**
☐ **Wireline Log Received** ☐ **Drill Stem Tests Received**
☐ **Geologist Report / Mud Logs Received**
☑ **UIC Distribution**
ALT ☐ **I** ☑ **II** ☐ **III** **Approved by:** Kelsey Cox **Date:** 12/11/2024

Operator Name: Bobcat Oilfield Service, Inc. Lease Name: SNYDER Well #: R-23S

Sec. 8 Twp. 20 S. R. 23 ☑ East ☐ West County: Linn

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken *(Attach Additional Sheets)*	☐ Yes	☑ No
Samples Sent to Geological Survey	☐ Yes	☑ No
Cores Taken	☐ Yes	☑ No
Electric Log Run	☑ Yes	☐ No
Geologist Report / Mud Logs	☐ Yes	☑ No

List All E. Logs Run:

Gamma Ray Neutron CCL

☑ Log Formation (Top), Depth and Datum ☐ Sample

Name	Top	Datum
Peru	280	GL

CASING RECORD ☑ New ☐ Used

Report all strings set-conductor, surface, intermediate, production, etc.

Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	8.75	6	10	20	Portland	5	0
Production	5.625	2.875	8	337	Portland	50	50/50 POZ

ADDITIONAL CEMENTING / SQUEEZE RECORD

Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
☐ Perforate ☐ Protect Casing ☐ Plug Back TD ☐ Plug Off Zone	-			
	-			

1. Did you perform a hydraulic fracturing treatment on this well? ☐ Yes ☑ No *(If No, skip questions 2 and 3)*
2. Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons? ☐ Yes ☐ No *(If No, skip question 3)*
3. Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry? ☐ Yes ☐ No *(If No, fill out Page Three of the ACO-1)*

Date of first Production/Injection or Resumed Production/ Injection: 04/01/2020

Producing Method: ☐ Flowing ☑ Pumping ☐ Gas Lift ☐ Other *(Explain)*

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

DISPOSITION OF GAS: ☐ Vented ☐ Sold ☐ Used on Lease *(If vented, Submit ACO-18.)*

METHOD OF COMPLETION: ☐ Open Hole ☑ Perf. ☐ Dually Comp. *(Submit ACO-5)* ☐ Commingled *(Submit ACO-4)*

PRODUCTION INTERVAL:

Top	Bottom
280	289

Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid, Fracture, Shot, Cementing Squeeze Record *(Amount and Kind of Material Used)*
2	280	289			

TUBING RECORD: Size: Set At: Packer At:

Mail to: KCC - Conservation Division, 266 N. Main, Suite 220, Wichita, Kansas 67202

Form	ACO1 - Well Completion
Operator	Bobcat Oilfield Service, Inc.
Well Name	SNYDER R-23S
Doc ID	1805219

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement	Number of Sacks Used	Type and Percent Additives
Surface	8.75	6	10	20	Portland	5	0
Production	5.625	2.875	8	337	Portland	50	50/50 POZ