KOLAR DOC ID _____ WELL ID_

WATER WELL RECORD (WWC-5)

From _____ ft. to _____ ft.

OCATION OF WATER V	VELL				0	riginal Recor	rd Co	rrection	Chang	e in Wel	l Use
Latitude	Longitude		Se	ection	Township	Range	E W	Fraction	1/4	1/4	1/4
Datum	Elevation		Co	ounty	-		**				
WATER WELL OWNER				ATER USE			NEAREST S	OURCE OF I	POTENTIAL C	ONTAMIN	ATION
Name											
Business			COMPLE	TION			Dictance		Direction	2	
Dusiness							from well:		_ from wel	l:	
Address					ed well:	ft.	Source				
			1 -	-	rater encountered:		descriptio				
Well location					2) ft.;						
Well location					dry well		Distance from well:	:	Direction from wel	n l:	
at owner's					n well: ft.		Source				
address			1	sured belov nm/dd/yy]	w land surface		descriptio	n:			
CONSTRUCTION					e land surface		No pot	ential sourc	e of contami	nation	
Borehole interval:	Borehole dia	meter:		nm/dd/yy]			within	100 feet.			
fromto ft.		in.	Fetimate	ed vield:	gpm		PERMIT &	ID NUMBER	S (AS REQUI	RED)	
fromtoft.					gpm ft. after	hours	DWR Apı	olication No.	:		
	•		vvater re				1		Code:		
Casing height above land If casing height is les		in.	Pump in		Yes No	8F					
has a variance been		s No	1		100 -11		KDHE UI	C Class V F	orm Complet	ed: Yes	No
*variance not require			Water w	ell disinfe	cted? Yes No		County Po	ermit: Yes	No Permi	t ID:	
or environmental re	emediation wells		Date dis	infected (r	mm/dd/yy):		Lease Nar	ne & Well #:			
Casing type:	G. 4		Aquifer	if known:			1		# of dewater		
Blank casing diameters		п.									
Blank casing diameter: Casing joints:			FROM	TO	LITHOLOGY INT	TEDWALC					
Weight:			FROM	10	LITHOLOGY INT	EKVALS					
Wall thickness or ga											
Blank casing interval:											
Blank casing diameter:											
Casing joints:											
Weight:											
Wall thickness or ga	_										
Grout interval:											
Grout interval:											
Grout material:			COMME	NTS							
Grout material.											
Screen / perforation mate	erial·										
Screen / perforation ope			CONTRA	CTOR'S O	R LANDOWNERS O	ERTIFICATION					
Screen / perforation inter					was constructed	reconstru		nirgiant to	the stated w	ater well	
Fromft. to					nse and was compl		•				
Slot size u					_			-			.0
From ft. to				-	nowledge and beli			=			_
Slot size u					ess name of						
Gravel pack intervals:					ell Contractor's Li				-	_	
Gravel pack not used	: Gravel size	in	person	as define	d in K.A.R. 28-30-	-2(j) and signe	d and certif	ied by the e	lectronic sig	gnature o	f the
From ft. to _			designa	ated perso	on at its submittal:			·			
Gravel pack not used		.	Send one	copy to W	ATER WELL OWN	ER and retain one	e for your rec	ords. Fee of \$	5.00 for each	constructe	d well



			HTW I	DRILL	ING	LO	G				HOLE	: NO. 057MW11	
1. COMPANY NAME Burns & McDonnell 2. DRILLING SUBCONTRACTOR RAZE						ZEK	ENV., Inc		SHEE	T 1 3 SHEETS	1		
3. PROJEC	^T SF	AAP				4. LOCATI	^{ON} SWI	MU 5	57				
6. NAME O	F DRILLER	T. Poulte	r			6, MANUF	ACTURER'S D	ESIGNA	ITION OF DRILL	GeoProb	e 7822	DT ·	
	ND TYPES OF		2-inch MacroCore	Sampler		8. HOLE I	OCATION E	: 216	62070.908	5' N: 2335	80.457	' 0'	1
		ļ				9. SURFA	CE ELEVATION	l	944.09 '				
		<u> -</u>				10. DATE	STARTED	9/6/2	24	11. DATE COMP	PLETED	9/6/24	1
12. OVERB	URDEN THIC	KNESS	19.0 ft			15. DEPTI	H GROUNDWA	TER EN	COUNTERED	18.0 ft			1
13. DEPTH	DRILLED INT	O ROCK	NA			16. DEPTI	H TO WATER A	ND EL	APSED TIME AFTI			3.0 ft btoc	1
14. TOTAL	DEPTH OF H	OLE	19.0 ft	,		17. OTHE	R WATER LEVI	EL MEA	SUREMENTS (SP	COLON	3/24 N		1
18. GEOTE	CHNICAL SA	MPLES NA	DISTURBED	UND	STURBED	D 19. TOTAL NUMBER OF CORE BOXES NA							1
20. SAMPL	es for che	MICAL ANALYSI		METAL	.8	S OTHER (SPE		OTHER (SPECIFY)		OTHER (SPECIFY)		21. TOTAL CORE RECOVERY	1
22, DISPOS	SITION OF HO	DLE NA	BACKFILLED	MONITORING	WELL	OTHER (SPECIFY)		23, 8	SIGNATURE OF IN	SPECTOR		NA %	-
		,	057MV			S		. Woodland	Ulla		W.		
ELEV, a	DEPTH b		DESCRIPTION OF MATERIALS		RES	DREENING ULTS d	GEOTECH SA OR CORE BO 6		ANALYTICAL SAMPLE NO. 1	BLOW COUNTS g	•	REMARKS h	
•		(10YR 2/2) trace plast		nsistency, 	LEL =	.0 PID 0 0.9 0.0	NA		NA	Recovery	Begir	ı @ 1015	E
	1 —	damp, har	h silt, CL, gray (10YF d, trace plasticity, tra reddish brown (5YR 5	ce		0.0							E - -
			•										
	2					0.0							- - - -
									•	5/5			
	3 - =					0.0	!				i		
	4	grayish br	rown (10YR 5/2)			0.0							
												•	
MADK F	ORM 55		PROJECT SFAAP - S	SWMU 57						HOLE NO.	057	MW11	

MHK JUN 89 00

	· · · · · · · · · · · · · · · · · · ·	HTW DRIL	LING LO)G			HOLE NO. 057MW11
PROJECT	r	SFAAP - SWMU 57	INSPECTOR	S. Woodland			SHEET 2 OF 3 SHEETS
ELEV. a	DEPTH b	DESCRIPTION OF MATERIALS C	FIELD SCREENING RESULTS d	GEOTECH SAMPLE OR CORE BOX NO.	ANALYTICAL SAMPLE NO. f	BLOW COUNTS g	
		CLAY, with silt, CL, grayish brown (10YR 5/2), damp, hard, trace plasticity, trace oxidation reddish brown (5YR 5/3).	PID	NA	NA	Recover	ry
	5		BZ = 0.0 LEL = 0 O ₂ = 20.9				1019
	6		0.0				
	7 -		0.0			5/5	, ,
	8		0.0				
	9 -	SAND, with clay, SM, light olive gray (5Y 6/2), very fine sand, poorly graded, moist, hard consistency, medium plasticity, trace oxidation reddish brown (5YR 5/3).	0.0				
	10 -		BZ = 0.0 LEL = 0 O ₂ = 20.9				1429
	11 -	,	0.0			5/5	
	12	·	0.0			0,0	
		PROJECT SEAAR				Ноге	

	HTW DRIL)G			HOLE NO. 057MW11
ROJECT	SFAAP - AOC 17	INSPECTOR		SHEET 3 OF 3 SHEETS		
LEV. DEPTH	DESCRIPTION OF MATERIALS C	FIELD SCREENING RESULTS d	GEOTECH SAMPLE OR CORE BOX NO. 8	ANALYTICAL SAMPLE NO.	BLOW COUNTS g	REMARKS h
	SAND, with clay, SM, light olive gray (5Y 6/2), very fine sand, poorly graded, moist, hard consistency, medium plasticity, trace oxidation reddish brown (5YR 5/3).	PIÒ	NA	NA	Recover	
13 -	light gray (5Y 7/2), fine sand	0.0		!	5/5	
14-		0.0				
15 _		BZ = 0.0 LEL = 0 O ₂ = 20.9				1026
16 _		0.0				
17 _		0.0			4/4	
18 -	CLAY, trace very fine sand, CH, yellowish brown (10YR 5/6), moist, stiff consistency, high plasticity. SAND, SP, yellowish brown (10YR 5/6), wet, very fine grain, poorly graded.	0.0				$\overline{\nabla}$
19 -						DP Refusal @ 19.0 ft 1140
20	HSA Refusal @ 19.0 ft			·		1033 Begin HSA Drilling Log from Cuttings
20 _						Construct Monitoring Well