WELL ID

KOLAR DOC ID

WATER WELL RECORD (WWC-5)

OCATION OF WATER WELL	L					Original Red	cord	l Coi	rrection	Chang	e in Wel	l Use
Latitude	Longitude		S	ection	Township	Rang	ge	E W	Fraction	1/4	1/4	1/4
Datum	Elevation			County	r		5-	W				
VATER WELL OWNER	Lievation			ATER USE	 :			NEADEST S	OURCE OF	POTENTIAL C	ONTAMIN	ΙΑΤΙΩΙ
			WELL W	AI LIN OJL	•		آ ر					IAIIO
Name							┚╽	Distance		Direction		
Business			COMPL	ETION			- I	from well:		_ from we	ll:	
Address			Depth	of complet	ed well:	ft.		Source				
radicss			Depth(s) groundv	water encountered:			descriptio	n:			
			(1)	ft.; ((2) ft.;			Source:				
Well location			(3)	ft.; (4) dry well			D' /		Direction	n	
, ,			Static v	vater level i	in well: fi		1		·	from we	ll:	
at owner's address			- 1		w land surface			Source descriptio	n:			
CONSTRUCTION				mm/dd/yy sured abo	ve land surface		- }			e of contami	nation	
Borehole interval:	Borehole dia	meter:	on (mm/dd/yy	y):		. l		100 feet.			
fromto ft.		in.	Estima	ted vield:	gpm		ן ן	PERMIT &	ID NUMBER	RS (AS REQU	RED)	
fromtoft.		in.				hours		DWR App	olication No.	.:		
Casing height above land sur			Water level was:ft. afterhours pumping gpm				KDHE / EPA Project Code:					
			Pump i		Yes No	8i		Site Name:				
If casing height is less that has a variance been appro		s No			100 -11		4	KDHE UI	C Class V F	orm Complet	ed: Yes	No
*variance not required fo	or monitoring		Water well disinfected? Yes No				County Permit: Yes No Permit ID:					
or environmental remed	liation wells		Date disinfected (mm/dd/yy):				Lease Name & Well #:					
Casing type:			Aquifo	r, if known			1			# of dewater		
Blank casing interval:		ft.	_									
Blank casing diameter:				OGIC LOG								
Casing joints:			FROM	ТО	LITHOLOGY II	NTERVALS						
Weight:lbs.												
Wall thickness or gauge r Blank casing interval:												
Blank casing diameter:		1t.										
Casing joints:												
Weight: lbs.												
Wall thickness or gauge r												
Grout interval: ft. to												
Grout material:												
Grout interval: ft. to	ft.		COMME	:NTS								
Grout material:												
Samoon / monformation montonial												
Screen / perforation material: Screen / perforation opening			CONTR	ACTORIS (OR LANDOWNERS	CEDTIEICATI	ON					
Screen / perforation intervals:								. 1		41	411	
Fromft. to					was constructed					the stated w		
					nse and was com	•			•			to
Slot size unit _ From ft. to				•	nowledge and be				-			
Slot size unit _					ess name of							,
Gravel pack intervals:			Kansa	s Water V	Vell Contractor's	License No		ur	nder the au	thority of th	e designa	ated
-	Graval siza		person	n as define	ed in K.A.R. 28-3	0-2(j) and sig	gned	and certifi	ied by the e	electronic sią	gnature o	f the
Gravel pack not used: From ft. to		in	-		on at its submitta				•	·		
	f t				on at its submitte	11.						
					VATER WELL OW		one f	or your rec	ords. Fee of s	55.00 for each	constructe	ed wel

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record			
Doc ID	1806000			
Well Owner	DENNIS DEYOE			
Contractor	Downey Drilling, Inc. #748			

Lithology

From	То	Lithology Intervals
0	2	topsoil,brown,soft
2	9	clay,silty,brown,soft
9	14	clay,sandy,white
14	28	clay,sandy,brown,soft
28	41	clay,sandy,brown,soft
41	54	clay,sandy,white,soft
54	63	sand,fine,clayey,soft
63	68	sand,fine to coarse,firm
68	73	gravel,fine to medium,stiff
73	79	clay,sandy,brown,soft
79	87	sand,fine to medium,firm
87	123	clay,brown,soft
123	129	sand,fine to medium,soft
129	137	sand,fine to coarse,firm
137	147	clay,brown,soft
147	223	clay,blue
223	246	clay,gray
246	270	clay,brown
270	275	clay,sandy,brown
275	283	clay,brown
283	290	sand,fine to coarse,firm
290	300	clay,fine to medium,sandy,brown,soft
300	312	sand,fine to coarse,firm

Form	WWC5.2 - Water Well Record			
Doc ID	1806000			
Well Owner	DENNIS DEYOE			
Contractor	Downey Drilling, Inc. #748			

Lithology

From	То	Lithology Intervals		
312	320	clay,brown		
320	331	sand,fine to coarse,firm		
331	346	clay,brown		
346	350	clay,sandy,brown,soft		
350	357	sand,fine to coarse,firm		
357	397	gravel,fine to coarse,stiff		
397	421	clay,sandy,tan,soft		
421	430	clay,sandy,tan,firm		
430	447	clay,tan,soft		
447	451	clay,sandy,tan,soft		
451	466	clay,brown		
466	485	sand,fine to coarse,brown		
485	514	sand,fine to coarse,brown		
514	523	clay,brown,soft		
523	540	clay,gray,soft		
540	555	shale,unknown,blue,soft		
555	571	sandstone,unknown,gray,hard		
571	579	sandstone,unknown,gray,hard		
579	645	sandstone,unknown,clayey,gr ay,hard		
645	673	sandstone,unknown,brown,ha		
673	678	clay,green,hard		
678	688	other,unknown,red,hard,RED BED		

Form	WWC5.2 - Water Well Record				
Doc ID	1806000				
Well Owner	DENNIS DEYOE				
Contractor	Downey Drilling, Inc. #748				

Screen and Gravel

From	То	Slot Size		Gravel Pack Used			Gravel Size
367	447	.1	inches	Yes	20	688	#1
447	527	.08	inches	No			
527	587	.05	inches	No			
587	629	.06	inches	No			
629	679	.05	inches	No			