## **WATER WELL RECORD** (WWC-5)

From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

<b>WATER WELL REC</b>	ORD (W	WC-5)				KOLAR [	OOC ID		WELL ID_		
OCATION OF WATER WEL	L					Original Reco	rd Co	rrection	Chang	ge in We	ll Use
Latitude	Longitude			Section	Township	Range	E W	Fraction	1/4	1/4	1/4
Datum	Elevation			County							
ATER WELL OWNER			WELL	WATER USI	Ē		NEAREST S	OURCE OF F	POTENTIAL	CONTAMI	OITAN
Name							Source:				
Business			COMP	LETION			Distance		Directio	nn	
					ted well:	ft.	from well:		_ from we	ell:	
Address			-	-	water encountered:		Source descriptio	n:			
			-	-	(2) ft.;						
Well location					(4) dry well					\n	
			-		in well:		from well:	:	Direction from we	ell:	
at owner's address			me		ow land surface		Source descriptio	n:			
ONSTRUCTION  Borehole interval:	Borehole dia	meter:	me	•	ve land surface			ential sourc 100 feet.	e of contam	ination	
fromto ft.		in.					PERMIT &	ID NUMBER	S (AS REQU	IRED)	
fromtoft.					gpm ft. after	hours	DWR Apr	olication No	:		
			water		pumping		1		· Code:		
Casing height above land su		in.	Pumn		Yes No	gpiii					
If casing height is less th has a variance been appropriate the control of the control of the case of		s No	Tump	motunea.	103 110				orm Comple		No
*variance not required for			Water	well disinfo	ected? Yes No	0			No Perm		
or environmental remed	diation wells		Date o	disinfected (	(mm/dd/yy):		1				
Casing type:	<i>c.</i> .		Aquif	er, if known	•				# of dewate		
Blank casing interval:		π.									
Blank casing diameter: Casing joints:			FROI	LOGIC LOG	LITHOLOGY II	NTEDVALC					
Weight: lbs			FROI	vi 10	LITHOLOGITI	INTERVALS					
Wall thickness or gauge											
Blank casing interval:											
Blank casing diameter:											
Casing joints:											
Weight: lbs	s/ft.										
Wall thickness or gauge	no.:										
Grout interval: ft. to	) ft										
Grout material:											
Grout interval:ft. to											
Grout material:			COMM	IENTS							
Screen / perforation material	:										
Screen / perforation opening	gs:		CONT	RACTOR'S	OR LANDOWNERS	S CERTIFICATION					
Screen / perforation intervals	S:		This	water well	was constructed	d reconstru	ıcted p	oursuant to	the stated v	water well	l
Fromft. to	_ft.		contr	actor's lice	ense and was com	pleted on	-				
Slot size unit _					knowledge and be	_		•			
From ft. to	_ft.			-	ness name of			_			
Slot size unit					Vell Contractor's						
Gravel pack intervals:									-	_	
Gravel pack not used:		in	-		ed in K.A.R. 28-3		a and certif	ied by the e	nectronic si	gnature c	n tne
From ft. to	ft.				son at its submitte			<u> </u>			
Gravel pack not used:	Gravel ciza	.	Send or	ne copy to V	VATER WELL OW	NER and retain on	e for your rec	ords. Fee of \$	5.00 for each	construct	ed w

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record
Doc ID	1804240
Well Owner	IVAN & NORMA JANTZ TRUST
Contractor	Downey Drilling, Inc. #748

## Lithology

From	То	Lithology Intervals
0	3	topsoil,brown,soft
3	10	clay,silty,brown,soft
10	16	caliche,white,firm
16	61	clay,sandy,brown,soft
61	74	clay,fine,sandy,brown,soft
74	79	sand,fine to medium,soft
79	84	clay,sandy,brown,soft
84	97	clay,fine to medium,sandy,tan,soft
97	111	clay,sandy,soft
111	119	clay,sandy,tan,soft
119	129	sand,fine to coarse,soft
129	151	sand & gravel,fine to medium,firm
151	159	clay,sandy,brown,soft
159	170	sand,fine to coarse,firm
170	180	sand & gravel,fine to medium,stiff
180	185	clay,brown,soft
185	196	sand & gravel,fine to medium,firm
196	201	clay,brown,soft
201	299	sand & gravel,fine to medium,firm
299	305	clay,sandy,brown,soft
305	316	sand,fine to coarse,firm

Form	WWC5.2 - Water Well Record				
Doc ID	1804240				
Well Owner	IVAN & NORMA JANTZ TRUST				
Contractor	Downey Drilling, Inc. #748				

## Lithology

From	То	Lithology Intervals
316	324	clay,sandy,tan,soft
324	329	sand,fine to coarse,firm
329	352	clay,fine,sandy,tan,soft
352	357	clay,sandy,white,soft
357	372	sand,fine,soft
372	390	sand,fine to coarse,white
390	410	sand,fine to coarse,brown
410	420	sand,fine to coarse,brown,stiff
420	426	sand,fine to coarse,brown,soft
426	429	sand,fine,brown,firm
429	449	clay,fine to medium,sandy,blue,soft
449	481	clay,blue,soft
481	495	sandstone,unknown,hard
495	500	shale,unknown,blue,soft

Form	WWC5.2 - Water Well Record
Doc ID	1804240
Well Owner	IVAN & NORMA JANTZ TRUST
Contractor	Downey Drilling, Inc. #748

## Screen and Gravel

From	То	Slot Size	Slot Size Units	Gravel Pack Used		Gravel Pack To	Gravel Size
241	301	.08	inches	Yes	20	500	#1
301	381	.1	inches	No			
381	441	.05	inches	No			
441	481	.06	inches	No			
481	491	.05	inches	No			