

**WATER WELL RECORD (WWC-5)**

KOLAR DOC ID \_\_\_\_\_ WELL ID \_\_\_\_\_

Original Record      Correction      Change in Well Use

**LOCATION OF WATER WELL**

Latitude		Longitude		Section		Township		Range		E W	Fraction	¼	¼	¼
Datum		Elevation		County										

**WATER WELL OWNER**

Name	
Business	
Address	
Well location at owner's address	

**WELL WATER USE**

--

**COMPLETION**

Depth of completed well: _____ ft.
Depth(s) groundwater encountered:
(1) _____ ft.; (2) _____ ft.;
(3) _____ ft.; (4) dry well
Static water level in well: _____ ft.
measured below land surface
on (mm/dd/yy): _____
measured above land surface
on (mm/dd/yy): _____
Estimated yield: _____ gpm
Water level was: _____ ft. after _____ hours
pumping _____ gpm
Pump installed?    Yes    No
Water well disinfected?    Yes    No
Date disinfected (mm/dd/yy): _____
Aquifer, if known:

**NEAREST SOURCE OF POTENTIAL CONTAMINATION**

Source: _____
Distance from well: _____      Direction from well: _____
Source description: _____
Source: _____
Distance from well: _____      Direction from well: _____
Source description: _____
No potential source of contamination within 100 feet.

**CONSTRUCTION**

Borehole interval:	Borehole diameter:
from _____ to _____ ft.	_____ in.
from _____ to _____ ft.	_____ in.
Casing height above land surface: _____ in.	
If casing height is less than 12 in. has a variance been approved?*	Yes    No
*variance not required for monitoring or environmental remediation wells	
Casing type: _____	
Blank casing interval: _____ ft. to _____ ft.	
Blank casing diameter: _____ in.	
Casing joints: _____	
Weight: _____ lbs/ft.	
Wall thickness or gauge no.: _____	
Blank casing interval: _____ ft. to _____ ft.	
Blank casing diameter: _____ in.	
Casing joints: _____	
Weight: _____ lbs/ft.	
Wall thickness or gauge no.: _____	
Grout interval: _____ ft. to _____ ft.	
Grout material: _____	
Grout interval: _____ ft. to _____ ft.	
Grout material: _____	
Screen / perforation material: _____	
Screen / perforation openings: _____	
Screen / perforation intervals:	
From _____ ft. to _____ ft.	
Slot size _____ unit _____	
From _____ ft. to _____ ft.	
Slot size _____ unit _____	
Gravel pack intervals:	
Gravel pack not used:      Gravel size _____ in	
From _____ ft. to _____ ft.	
Gravel pack not used:      Gravel size _____ in	
From _____ ft. to _____ ft.	

**PERMIT & ID NUMBERS (AS REQUIRED)**

DWR Application No.: _____
KDHE / EPA Project Code: _____
Site Name: _____
KDHE UIC Class V Form Completed:    Yes    No
County Permit:    Yes    No    Permit ID: _____
Lease Name & Well #: _____
# of boreholes: _____    # of dewatering wells: _____

**LITHOLOGIC LOG**

FROM	TO	LITHOLOGY INTERVALS

**COMMENTS**

--

**CONTRACTOR'S OR LANDOWNERS CERTIFICATION**

This water well was    constructed    reconstructed    pursuant to the stated water well contractor's license and was completed on _____. I certify that this record is true to the best of my knowledge and belief. This water well record was completed on _____ under the business name of _____, Kansas Water Well Contractor's License No. _____ under the authority of the designated person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the designated person at its submittal: _____.
---

Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.

Form	WWC5.2 - Water Well Record
Doc ID	1804086
Well Owner	SETH & CASEY DORIS
Contractor	Downey Drilling, Inc. #748

#### Lithology

From	To	Lithology Intervals
0	3	topsoil,brown,soft
3	7	clay,silty,brown,soft
7	15	sand,fine,soft
15	32	clay,sandy,white,firm
32	44	sand,fine to medium,soft
44	53	clay,sandy,brown,soft
53	75	sand,fine to medium,soft
75	80	clay,sandy,brown,soft
80	84	sand,fine to medium,soft
84	97	clay,sandy,brown,soft
97	107	sand,fine to medium,soft
107	116	sand,fine to coarse,white,stiff
116	131	sand,fine to coarse,firm
131	165	sand & gravel,fine to coarse,stiff
165	199	sand,fine to coarse,firm
199	207	clay,brown,soft
207	245	sand & gravel,fine to coarse,firm
245	310	sand,fine to medium,stiff
310	326	sand,fine to coarse,firm
326	329	clay,sandy,brown,soft
329	335	sand,fine to coarse,firm
335	375	sand & gravel,fine to coarse,stiff

Form	WWC5.2 - Water Well Record
Doc ID	1804086
Well Owner	SETH & CASEY DORIS
Contractor	Downey Drilling, Inc. #748

#### Lithology

From	To	Lithology Intervals
375	389	sand & gravel,fine to coarse,stiff
389	395	clay,soft
395	407	sand,fine to coarse,stiff
407	412	clay
412	423	sand,fine to coarse,firm
423	435	clay
435	447	sand,fine,blue,firm
447	454	sand,fine,firm
454	457	clay,brown,soft
457	490	sand,fine to medium,soft
490	496	clay,brown,soft
496	505	sand,fine to coarse,white,firm
505	512	clay,sandy,brown,soft
512	546	clay,fine to coarse,sandy
546	560	sandstone,unknown,sandy,brown,hard
560	593	sandstone,unknown,cherty
593	620	sandstone,unknown,brown,soft
620	635	sandstone,unknown,brown,hard
635	650	clay,green,stiff

Form	WWC5.2 - Water Well Record
Doc ID	1804086
Well Owner	SETH & CASEY DORIS
Contractor	Downey Drilling, Inc. #748

Screen and Gravel

From	To	Slot Size	Slot Size Units	Gravel Pack Used	Gravel Pack From	Gravel Pack To	Gravel Size
360	420	.08	inches	Yes	20	650	#1
420	500	.1	inches	No			
500	540	.08	inches	No			
540	640	.05	inches	No			