KOLAR Document ID: 1809240

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	SecTwpS. R
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxxx) (e.gxxx.xxxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet
CM (Coal Bed Methane)	Multiple Stage Cementing Collar Used? Yes No
Cathodic Other (Core, Expl., etc.):	
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to: w/ sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
☐ EOR Permit #:	Location of haid disposal if hadica offsite.
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	QuarterSec TwpS. R East West
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY										
Confidentiality Requested										
Date:										
Confidential Release Date:										
Wireline Log Received Drill Stem Tests Received										
Geologist Report / Mud Logs Received										
UIC Distribution										
ALT I II Approved by: Date:										

KOLAR Document ID: 1809240

Page Two

Operator Name:				Lease Name:		Well #:							
Sec Twp.	S. R.	Ea	st West	County:									
	lowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,					
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	v. Digital electronic log					
Drill Stem Tests Ta			Yes No			on (Top), Depth ar		Sample					
Samples Sent to G	eological Surv	ey	Yes No	Na	me		Тор	Datum					
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No										
		Re			New Used	ion, etc.							
Purpose of Strin		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives					
			ADDITIONAL	CEMENTING / SO	QUEEZE RECORD	l							
Purpose:		epth Ty Bottom	pe of Cement	# Sacks Used	Type and Percent Additives								
Protect Casi													
Plug Off Zon													
 Did you perform a Does the volume o Was the hydraulic 	of the total base f	luid of the hydraulic	fracturing treatment	_	_	No (If No, sk	ip questions 2 an ip question 3) out Page Three	,					
Date of first Producti Injection:	on/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other <i>(Explain)</i>							
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity					
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			ON INTERVAL:					
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom					
,	Submit ACO-18.)												
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid,	Record							
TUBING RECORD:	Size:	Set /	At:	Packer At:									
. 5513 1200 10.	5120.		···	. 30.0.71									

Form	ACO1 - Well Completion
Operator	Natural Gas Pipeline Company of America LLC
Well Name	AMA 429 B3 NGPL 3
Doc ID	1809240

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives	
Surface	14	10.75	9.1	20	Bentonite	15	n/a	

2024-0310 NGPL - AMA 429A Form detail report

CITATION DEEP GROUNDBED DRILL LOG & RECTIFIER FORM

CLIENT INFORMATION																			
Client	† Kinder Morgan Job Number 2024-0310																		
Facility	AMA 429 DW-3									Custo	Customer Contact Kevin Brown								
City	Moorrowville County Washington State								State	ks		Phone No. +1 (3					08) 325-3563		
DEEP GROUNDBED & DRILLING LOG INFORMATION □ New Installation □ Existing Rectifier																			
Hole Did	ia. 10" Total Depth 250' Casing Feet 20'						Dia.	10"	Type	SDR	21 PVC		Groundbed GPS						
No. And			_			ast iron	Anode Le			Size	#8	Туре	_		N				
Lbs. Col		5000		е Туре	SC3		Top of Co			102'		Vent			W				
Lbs. Plug	a	3000	Plug	Туре	Bent	onite	Top of Plu		3'				Logging Volts 13.2						
				ı	1	Electric Log						1			ectric Lo				
Depth	DE	RILLER'S L	OG	Anode		Amps	Amps			Depth	DRII	LER'S L	OG	Anode		Amps	Amps	9	
Ft.	01	CILLLIN 5 L	00	NO.	Volts	Before	After	Rer	marks	Ft.	DIVIL	LLIKO LOO		NO.	Volts	Before	After	Remarks	
0						20.0.0				205				5		201010	10.7		
5										210	S	andy Clay				1.6			
10		Casing								215				4			10.0		
15 20		Casing								220 225	S	andy Clay		3		1.6	10.3		
25		Casing								230	s	andy Clay		,		1.8	10.3		
30		Sandy Clay				1.2				235				2			9.1		
35										240	S	andy Clay				1.6			
40 45		Sandy Clay				.6		_		245 250		Rock		1		1.5	5.5		
50		Sand				.4				255		RUCK				1.5			
55										260									
60		Sand				.3				265									
65										270 275									
70 75		Sand				.3				280									
80		Grey clay				1.4				285									
85										290									
90		Grey clay				1.0				295									
95 100		Grey clay				1.3				300 305									
105										310									
110		Grey clay				1.0				315									
115		0								320									
120 125		Grey clay		13		.9	5.6			325 330									
130		Grey clay				.9				335									
135				12			5.6			340									
140		Grey clay	/			1.0				345									
145 150		Grey clay		11		1.0	5.1			350 355									
155		Orey day		10		1.0	7.5			360									
160		Grey clay				.7				365									
165		Constitution		9		_	9.8			370									
170 175		Grey clay		8		.9	11.0			375 380									
180		Grey clay		⊢ Ť		1.3				385									
185				7			10.6			390									
190		Grey clay				1.5	40.0			395									
195 200		Grey clay	,	6		1.6	10.0			400				Total					
				I						<u> </u>				10101					
ANODE	JUI	NCTION	BOX	INFORM	ATION	1													
						ΙA	NODE JUN	ICTIC	ON BO	Х								ALAENITO I	
Cir.	Ar	np Cir.	,	Amp	Cir.		Amp	Cir.		mp	Cir.	An	ar	Cir.	A	mp	CO	MMENTS	
1	, ,	6	ΙÍ	- 1-	11	,	11-	16		-1-	21	T	- I-	26		-y-			
2		7			12			17			22			27					
3		8			13			18			23			28				$\overline{}$	
4		9			14			19			24			29					
5		10			15			20			25			30					
Shunt		Mv		Amp										TOTAL					

