KOLAR Document ID: 1809038

Confidentiality Requested:
☐ Yes ☑ No

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 34318
Name: BEREXCO LLC
Address 1: 2020 N BRAMBLEWOOD
Address 2:
City: WICHITA State: KS Zip: 67206 + 1094
Contact Person: Nick Broyles
Phone: (316) 265-3311
CONTRACTOR: License # 34318
Name: BEREXCO LLC
Wellsite Geologist: NA
Purchaser:

Designate Type of Completion:
☐ New Well ☐ Re-Entry ☑ Workover
☑ Oil ☐ WSW ☐ SWD
☐ Gas ☐ DH ☐ EOR
☐ OG ☐ GSW
☐ CM *(Coal Bed Methane)*
☐ Cathodic ☐ Other *(Core, Expl., etc.)*:

If Workover/Re-entry: Old Well Info as follows:
Operator: Berexco LLC
Well Name: Bear #1
Original Comp. Date: 3/7/1989 Original Total Depth: 5700
☐ Deepening ☐ Re-perf. ☑ Conv. to EOR ☐ Conv. to SWD
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer

☐ Commingled Permit #:
☐ Dual Completion Permit #:
☐ SWD Permit #:
☐ EOR Permit #:
☐ GSW Permit #:

10/15/2024		10/31/2024
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No.: 15-081-20502-00-02
Spot Description:
_ - _ - NE - SE Sec. 18 Twp. 28 S. R. 32 ☐ East ☑ West
1980 Feet from ☐ North / ☑ South Line of Section
660 Feet from ☑ East / ☐ West Line of Section
Footages Calculated from Nearest Outside Section Corner:
☐ NE ☐ NW ☑ SE ☐ SW
GPS Location: Lat: *(e.g. xx.xxxxx)* , Long: *(e.g. -xxx.xxxxx)*
Datum: ☐ NAD27 ☐ NAD83 ☐ WGS84
County: Haskell
Lease Name: BEAR UNIT (BEAR #1 LEASE) Well #: 1 (1-18)
Field Name:
Producing Formation: Marmaton, Novinger, Morrow
Elevation: Ground: 2930 Kelly Bushing: 2943
Total Vertical Depth: 5700 Plug Back Total Depth: 5552
Amount of Surface Pipe Set and Cemented at: 1895 Feet
Multiple Stage Cementing Collar Used? ☑ Yes ☐ No
If yes, show depth set: 3553 Feet
If Alternate II completion, cement circulated from: 3553
feet depth to: 2640 w/ 315 sx cmt.

Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit)

Chloride content: ppm Fluid volume: bbls
Dewatering method used:
Location of fluid disposal if hauled offsite:
Operator Name:
Lease Name: License #:
Quarter Sec. Twp. S. R. ☐ East ☐ West
County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

☐ **Confidentiality Requested**
Date:
☐ **Confidential Release Date:**
☐ **Wireline Log Received** ☐ **Drill Stem Tests Received**
☐ **Geologist Report / Mud Logs Received**
☑ **UIC Distribution**
ALT ☐ **I** ☑ **II** ☐ **III** **Approved by:** Kelsey Cox **Date:** 01/07/2025

Operator Name: BEREXCO LLC Lease Name: BEAR UNIT (BEAR #1 LEASE) Well #: 1 (1-18)

Sec. 18 Twp. 28 S. R. 32 ☐ East ☑ West County: Haskell

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken *(Attach Additional Sheets)*	☐ Yes	☑ No
Samples Sent to Geological Survey	☐ Yes	☑ No
Cores Taken	☐ Yes	☑ No
Electric Log Run	☐ Yes	☑ No
Geologist Report / Mud Logs	☐ Yes	☑ No

List All E. Logs Run:

☑ Log Formation (Top), Depth and Datum ☐ Sample

Name	Top	Datum
Heebner	4101	-1158
Lansing	4190	-1247
Marmaton	4747	-1804
Cherokee	4886	-1943
Mississippi	5304	-2361

CASING RECORD ☑ New ☐ Used

Report all strings set-conductor, surface, intermediate, production, etc.

Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12.25	8.625		1895		725	
Production	7.875	5.5		5700		350	
Production	7.875	5.5		3553		315	

ADDITIONAL CEMENTING / SQUEEZE RECORD

Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
☐ Perforate ☐ Protect Casing ☐ Plug Back TD ☐ Plug Off Zone	-			
	-			

1. Did you perform a hydraulic fracturing treatment on this well? ☐ Yes ☑ No *(If No, skip questions 2 and 3)*
2. Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons? ☐ Yes ☐ No *(If No, skip question 3)*
3. Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry? ☐ Yes ☐ No *(If No, fill out Page Three of the ACO-1)*

Date of first Production/Injection or Resumed Production/ Injection:	Producing Method: ☐ Flowing ☐ Pumping ☐ Gas Lift ☐ Other *(Explain)*

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

DISPOSITION OF GAS:	METHOD OF COMPLETION:	PRODUCTION INTERVAL: Top	Bottom
☐ Vented ☐ Sold ☐ Used on Lease *(If vented, Submit ACO-18.)*	☐ Open Hole ☑ Perf. ☐ Dually Comp. *(Submit ACO-5)* ☐ Commingled *(Submit ACO-4)*	4773	4821
		5240	5292

Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid, Fracture, Shot, Cementing Squeeze Record *(Amount and Kind of Material Used)*
4	4773	4777			
4	4817	4821			
4	5240	5252			
4	5280	5292			

TUBING RECORD:	Size:	Set At:	Packer At:
	2.375	4723	4723

Mail to: KCC - Conservation Division, 266 N. Main, Suite 220, Wichita, Kansas 67202

Form	ACO1 - Well Completion
Operator	BEREXCO LLC
Well Name	BEAR UNIT (BEAR #1 LEASE) 1 (1-18)
Doc ID	1809038

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement	Number of Sacks Used	Type and Percent Additives
Surface	12.25	8.625		1895		725	
Production	7.875	5.5		5700		350	
Production	7.875	5.5		3553		315	