KOLAR Document ID: 1810728

Notice: *Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.*

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

WELL PLUGGING RECORD

K.A.R. 82-3-117

Form CP-4
March 2009
Type or Print on this Form
Form must be Signed
All blanks must be Filled

OPERATOR: License #: 32044
Name: Trimble & Maclaskey Oil LLC
Address 1: 110 SOUTH ST
Address 2: PO BOX 171
City: GRIDLEY State: KS Zip: 66852 + 0171
Contact Person: Randall Trimble
Phone: (620) 836-2000

Type of Well: *(Check one)* ☑ Oil Well ☐ Gas Well ☐ OG ☐ D&A ☐ Cathodic
☐ Water Supply Well ☐ Other: ☐ SWD Permit #:
☐ ENHR Permit #: ☐ Gas Storage Permit #:
Is ACO-1 filed? ☑ Yes ☐ No If not, is well log attached? ☐ Yes ☐ No

Producing Formation(s): List All *(If needed attach another sheet)*
Depth to Top: Bottom: T.D.
Depth to Top: Bottom: T.D.
Depth to Top: Bottom: T.D.

API No. 15 - 15-073-20853-00-00
Spot Description:
NW - SE - SE - NW Sec. 22 Twp. 24 S. R. 12 ☑ East ☐ West
3150 Feet from ☐ North / ☑ South Line of Section
3225 Feet from ☑ East / ☐ West Line of Section
Footages Calculated from Nearest Outside Section Corner:
☐ NE ☐ NW ☑ SE ☐ SW
County: Greenwood
Lease Name: JOHNSON B & C Well #: 12-B
Date Well Completed:
The plugging proposal was approved on: *(Date)*
by: *(KCC **District** Agent's Name)*
Plugging Commenced: 12/06/2024
Plugging Completed: 12/06/2024

Show depth and thickness of all water, oil and gas formations.

Oil, Gas or Water Records		*Casing Record (Surface, Conductor & Production)*			
Formation	Content	Casing	Size	Setting Depth	Pulled Out

Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set.

15 sacks 60/40 poxmix A @ 1700'
gel spacer
15 sacks 60/40 poxmix A @ 750'
gel spacer
50 sacks 60/40 poxmix A @ 250' to surface
80 total sacks

Plugging Contractor License #: 32044 Name: Trimble & Maclaskey Oil LLC
Address 1: 110 SOUTH ST Address 2: PO BOX 171
City: GRIDLEY State: KS Zip: 66852 + 0171
Phone: (620) 836-2000
Name of Party Responsible for Plugging Fees: Randall Trimble
State of County, , ss.
(Print Name) ☐ Employee of Operator or ☐ Operator on above-described well,
being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.

Submitted Electronically

CEMENT TREATMENT REPORT

Customer:	Trimble & Maclaskey Oil LLC	Well:	Johnson # 12-B	Ticket:	EP15875
City, State:	Gridley, Ks	County:	Greenwood	Date:	12/6/2024
Field Rep:	Brian	S-T-R:	22 24S 12E	Service:	PTA

Downhole Information	
Hole Size:	in
Hole Depth:	1744 ft
Casing Size:	4 1/2 in
Casing Depth:	1731 ft
Tubing / Liner:	1 in
Depth:	ft
Tool / Packer:	
Tool Depth:	ft
Displacement:	bbls

Calculated Slurry - Lead	
Blend:	60/40, 4% Gel
Weight:	14.0 ppg
Water / Sx:	gal / sx
Yield:	1.40 ft^3 / sx
Annular Bbls / Ft.:	bbs / ft.
Depth:	ft
Annular Volume:	0.0 bbls
Excess:	
Total Slurry:	0.0 bbls
Total Sacks:	80 sx

Calculated Slurry - Tail	
Blend:	
Weight:	ppg
Water / Sx:	gal / sx
Yield:	ft^3 / sx
Annular Bbls / Ft.:	bbs / ft.
Depth:	ft
Annular Volume:	0 bbls
Excess:	
Total Slurry:	0.0 bbls
Total Sacks:	0 sx

TIME	RATE	PSI	STAGE BBLs	TOTAL BBLs	REMARKS
				-	Safety Meeting:
				-	Rig up to 1" Coil tubing
				-	Plug well as follows:
				-	15 sks @ 1700'
				-	Gel spacer
				-	15 sks @ 750'
				-	Gel spacer
				-	50 sks @ 250' to surface
				-	80 sks Total
				-	Job complete. Rig down
				-	
				-	
				-	
				-	
				-	
				-	
				-	
				-	
				-	
				-	
				-	
				-	
				-	
				-	
				-	
				-	

	CREW	UNIT
Cementer:	David	1006
Pump Operator:	Broker	1203
Bulk #1:	Danny	1215
Bulk #2:	Monty	126

SUMMARY		
Average Rate	Average Pressure	Total Fluid
0.0 bpm	- psi	- bbls

MIDWEST SURVEYS

LOGGING • PERFORATING • CONSULTING • M.I.T. SERVICES

P.O. Box 68 • Osawatomie, KS 66064

Phone 913-755-2128 • Fax 913-755-6533

Perforation Record

Company: TRIMBLE & MACLASKEY OIL, LLC

Lease/Field: JOHNSON B & C LEASE

Well: # 12-B

County, State: WOODSON COUNTY, KANSAS

Service Order #: 41714

Purchase Order #: N/A

Date: 11/11/2024

Perforated @: 224.0 TO 225.0 2 PERFS
749.0 TO 750.0 2 PERFS
CEMENT SQUEEZE TO PLUG WELL

Type of Jet, Gun or Charge 3 1/2" ALUM STRIP JETS

Number of Jets, Guns or Charges: FOUR (4) PERFORATIONS

Casing Size: 4 1/2"

RECEIVED
NOV 14 2024