
KOLAR DOC ID \_\_\_\_\_ WELL ID\_

## **WATER WELL RECORD** (WWC-5)

OCATION OF WATER WEL	L				Ori	ginal Recor	d Correction	Change	in Wel	l Use
Latitude	Longitude			Section	Township	Range	E W Fraction	1/4	1/4	1/4
Datum	Elevation			County			,,,			
VATER WELL OWNER			WELL	WATER US	 E		NEAREST SOURCE OF PO	TENTIAL CO	NTAMIN	ATION
Name							Source:			
Business			COMPI	LETION			Distance	Direction		
Dustriess							from well:	from well:		
Address					ted well: water encountered:	ft.	Source description:			
			(1)	ft.;	(2) ft.;		Source:			
Well location					(4) dry well		Distance from well:	Direction		
at owner's address			me		in well: ft. ow land surface		Source description:			
CONSTRUCTION				•	ve land surface		No potential source	of contamina	ıtion	
Borehole interval:	Borehole dia	meter:	1	(mm/dd/y			within 100 feet.			
fromto ft.		in.	Fetim	ated vield:	gpm		PERMIT & ID NUMBERS	(AS REQUIR	ED)	
fromtoft.					ft. after	hours	DWR Application No.:			ļ
	1		rratel	icrei was.	pumping		KDHE / EPA Project Co			
Casing height above land su		in.	Pump	installed?	Yes No	_ 85	Site Name:			
If casing height is less th has a variance been appropriate the control of the case of the		s No	Tump	mstanea.	165 140		KDHE UIC Class V For			No
*variance not required for			Water	well disinf	ected? Yes No		County Permit: Yes	•		
or environmental reme			Date o	disinfected	(mm/dd/yy):		Lease Name & Well #:			
Casing type:			4				# of boreholes:			
Blank casing interval:		ft.	Aquif	er, if knowr	1:					
Blank casing diameter:			LITHOI	LOGIC LOG	i					
Casing joints:			FROM	и то	LITHOLOGY INTE	RVALS				
Weight:lbs										
Wall thickness or gauge										
Blank casing interval:		ft.								
Blank casing diameter:										
Casing joints:										
Weight:lbs										
Wall thickness or gauge	no.:									
Grout interval: ft. to	ft.									
Grout material:										
Grout interval: ft. to	ft.									
Grout material:			COMM	IENTS						
										ļ
Screen / perforation material	:									
Screen / perforation opening	gs:		CONTR	RACTOR'S	OR LANDOWNERS CE	RTIFICATION				
Screen / perforation intervals	s:		This	water well	was constructed	reconstru	cted pursuant to tl	ne stated wa	ter well	
Fromft. to	_ft.		contr	actor's lice	ense and was complet	ed on	I certify that	this record	is true t	0
Slot size unit					_		vell record was complete			
From ft. to				-	_		ven record was complete			
Slot size unit										
Gravel pack intervals:							under the auth	•	_	
Gravel pack not used:	Gravel size	in	1			(j) and signed	d and certified by the ele	ctronic sign	ature of	the
From ft. to			desig	nated pers	son at its submittal:		<u> </u>			
Gravel pack not used:		in	Send or	ne copy to V	VATER WELL OWNER	and retain one	for your records. Fee of \$5.	.00 for each co	nstructe	d well.
From ft. to				Bureau	of Water, Geology Secti	on, 1000 SW J	EALTH AND ENVIRONME ackson St., Suite 420, Tope		1367	



			HTW I	DRILL	ING	LO	G					E NO. 045MW019	
1. COMPANY NAME Burns & McDonnell 2. DRILLING					SUBCONTRACTOR RAZEK ENV., Inc.						SHEET 1 OF 3 SHEETS		
3. PROJECT SFAAP						4. LOCATION SWMU 45							
5. NAME OF DRILLER T. Poulter					6. MANUFACTURER'S DESIGNATION OF DRILL GeoProbe 7822 DT								
7. SIZES AND TYPES OF DRILLING AND SAMPLING EQUIPMENT 7.25 HSA					8. HOLE LOCATION E: 2159331.9300 N: 232463.1900							1	
		-		•		9. SURFACE ELEVATION 930.08 ft amsl							1
		-				10. DATE STARTED 10/29/24 11. DATE COMPLETED 10/29/24							1
12. OVERE	JURDEN THIC	KNESS	11.0 ft			15. DEPTH GROUNDWATER ENCOUNTERED 9.0 ft bgs							
13. DEPTH	DRILLED INT	TO ROCK	1.0 ft			16. DEPTI	H TO WATER A	ND EL	APSED TIME AFT	ER DRILLING CON		13.5 ft btoc	
14. TOTAL	DEPTH OF H	HOLE .	12.0 ft			17. OTHE	R WATER LEVI	EL MEA	ASUREMENTS (SF			1010 11 0100	
18. GEOTE	CHNICAL SA	MPLES NA	DISTURBED	UNDI	STURBED	19.	TOTAL NUME	BER OF	OF CORE BOXES NA				
20. SAMPL	ES FOR CHE	MICAL ANALYSIS		METAL	.8	OTHER (SPECIFY) OTHER (S			HER (SPECIFY)			21. TOTAL CORE	
na niano	OITION OF 11	NA		MONITORINA	SAIC! 1	OTHER	/oneoira	00.0	MONATURE OF III	ICDEOTOR		NA %	1
22, DISPOR	sition of Ho	JLE	BACKFILLED	MONITORING 045MW	•	OTHER	(SPECIFY)		signature of in . Woodlan	d O	Va	ull-	
ELEV,	DEPTH b		DESCRIPTION OF MATERIALS		RES	CREENING BULTS d	GEOTECH SA OR CORE BO		ANALYTICAL SAMPLE NO.	BLOW COUNTS g	•	REMARKS h	1.
	3	damp, stiff plasticity.  CLAY, with brown (10\ consistence oxidation.	clay, ML, brown (10) consistency, friable,	trace	<b></b>	0.0 PID 0	NA		NA	Recovery 4/5	DP @ 0829		
MRK	ORM 55		PROJECT SFAAP - S	SWMU 45						HOLE NO.	045	MW019	

		HTW DRIL		)G			HOLE NO. 045MW019
PROJECT	1	SFAAP - SWMU 45	INSPECTOR		SHEET 2 OF 3 SHEETS		
ELEV.	DEPTH b	DESCRIPTION OF MATERIALS C	FIELD SCREENING RESULTS d	GEOTECH SAMPLE OR CORE BOX NO.	ANALYTICAL SAMPLE NO.	BLOW COUNTS g	
		CLAY, with silt, CH, very dark grayish brown (10YR 3/2), moist, very stiff consistency, high plasticity, trace oxidation.	BZ = 0.0 PID LEL = 0 O <sub>2</sub> = 20.9 0.0	NA	NA	Recover	
	6 -		0.0				
	7 -		0.0				
	8 -		0.0			3/5	
	9 -	SAND, trace fines, SP, yellowish gray (5Y 7/2), poorly graded, fine sand, wet, trace staining pale olive (10YR 6/2).					
	10		BZ = 0.0 LEL = 0 O <sub>2</sub> = 20.9				0838 0851
	11 -	moist, loose staining SHALE, dark yellowish orange (10YR					
	-	6/6) thinly laminated, moist.				5/5	0853
	12 -					5,0	HSA Stop @ 12.0 ft Construct
	13 -						Monitoring Well
		PROJECT CEAAS	1			HOLE	NO 045MM010

PROJECT SFAAP - SWMU 45

HOLE NO. 045MW019

HTW DRILLING LOG  PROJECT SFAAP - SWMU 45  INSPECTOR S. Woodland  SHEET 3									
ROJECT		SFAAP - SWMU 45	INSPECTOR		SHEET 3 OF 3 SHEETS				
ELEV.	DEPTH b	DESCRIPTION OF MATERIALS C	FIELD SCREENING RESULTS d	GEOTECH SAMPLE OR CORE BOX NO. 8	ANALYTICAL SAMPLE NO. f	BLOW COUNTS g			
		SHALE, dark yellowish orange (10YR 6/6) thinly laminated, moist.	BZ = 0.0 PID LEL = 0 O <sub>2</sub> = 20.9	NA	NA	Recover			
	14 —					5/5			
	15	DP Stop @ 15.0 ft					0844 Begin HSA Drilling		
	16								
	17								
	18								
	19 -								
	20		·						
	21								