WATER WELL RECORD (WWC-5)

From _____ ft. to _____ ft.

WATER WELL REC	ORD (W	WC-5)				KOLAR [OOC ID		WELL ID_		
OCATION OF WATER WEL	L					Original Reco	rd Co	rrection	Chang	ge in We	ll Use
Latitude	Longitude			Section	Township	Range	E W	Fraction	1/4	1/4	1/4
Datum	Elevation			County							
ATER WELL OWNER			WELL	WATER USI	Ē		NEAREST S	OURCE OF F	POTENTIAL	CONTAMI	OITAN
Name							Source:				
Business			COMP	LETION			Distance		Directio	nn	
					ted well:	ft.	from well:		_ from we	ell:	
Address			-	-	water encountered:		Source descriptio	n:			
			-	-	(2) ft.;						
Well location					(4) dry well					\n	
			-		in well:		from well:	:	Direction from we	ell:	
at owner's address			me		ow land surface		Source descriptio	n:			
ONSTRUCTION Borehole interval:	Borehole dia	meter:	me	•	ve land surface			ential sourc 100 feet.	e of contam	ination	
fromto ft.		in.					PERMIT &	ID NUMBER	S (AS REQU	IRED)	
fromtoft.					gpm ft. after	hours	DWR Apr	olication No	:		
			water		pumping		1		· Code:		
Casing height above land su		in.	Pumn		Yes No	gpiii					
If casing height is less th has a variance been appropriate the control of the control of the case of		s No	Tump	motunea.	103 110				orm Comple		No
*variance not required for			Water	well disinfo	ected? Yes No	0			No Perm		
or environmental remed	diation wells		Date o	disinfected ((mm/dd/yy):		1				
Casing type:	<i>c.</i> .		Aquif	er, if known	•				# of dewate		
Blank casing interval:		π.									
Blank casing diameter: Casing joints:			FROI	LOGIC LOG	LITHOLOGY II	NTEDVALC					
Weight: lbs			FROI	vi 10	LITHOLOGITI	INTERVALS					
Wall thickness or gauge											
Blank casing interval:											
Blank casing diameter:											
Casing joints:											
Weight: lbs	s/ft.										
Wall thickness or gauge	no.:										
Grout interval: ft. to) ft										
Grout material:											
Grout interval:ft. to											
Grout material:			COMM	IENTS							
Screen / perforation material	:										
Screen / perforation opening	gs:		CONT	RACTOR'S	OR LANDOWNERS	S CERTIFICATION					
Screen / perforation intervals	S:		This	water well	was constructed	d reconstru	ıcted p	oursuant to	the stated v	water well	l
Fromft. to	_ft.		contr	actor's lice	ense and was com	pleted on	-				
Slot size unit _					knowledge and be	_		•			
From ft. to	_ft.			-	ness name of			_			
Slot size unit					Vell Contractor's						
Gravel pack intervals:									-	_	
Gravel pack not used:		in	-		ed in K.A.R. 28-3		a and certif	ied by the e	nectronic si	gnature c	n tne
From ft. to	ft.				son at its submitte			<u> </u>			
Gravel pack not used:	Gravel ciza	.	Send or	ne copy to V	VATER WELL OW	NER and retain on	e for your rec	ords. Fee of \$	5.00 for each	construct	ed w

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record			
Doc ID	1802589			
Well Owner	Charter Energy			
Contractor	Rosencrantz-Bemis Ent., Inc.			

Grout

From	То	Grout Material
0	20	Bentonite
30	35	Bentonite
50	55	Bentonite

Form	WWC5.2 - Water Well Record			
Doc ID	1802589			
Well Owner	Charter Energy			
Contractor	Rosencrantz-Bemis Ent., Inc.			

Lithology

From	То	Lithology Intervals
0	3	topsoil
3	18	clay,tan
18	32	sand & gravel,medium
32	34	clay,tan
34	54	sand & gravel,medium
54	55	clay,tan
55	73	sand & gravel,medium
73	75	clay,tan

Form	WWC5.2 - Water Well Record			
Doc ID	1802589			
Well Owner	Charter Energy			
Contractor	Rosencrantz-Bemis Ent., Inc.			

Screen and Gravel

From	То		Gravel Pack Used			Gravel Size
55	75		Yes	20	30	
			Yes	35	50	
			Yes	55	75	