Change in Well Use

WELL ID

Correction

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Original Record

WATER WELL RECORD (WWC-5)

LOCATION	OF V	ATER WELL	L												
Latitude			Longitude			Section		Township		Range	E W	Fraction	1/4	1/4	1/4
Datum			Elevation			County									
WATER WI	ELL O	VNER			WELL	. WATER U	SE				NEAREST S	OURCE OF F	POTENTIAL (ONTAMI	NATION
Name											Source:				
Business					СОМІ	PLETION					Distance from well-		Direction		
Address					Depth of completed well:ft. Depth(s) groundwater encountered:ft.										
Well location				(3)	(1) ft.; (2) ft.; (3) ft.; (4) dry well					Dietance		Directio	on ell:		
at owner's address			Static water level in well: ft. measured below land surface on (mm/dd/yy):						Source description:						
CONSTRU	CTION	ı				measured above land surface					No potential source of contamination within 100 feet.				
Borehole	interv	al:	Borehole dia	meter:	О	on (mm/dd/yy):									
fromto ft in.				in.	Estir	nated yield	l:	gpm			PERMIT & ID NUMBERS (AS REQUIRED)				
from	to_	ft.		in.	Wate	er level wa	8:	ft. after	ho	urs	DWR Application No.:				
Casing he	eight al	ove land sur	rface:	in.				pumping	gp	m	KDHE / EPA Project Code:				
		ght is less tha			Pum	p installed	? Ye	s No			Site Name:				
		ce been appr		s No	Mate	w wall disi	nfactadi	Vac N			KDHE UIC Class V Form Completed: Yes No				
*variance not required for monitoring or environmental remediation wells					Water well disinfected? Yes No						County Permit: Yes No Permit ID:				
Casing ty	pe:				Date disinfected (mm/dd/yy):						Lease Name & Well #: # of dewatering wells:				
Blank cas	ing int	erval:	ft. to	ft.	Aquifer, if known:						# Of boren	nes:	# of dewate	ring wells:	
Blank cas	ing dia	meter:	in.		LITHO	DLOGIC LO	OG								
Casing joints:				FRC	M T) L	ITHOLOGY I	NTERVA	LS						
		lbs													
			no.:												
	-		ft. to	ft.											
	-	meter:	in.												
Weigh		lbs													
Wall thickness or gauge no.:															
		ft. to													
		rial:ft_to													
Grout interval:ft. toft. Grout material:						MENTS									
Screen / p	erfora	tion material:	:												
					CONTRACTOR'S OR LANDOWNERS CERTIFICATION										
Screen / perforation intervals:					This	This water well was constructed reconstructed pursuant to the stated water well									
From _	Fromft. toft. contractor's license and was completed on I certify that this record is true to								to						
Slot	Slot size unit the best of my knowledge and belief. This water well record was completed on														
Fromft. toft. unde					under the business name of										
Slot size unit						Kansas Water Well Contractor's License No under the authority of the designated									
Gravel pack intervals:						person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the									
Gravel pack not used: Gravel sizein					-	designated person at its submittal:									
Fromft. toft. Gravel pack not used: Gravel sizein Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed to the constructed sendence of \$5.00 for each								ed well							
KANGAG DEDADTMENT OF HEALTH AND ENVIRONMENT															
From ft. to ft. Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367															




FIGURE 2 - 500 FT RADIUS AREA BASE MAP



1311 E 25th St., Suite B, Lawrence, KS 66046 Office: (785) 841-8707

PROJECT:

Flower Petroleum 620 Main Street, Winfield KDHE ID: U2-018-15548

D-4-- 0/20/04

Date: 8/30/24

0 100 feet

LEGEND:

Approximate Location of Former UST Basin, Product Lines, and Pump Islands

★ Tree/Shrub
F Fire Hydrant

Gas (2 - 6 ft BGS)

— Electric (2 - 6 ft BGS)

- NOTE: Utility depths, heights and locations are approximate. NOTE: SB5 and SB6 will be drilled to collect hydrological samples
- Monitoring Well (Shryock Oil; U2-018-12636)
- Monitoring Well (Lynes Conoco; U2-018-11515)
- Monitoring Well (Winfield Cleaners; C2-018-72051)
- Proposed Monitoring Well
- X Proposed Soil Boring

DENNIS L HANDKE

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Jess Chapman Larsen & Associates 1311 E. 25th Street, Suite B Lawrence, Kansas, 66046 December 6, 2024

RE: Monitor Well Elevation Survey 602 Main St., Winfield, Kansas

Proj. 24-00QQ Flower Petroleum U2-018-15548

Bench Mark: Chisled X on top SW bolt of abandond concrete sign base at Northwest corner of property. Elev: 1131.39 North 4627.50 West 2867.63 (from SE Cor. Sec. 28-32-4E)

MW-1	rim	1129.09	North	4555.60	NE1/4,SE1/4,NE1/4,NW1/4
	top pipe	1128.58	West	2827.94	Lat= 37.24250 Long = 96.99693
MW-2	rim	1129.27	North	4579.32	NE1/4,SE1/4,NE1/4,NW1/4
	top pipe	1128.83	West	2859.04	Lat= 37.24257 Long = 96.99704
MW-3	rim	1129.59	North	4580.04	NE1/4,SE1/4,NE1/4,NW1/4
	top pipe	1129.07	West	2805.77	Lat= 37.24257 Long = 96.99685
MW-4	rim	1128.49	North	4652.39	SE1/4,NE1/4,NE1/4,NW1/4
	top pipe	1128.14	West	2808.69	Lat= 37.24277 Long = 96.99687
MW-5	rim	1126.27	North	4625.69	SW1/4,NW1/4,NW1/4,NE1/4
	top pipe	1125.89	West	2552.76	Lat= 37.24269 Long = 96.99599
MW-6	rim	112 8. 77	North	4763.94	SW1/4,NE1/4,NE1/4,NW1/4
	top pipe	112 8. 42	West	3109.11	Lat= 37.24305 Long = 96.99791
MW-7	rim	1125.20	North	4739.61	SW1/4,NW1/4,NW1/4,NE1/4
	top pipe	1124.65	West	2552.83	Lat= 37.24300 Long = 96.99599

Lat & Long derived from Winfield 7.5' quad map. WGS 84.

Elevation established from NGS BM C 242 NAVD 88.

If you have any questions, please feel free to call me. Thank you for the opportunity to be

S-786

SUR