WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

LOCATION OF WATER WEL	.L					Original Reco	rd Correction	Change	in Wel ؛	ll Use
Latitude	Longitude			Section	Township	Range	E W Fraction	1/4	1/4	1/4
Datum	Elevation		(County	1		**			
WATER WELL OWNER			WELL V	VATER USE	•		NEAREST SOURCE OF PO	OTENTIAL CO	ONTAMIN	NATION
Name							Source:			
Business			COMPL	FTION			Distance from well:		1	
Dubiness					1 11		from well:	from well	:	
Address					ed well:		Source description:			
			1 -		water encountered	:	-			
Well location					(2) ft.; (4) dry well		Source:			
77611100411011							Distance from well:	Direction from well	l:	
at owner's					in well:	ft.	Source			
address				asured belo (mm/dd/yy	ow land surface		description:			
CONSTRUCTION					ve land surface		No potential source	of contamir	ation	
Borehole interval: Borehole diameter:			on (mm/dd/yy):			within 100 feet.				
fromto ft.		in.	Estima	ited vield:	gpm		PERMIT & ID NUMBERS	(AS REQUI	RED)	
fromto ft.			I	-	ft. after	hours	DWR Application No.:			
				_	pumping		KDHE / EPA Project Co	ode:		
Casing height above land surface:in. If casing height is less than 12 in.			Pump installed? Yes No				Site Name:			
has a variance been approved?* Yes No							KDHE UIC Class V For	m Complete	d: Yes	No
*variance not required f	Water well disinfected? Yes No				County Permit: Yes	No Permit	i ID:			
or environmental reme Casing type:	diation wells		Date d	isinfected (mm/dd/yy):		Lease Name & Well #: _			
Blank casing interval:	ft. to	ft	Aquife	r, if known	:		# of boreholes:	# of dewateri	ing wells:	
Blank casing diameter:			LITHOL	OGIC LOG						
Casing joints:			FROM	то то	LITHOLOGY	INTERVALS				
Weight: lb										
Wall thickness or gauge	no.:									
Blank casing interval:	ft. to	ft.								
Blank casing diameter:	in.									
Casing joints:										
Weight:lb	s/ft.									
Wall thickness or gauge	no.:									
Grout interval: ft. t	o ft.									
Grout material:										
Grout interval: ft. t	oft.									
Grout material:			COMM	ENTS						
Screen / perforation materia	l:									
Screen / perforation openin	-		CONTR	ACTOR'S	OR LANDOWNER	S CERTIFICATION				
Screen / perforation interval			This v	vater well	was constructe	d reconstru	icted pursuant to t	he stated wa	ater well	1
Fromft. to			contra	actor's lice	nse and was con	npleted on	I certify that	this record	l is true	to
Slot size unit			the be	est of my k	nowledge and b	elief. This water	well record was complet	ed on		
From ft. to	_		under	the busin	ess name of					,
Slot size unit			Kansa	ıs Water V	Vell Contractor's	License No	under the auth	nority of the	e designa	ated
Gravel pack intervals:	Cwarral -!	.	perso	n as defin	ed in K.A.R. 28-	30-2(j) and signe	d and certified by the ele	ectronic sig	nature o	of the
Gravel pack not used: From ft. to		in	1 -		on at its submitt	,	· 	C		
Gravel pack not used:		20-					e for your records. Fee of \$5	.00 for each c	constructe	ed well.
From ft. to		in			KANSAS D	EPARTMENT OF H	EALTH AND ENVIRONME	ENT		
11011111.10	1			Bureau	of Water, Geology	Section, 1000 SW	Jackson St., Suite 420, Tope	ka KS 66612	-1367	




FIGURE 2 - 500 FT RADIUS AREA BASE MAP



1311 E 25th St., Suite B, Lawrence, KS 66046 Office: (785) 841-8707

PROJECT:

Route 92 Quick Shop & Bait (OSK LLC) 409 Jefferson Street,

Oskaloosa, KS

KDHE ID: U4-044-15614

Date: 9/11/24

100 feet

Approximate Location of Active UST Basin

and Pump Island

Approximate Location of Former UST Basin and Pump Island

Building with Basement

Proposed Monitoring Well

X Proposed Soil Boring

* Tree/Shrub

Fire Hydrant

Overhead Lines (25-40 ft high)

Sewer (2 - 6 ft BGS) Water (2 - 6 ft BGS)

Gas (2 - 6 ft BGS) - Telephone (2 - 6 ft BGS)

NOTE: Utility depths, heights and locations are approximate. NOTE: SB5 & SB6 will be drilled to collect hydrological samples

DENNIS L HANDKE

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Jess Chapman Larsen & Associates 1311 E. 25th Street, Suite B Lawrence, Kansas 66046

RE: Monitor Well Elevation Survey 409 Jefferson St., Oskaloosa, Kansas

October 26, 2024

Proj. 24-00SS Route 92 Quick Shop & Bait KDHE ID U4-044-15614

Bench Mark: Chisled X on top SE bolt of concrete sign base North of the building. (from SE Cor. Sec. 5-10-19E) West 1311.35 North 5050.89 Elev: 1100.00 NE1/4,NE1/4,NW1/4,NE1/4 North 5034.18 1098.12 MW-1 rim Lat = 39.21535 Long = 95.31545West 1320.50 1097.62 top pipe NW1/4,NW1/4,NE1/4,NE1/4 North 5033.72 1101.24 MW-2 rim Lat = 39.21535 Long = 95.31509West 1217.41 top pipe 1100.74 NE1/4,NE1/4,NW1/4,NE1/4 North 5015.32 1095.85 MW-3 rim Lat = 39.21529 Long = 95.31564 West 1373.56 1095.43 top pipe NW1/4,NW1/4,NE1/4,NE1/4 North 4949.27 1101.05 MW-4 rim Lat = 39.21511 Long = 95.314981186.90 1100.42 West top pipe SW1/4,NW1/4,NE1/4,NE1/4 North 4669.97 1113.89 MW-5 rim Lat = 39.21435 Long = 95.31545West 1318.15 1113.55 top pipe NE1/4,NE1/4,NW1/4,NE1/4 North 5120.65 1103.74 MW-6 rim Lat = 39.21558 Long = 95.31551 West 1336.11 1103.36 top pipe NE1/4,NE1/4,NW1/4,NE1/4 North 5016.83 1090.32 MW-7 rim Lat = 39.21530 Long = 95.31599West 1472.65 1089.94 top pipe North 4920.94 SE1/4,NE1/4,NW1/4,NE1/4 1094.81 MW-8 rim Lat = 39.21503 Long = 95.31578West 1411.80 top pipe 1094.29

Elevation derived from NGS BM# C 123 RESET. NAVD 88

Lat & Long derived from Oskaloosa 7.5 Quad Map WGS84

If you have any questions, please feel free to call me. Thank you for the opportunity to be

LS-786

SURVE