| or KCC Use:     |
|-----------------|
| Effective Date: |
| District #      |
| CA2 Vos No      |

# Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1

March 2010

Form must be Typed

Form must be Signed

## NOTICE OF INTENT TO DRILL

|   | Ocat Decembries  |
|---|--|
| Expected Spud Date: month day year  | Spot Description:         Sec.         Twp.         S. R E  W  |
|   | Sec Twp S. R E W   |
| DPERATOR: License#  | feet from E / W Line of Section  |
| ddraes 1:   | Is SECTION: Regular Irregular?   |
| ddress 1:ddress 2:  |  |
| State: Zip: +   | (Note: Locate well on the Section Plat on reverse side)  |
| Contact Person:   | County:  |
| hone:   | Field Name:  |
| CONTRACTOR: License#  | Is this a Prorated / Spaced Field?   |
| lame:   | Target Formation(s):   |
| Well Drilled For: Well Class: Type Equipment:   | Nearest Lease or unit boundary line (in footage):  |
|   | Ground Surface Elevation:feet MSL  |
| Oil Enh Rec Infield Mud Rotary  | Water well within one-quarter mile:  |
| Gas Storage Pool Ext. Air Rotary  | Public water supply well within one mile:  |
| Disposal Wildcat Cable  Seismic ;# of Holes Other   | Depth to bottom of fresh water:  |
| Other:  | Depth to bottom of usable water:   |
| Outer.  | Surface Pipe by Alternate:   |
| If OWWO: old well information as follows:   | Length of Surface Pipe Planned to be set:  |
| Operator:   | Length of Conductor Pipe (if any):   |
| Well Name:  | Projected Total Depth:   |
| Original Completion Date: Original Total Depth:   | Formation at Total Depth:  |
| - 1-19····· - 1-19···· - 1-19···· - 1-19···· - 1-19···· - 1-19···· - 1-19···· - 1-19···· - 1-19···· - 1-19····  | Water Source for Drilling Operations:  |
| irectional, Deviated or Horizontal wellbore?  | Well Farm Pond Other:  |
| Yes, true vertical depth:   | DWR Permit #:  |
| ottom Hole Location:  | (Note: Apply for Permit with DWR )   |
| CC DKT #:   | Will Cores be taken?   |
|   | If Yes, proposed zone:   |
| AFI   | FIDAVIT  |
| he undersigned hereby affirms that the drilling, completion and eventual plu  |  |
| is agreed that the following minimum requirements will be met:  | 99···9 - · · · · · · · · · · · · · · · ·   |
|   |  |
| 1. Notify the appropriate district office wrights equiding of well-   |  |
| <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> </ol>   | drilling rig:  |
| <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i></li> </ol>  | <b>0 0</b> .   |
| 2. A copy of the approved notice of intent to drill shall be posted on each   | by circulating cement to the top; in all cases surface pipe shall be set   |
| <ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> </ol>   | by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  rict office on plug length and placement is necessary <b>prior to plugging</b> ;  |
| <ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> </ol>   | by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  rict office on plug length and placement is necessary <b>prior to plugging</b> ; led or production casing is cemented in;   |
| <ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemente</li> </ol>  | by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  rict office on plug length and placement is necessary <b>prior to plugging</b> ; led or production casing is cemented in; d from below any usable water to surface within <b>120 DAYS</b> of spud date.   |
| <ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1</li> </ol>   | by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. rict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in;   |
| <ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1</li> </ol>   | by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  rict office on plug length and placement is necessary <b>prior to plugging</b> ; led or production casing is cemented in; d from below any usable water to surface within <b>120 DAYS</b> of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing   |
| <ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1</li> </ol>   | by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  rict office on plug length and placement is necessary <b>prior to plugging</b> ; led or production casing is cemented in; d from below any usable water to surface within <b>120 DAYS</b> of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing   |
| <ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be</li> </ol>  | by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  rict office on plug length and placement is necessary <b>prior to plugging</b> ; led or production casing is cemented in; d from below any usable water to surface within <b>120 DAYS</b> of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing   |
| <ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be</li> </ol>  | by circulating cement to the top; in all cases surface pipe <i>shall be set</i> a underlying formation.  rict office on plug length and placement is necessary <i>prior to plugging;</i> led or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.   |
| <ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be</li> </ol>  | by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation.  rict office on plug length and placement is necessary <i>prior to plugging;</i> led or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.   |
| <ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be</li> </ol> Ibmitted Electronically For KCC Use ONLY | by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  rict office on plug length and placement is necessary <b>prior to plugging</b> ; led or production casing is cemented in; d from below any usable water to surface within <b>120 DAYS</b> of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. <b>In all cases, NOTIFY district office</b> prior to any cementing.  |
| 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15 -                            | by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  rict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification  |
| 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be shall be shall be shall be shall be shall be conductor pipe required              | by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  rict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;   |
| 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15                              | by circulating cement to the top; in all cases surface pipe shall be set a underlying formation.  rict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;   |
| 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15                              | by circulating cement to the top; in all cases surface pipe shall be set a underlying formation.  rict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;   |
| 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be shall be shall be shall be conductor pipe required                                | by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  rict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);  |
| 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be shall be shall be shall be conductor pipe required                                | by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  rict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water. |
| 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15                              | by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  rict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);  |

Signature of Operator or Agent:

Side Two

| For KCC Use ONLY |  |
|------------------|--|
| API # 15         |  |

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator:                             | Location of Well: County:  |  |  |  |
|---------------------------------------|--|--|--|--|
| Lease:                                | feet from N / S Line of Section  |  |  |  |
| Well Number:                          | feet from E / W Line of Section  |  |  |  |
| Field:                                | Sec Twp S. R   |  |  |  |
| Number of Acres attributable to well: | Is Section: Regular or Irregular   |  |  |  |
|                                       | If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW |  |  |  |

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

## 990 ft.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

| Operator Name:  |  |  | License Number:  |  |  |
|---|--|--|--|--|--|
| Operator Address:   |  |  |  |  |  |
| Contact Person:   |  | Phone Number:  |  |  |  |
| Lease Name & Well No.:  |  |  | Pit Location (QQQQ):   |  |  |
| Type of Pit:  | Pit is:  |  |  |  |  |
| Emergency Pit Burn Pit  | Proposed                                       | Existing   | SecTwp R   |  |  |
| Settling Pit Drilling Pit   | If Existing, date cor                          | nstructed:   | Feet from North / South Line of Section  |  |  |
| Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)   | Pit capacity:                                  | (111)  | Feet from East / West Line of Section  |  |  |
|   |  | (bbls)   | County   |  |  |
| Is the pit located in a Sensitive Ground Water A  | rea? Yes I                                     | No   | Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)      |  |  |
| Is the bottom below ground level?  Yes No   | Artificial Liner?                              | lo   | How is the pit lined if a plastic liner is not used?                           |  |  |
| Pit dimensions (all but working pits):  | Length (fee                                    | et)  | Width (feet) N/A: Steel Pits   |  |  |
| Depth fro   | om ground level to dee                         | pest point:  | (feet) No Pit  |  |  |
| If the pit is lined give a brief description of the li<br>material, thickness and installation procedure. | ilei   |  | dures for periodic maintenance and determining cluding any special monitoring. |  |  |
| Distance to nearest water well within one-mile of   | of pit:  | Depth to shallowest fresh water feet. Source of information: |  |  |  |
| feet Depth of water well  | feet   | measured   | well owner electric log KDWR   |  |  |
| Emergency, Settling and Burn Pits ONLY:   |  | Drilling, Worko  | ver and Haul-Off Pits ONLY:  |  |  |
| Producing Formation:  |  | Type of material utilized in drilling/workover:              |  |  |  |
| Number of producing wells on lease:   |  | Number of working pits to be utilized:                       |  |  |  |
| Barrels of fluid produced daily:  |  | Abandonment procedure:                                       |  |  |  |
| Does the slope from the tank battery allow all s flow into the pit? Yes No                                | pilled fluids to                               | Drill pits must be closed within 365 days of spud date.      |  |  |  |
|   |  |  |  |  |  |
| Submitted Electronically  |  |  |  |  |  |
|   | KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS |  |  |  |  |
| Date Received: Permit Numl  | ber:   | Permi  |  |  |  |

## Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
July 2021
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) CB-1 (Ca   | athodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)  |  |  |  |  |  |
|--|---|--|--|--|--|--|
| OPERATOR: License #  | Well Location:  |  |  |  |  |  |
| Name:  | SecTwpS. R 🔲 East 🗌 West  |  |  |  |  |  |
| Address 1:   | County:   |  |  |  |  |  |
| Address 2:   | Lease Name: Well #:   |  |  |  |  |  |
| City: State: Zip:+   | If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:   |  |  |  |  |  |
| Contact Person:  |   |  |  |  |  |  |
| Phone: ( ) Fax: ( )  |   |  |  |  |  |  |
| Email Address:   |   |  |  |  |  |  |
| Surface Owner Information:   |   |  |  |  |  |  |
| Name:  | When filing a Form T-1 involving multiple surface owners, attach an additional  |  |  |  |  |  |
| Address 1:   | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the   |  |  |  |  |  |
| Address 2:   | county, and in the real estate property tax records of the county treasurer.  |  |  |  |  |  |
| City:  |   |  |  |  |  |  |
| provided the following to the surface owner(s) of the land upon  | batteries, pipelines, and electrical lines. The locations shown on the plat the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.  Act (see Chapter 55 of the Kansas Statutes Annotated), I have on which the subject well is or will be located: 1) a copy of the in connection with this form; 2) if the form being filed is a Form |  |  |  |  |  |
| the KCC will be required to send this information to the surface this task, I acknowledge that I must provide the name and addread that I am being charged a \$30.00 handling fee, payable to the surface of the surface |   |  |  |  |  |  |
| If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1  |   |  |  |  |  |  |
| Submitted Electronically   |   |  |  |  |  |  |

| For KCC Use ONLY |  |
|------------------|--|
| API # 15-        |  |

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

|                   | JEL Res     |             | LLC           |             |               |                   | – Lo       | cation of W               | /ell: County: Pawnee   |
|-------------------|-------------|-------------|---------------|-------------|---------------|-------------------|------------|---------------------------|--|
|                   | S Land      |             |               |             |               |                   |            | 990                       | feet from N / X S Line of Section  |
| Well Numl         | per: 1-29   |             |               |             |               |                   |            | 2310                      | feet from E / X W Line of Section  |
| Field: B          |             |             |               |             |               |                   | - 6        | ec. 29                    | T23S R15W  |
| Number of QTR/QTR | Acres attri | ibutable to | well: 320     | NE          | CE            | - SW              | _ ls       |                           |  |
| QIR/QIR           | /QIR/QIR    | oracreag    | je:           | <u>NE</u>   | _ <u>SE</u> _ | _ <del> 5 w</del> | _          |                           |  |
|                   |             |             |               |             |               |                   |            | Section is<br>ction corne | Irregular, locate well from nearest corner boundary. er used: NENNWSESSW |
|                   | S           | Show locat  | tion of the v | well. Show  | footage to    | the neare         | PLAT       | · unit bound              | dary line. Show the predicted locations of                               |
|                   |             |             |               |             | -             |                   |            |                           | as Surface Owner Notice Act (House Bill 2032).                           |
|                   |             |             |               |             |               | ay attach a       | a separate | plat if desi              | red.   |
|                   |             |             |               | R1          | 5W            |                   |            |                           |  |
|                   |             | :           | :             | :           |               | :                 | :          | :                         |  |
|                   |             | :           | :             | :           |               | :                 | :          | :                         | LEGEND   |
|                   |             |             |               |             |               |                   |            |                           | Well Location  |
|                   |             | :           | :             | :           |               | :                 | :          | :                         | Tank Battery Location  |
|                   |             | :           | :             | :           |               | :                 | :          | :                         | Pipeline Location  |
|                   |             | :           | :             | :           |               | :                 | :          | :                         | Electric Line Location   |
|                   |             | :           |               |             |               | :                 | :          | :                         | Lease Road Location  |
|                   |             |             |               |             |               |                   |            |                           |  |
|                   |             | :           | :             | :           |               | :                 | :          | :                         |  |
|                   |             | :           | :             | :           |               | :                 | :          | :                         | EXAMPLE  |
| T23S              |             | :           | :             | <del></del> | <u> 29 —</u>  | :                 | :          | :                         |  |
|                   |             |             |               |             |               | :                 | :          | :                         |  |
|                   |             |             | :             |             |               |                   |            |                           |  |
|                   |             | :           | :             | :           |               | :                 | :          | :                         |  |
|                   |             | :           | :             | :           |               | :                 | :          | :                         |  |
|                   |             | :           | :             |             |               | :                 | :          |                           | 0-1 1980'FSL   |
|                   |             | :           | 2310' F       | WLQ         |               | :                 | :          |                           |  |
|                   |             |             | :             | ·].         | $S\Gamma$     | :                 |            | :                         |  |
|                   |             | :           | :             | : [         | Ţ             | :                 | :          | :                         | ; <b></b>  |

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.

SEWARD CO.3390' FEL

- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Andrew J. French, Chairperson Dwight D. Keen, Commissioner Annie Kuether, Commissioner

February 07, 2025

Michael Connelly JEL Resources, LLC 4093 CONNER CT CASTLE ROCK, CO 80109-3830

Re: Drilling Pit Application ILS Land LLC 1 SW/4 Sec.29-23S-15W Pawnee County, Kansas

## **Dear Michael Connelly:**

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 72 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 682-7933 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 682-7933.