## KOLAR Document ID: 1810713

# WATER WELL RECORD (WWC-5)

KOLAR DOC ID

Correction

Original Record

WELL ID\_\_\_\_\_Change in Well Use

## LOCATION OF WATER WELL

Latitude	Longitude	Section	Township	Range	E W	Fraction	1⁄4	1⁄4	1⁄4
Datum	Elevation	County							

## WATER WELL OWNER

Name				
Business				
Address				
Well location				
at owner's address				

#### CONSTRUCTION

Borehole interval:	Borehole diameter:				
fromtoft.	in.				
fromtoft.	in.				
Casing height above land su					
If casing height is less th has a variance been app					
*variance not required for or environmental reme					
Casing type:					
Blank casing interval:	ft. toft.				
Blank casing diameter:	in.				
Casing joints:					
Weight:lbs	s/ft.				
Wall thickness or gauge	no.:				
Blank casing interval:	ft. toft.				
Blank casing diameter:					
Casing joints:					
Weight:lbs	s/ft.				
Wall thickness or gauge					
Grout interval: ft. to	oft.				
Grout material:					
Grout interval: ft. to	oft.				
Grout material:					
Screen / perforation material	:				
Screen / perforation opening	gs:				
Screen / perforation intervals	s:				
Fromft. to	_ft.				
Slot size unit					
Fromft. to	_ft.				
Slot size unit					
Gravel pack intervals:					
Gravel pack not used:	Gravel size in				
From ft. to					
Gravel pack not used:					
From ft. to					

## WELL WATER USE

COMPLETION							
Depth of completed well:ft.							
Depth(s) groundwater encountered:							
(1) ft.; (2) ft.;							
(3) ft.; (4) dry well							
Static water level in well: ft.							
measured below land surface on (mm/dd/yy):							
measured above land surface on (mm/dd/yy):							
Estimated yield: gpm							
Water level was: ft. afterhours							
pumping gpm							
Pump installed? Yes No							
Water well disinfected? Yes No							
Date disinfected (mm/dd/yy):							

NEAREST SOURCE OF	POTENTIAL CONTAMINATIO
Source:	
Distance from well:	Direction from well:
Source description:	
Source:	
Distance from well:	Direction from well:
Source description:	
No potential sour within 100 feet.	rce of contamination
PERMIT & ID NUMBE	RS (AS REQUIRED)
DWR Application N	0.:
	Code:
Site Name:	
KDHE UIC Class V	Form Completed: Yes No

# Lease Name & Well #: \_\_\_\_\_\_\_ # of dewatering wells: \_\_\_\_\_\_

County Permit: Yes No Permit ID:

## Aquifer, if known:

### LITHOLOGIC LOG


FROM	то	LITHOLOGY INTERVALS
		L

### COMMENTS

## CONTRACTOR'S OR LANDOWNERS CERTIFICATION

This water well was constructed	reconstructed	pursuant to the stated water well				
contractor's license and was complete	I certify that this record is true to					
the best of my knowledge and belief. This water well record was completed on						
under the business name of		,				
Kansas Water Well Contractor's License No under the authority of the designated						
person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the						
designated person at its submittal:		·				
Send one copy to WATER WELL OWNER	and retain one for you	rr records. Fee of \$5.00 for each constructed well				
KANSAS DEPAR	TMENT OF HEALTH	AND ENVIRONMENT				

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c



# DENNIS L HANDKE 1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Jess Chapman Larsen & Associates 1311 E. 25<sup>th</sup> Street, Suite B Lawrence, Kansas, 66046

RE: Monitor Well Elevation Survey 503 North Street, Seneca, Kansas

December 21, 2024

Proj. 24-00YY Seneca Shortstop U4-066-14804

Bench Mark: Chisled X on top of S				South conci	rete sign base at SE corner of property.
Elev: 1119.94 South 26.53				2957.69	(from SE Cor. Sec. 27-2-12E)
MW-1	rim	1122.67	North	25.74	SW1/4,SE1/4,SE1/4,SW1/4
	top pipe	1122.30	West	3131.76	Lat= 39.84155 Long = 96.06309
MW-2	rim	1121.60	South	21.25	NW1/4,NE1/4,NE1/4,NW1/4 (Sec. 34-2-12E)
	top pipe	1121.16	West	3086.48	Lat= 39.84142 Long = 96.06293
MW-3	rim	1120.42	South	1.72	NW1/4,NE1/4,NE1/4,NW1/4 (Sec. 34-2-12E)
	top pipe	1119.92	West	3001.04	Lat= 39.84148 Long = 96.06263
MW-4	rim	1127.61	South	2.66	NW1/4,NE1/4,NE1/4,NW1/4 (Sec. 34-2-12E)
	top pipe	1127.17	West	3186.37	Lat= 39.84148 Long = 96.06329
MW-5	rim	1120.28	North	126.25	SW1/4,SE1/4,SE1/4,SW1/4
	top pipe	1119.97	West	3000.18	Lat= 39.84183 Long = 96.06263
MW-6	rim	1121.68	North	161.75	SW1/4,SE1/4,SE1/4,SW1/4
	top pipe	1121.06	West	3093.24	Lat= 39.84192 Long = 96.06296
MW-7	rim	1121.78	South	120.89	NW1/4,NE1/4,NE1/4,NW1/4 (Sec. 34-2-12E)
	top pipe	1121.35	West	3068.14	Lat= 39.84115 Long = 96.06286
MW-8	rim	1122.74	North	86.05	SW1/4,SE1/4,SE1/4,SW1/4
	top pipe	1122.30	West	3104.34	Lat= 39.84171 Long = 96.06300
MW-9	rim	1120.10	North	49.26	SE1/4,SE1/4,SE1/4,SW1/4
	top pipe	1119.52	West	2954.48	Lat= 39.84162 Long = 96.06246

Lat & Long derived existing Seneca 7.5' quad map. NAVD 27

Elevation established from KDOT bench mark #10 project 36-66-K 2635-01. NAVD 83

If you have any questions, please feel free to call me. Thank you for the opportunity to be

