Change in Well Use

WELL ID

Correction


KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Original Record

WATER WELL RECORD (WWC-5)

LOCATION	OF V	/ATER WELL	L												
Latitude			Longitude			Section		Township		Range	E W	Fraction	1/4	1/4	1/4
Datum			Elevation			County									
WATER WELL OWNER						. WATER U	SE				NEAREST S	OURCE OF F	POTENTIAL (ONTAMI	NATION
Name											Source:				
Business					СОМІ	PLETION					Distance from well-		Direction we		
Address				Depth of completed well:ft. Depth(s) groundwater encountered:						Source description					
Well location				(3)	(1) ft.; (2) ft.; (3) ft.; (4) dry well					Dietance		Directio	on ell:		
at owner's address				Static water level in well:ft. measured below land surface on (mm/dd/yy):						Source description:					
CONSTRU	ı			measured above land surface						No potential source of contamination within 100 feet.					
Borehole interval: Borehole diameter:					on (mm/dd/yy):										
fromtoftin.					Estir	Estimated yield: gpm					PERMIT & ID NUMBERS (AS REQUIRED)				
fromto ftin.					Wate	er level wa	8:	ft. after	ho	urs	DWR Application No.:				
Casing he	ove land sur	rface:		pumping gpm					KDHE / EPA Project Code:						
	ght is less tha			Pum	p installed	? Ye	s No			Site Name:					
has a variance been approved?* Yes No					Mate	w wall disi	nfactadi	Vac N			KDHE UIC Class V Form Completed: Yes No				
*variance not required for monitoring or environmental remediation wells					Water well disinfected? Yes No Date disinfected (mm/dd/yy):						County Permit: Yes No Permit ID:				
Casing type:					Date districted (mm/ dd/yy).						Lease Name & Well #: # of dewatering wells:				
Blank cas	ing int	erval:	ft. to	ft.	Aqui	ifer, if kno	wn:				# Of boren	nes:	# of dewate	ring wells:	
Blank cas	ing dia	meter:	in.		LITHO	DLOGIC LO	OG								
Casing joints:				FRC	M T) L	ITHOLOGY I	NTERVA	LS						
		lbs													
			no.:												
	-		ft. to	ft.											
	-	meter:													
Casing joints: Weight: lbs/ft.															
Wall thickness or gauge no.:															
		ft. to													
		rial: ft. to													
	11. to rial:		COMMENTS												
Screen / p	erfora	tion material:	:												
Screen / p	tion opening	gs:	CONTRACTOR'S OR LANDOWNERS CERTIFICATION												
Screen / perforation intervals:					This water well was constructed reconstructed pursuant to the stated water well										
Fromft. toft.					contractor's license and was completed on I certify that this record is true to										
Slot size unit					the best of my knowledge and belief. This water well record was completed on										
Fromft. toft.					under the business name of										
Slot size unit					Kansas Water Well Contractor's License No under the authority of the designated										
Gravel pack intervals:					person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the										
Gravel pack not used: Gravel sizein					designated person at its submittal:										
From ft. to ft. Gravel pack not used: Gravel size in					Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.										
					KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT										
rrom		_ 11. 10	ft.			Bure	au of Wa				Jackson St., Sı			2-1367	



DENNIS L HANDKE

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Jess Chapman Larsen & Associates 1311 E. 25th Street, Suite B Lawrence, Kansas, 66046 December 21, 2024

RE: Monitor Well Elevation Survey 503 North Street, Seneca, Kansas

Proj. 24-00YY Seneca Shortstop U4-066-14804

Bench Mark: Chisled X on top of SW bolt of South concrete sign base at SE corner of property. Elev: 1119.94 South 26.53 West 2957.69 (from SE Cor. Sec. 27-2-12E) MW-1 SW1/4,SE1/4,SE1/4,SW1/4 rim 1122.67 North 25.74 top pipe 1122.30 West 3131.76 Lat= 39.84155 Long = 96.06309 MW-2 1121.60 South 21.25 NW1/4,NE1/4,NE1/4,NW1/4 (Sec. 34-2-12E) rim 3086.48 Lat= 39.84142 Long = 96.06293 top pipe 1121.16 West 1120.42 MW-3 rim South 1.72 NW1/4,NE1/4,NE1/4,NW1/4 (Sec. 34-2-12E) top pipe 3001.04 Lat= 39.84148 Long = 96.06263 1119.92 West MW-4 1127.61 South 2.66 NW1/4,NE1/4,NE1/4,NW1/4 (Sec. 34-2-12E) rim 3186.37 West Lat= 39.84148 Long = 96.06329 top pipe 1127.17 MW-5 1120.28 126.25 SW1/4.SE1/4.SE1/4.SW1/4 rim North top pipe 1119.97 3000.18 Lat= 39.84183 Long = 96.06263 West MW-6 1121.68 North 161.75 SW1/4,SE1/4,SE1/4,SW1/4 rim top pipe 1121.06 West 3093.24 Lat= 39.84192 Long = 96.06296 1121.78 120.89 NW1/4,NE1/4,NE1/4,NW1/4 (Sec. 34-2-12E) MW-7 rim South 3068.14 Lat= 39.84115 Long = 96.06286 top pipe 1121.35 West SW1/4,SE1/4,SE1/4,SW1/4 MW-8 rim 1122.74 North 86.05 1122.30 3104.34 Lat= 39.84171 Long = 96.06300 top pipe West 1120.10 North 49.26 SE1/4,SE1/4,SE1/4,SW1/4 MW-9 rim 1119.52 2954.48 Lat= 39.84162 Long = 96.06246 top pipe West

Lat & Long derived existing Seneca 7.5' quad map. NAVD 27

Elevation established from KDOT bench mark #10 project 36-66-K 2635-01. NAVD 83

If you have any questions, please feel free to call me. Thank you for the opportunity to be

OISONACE TO VOIT. VOIT. OF STERN THE STERN THE