Change in Well Use

WELL ID_

Correction


KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Original Record

WATER WELL RECORD (WWC-5)

OCATION OF WATER	WELL												
Latitude	Longitude			Section		Township		Range	E W	Fraction	1/4	1/4	1/4
Datum	Elevation			County					,,				
WATER WELL OWNER			WELL	WATER U	SE				NEAREST S	OURCE OF	POTENTIAL	CONTAMIN	ATION
Name									Source:				
Business			COMP	LETION					Distance		Directi	on	
Busiliess									from well:	:	from w	ell:	
Address						ll:encountered:		ft.	Source descriptio	n:			
			(1)	ft.;	(2)	ft.;			Source:				
Well location			(3)	ft.;	(4)	dry well			Distance		Directi	on ell:	
at owner's address			m	easured b	elow lan	l: ft d surface	•		Source descriptio			· · · · · · · · · · · · · · · · · · ·	
CONSTRUCTION				ı (mm/dd, easured al	• • •				No pot	tential sour	ce of contam	ination	
Borehole interval:	Borehole dia	meter:	I	easurea at ı (mm/dd/		a surface				100 feet.			
fromtof		in.		-					PERMIT &	ID NUMBEI	RS (AS REQU	JIRED)	
fromtoftin.			Estimated yield: gpm					ıre	DWR Application No.:				
Casing height above land surface:in.			Water level was:ft. afterhours pumpinggpm						KDHE / EPA Project Code:				
		in.	Pumr	installed			\$P ¹			e:			
If casing height is less than 12 in. has a variance been approved?* Yes No			Pump installed? Yes No						KDHE UIC Class V Form Completed: Yes No				
*variance not required for monitoring			Water well disinfected? Yes No						County Permit: Yes No Permit ID:				
or environmental remediation wells			Date disinfected (mm/dd/yy):						Lease Name & Well #:				
Casing type:											# of dewat		
Blank casing interval:		ft.	Aquit	er, if knov	wn:						" or do wat		
Blank casing diameter:				LOGIC LO									
Casing joints:			FRO	м то) LI	THOLOGY IN	ITERVAI	LS					
Weight:													
Wall thickness or g													
Blank casing interval:		ft.											
Blank casing diameter:													
Casing joints:													
Weight:													
Wall thickness or g	auge no.:												
Grout interval:	_ft. toft.												
Grout material:													
Grout interval:	_ ft. toft.		COMM	IFNITC									
Grout material:			COMIN	IENIS									
Screen / perforation ma													
Screen / perforation op						NDOWNERS							
Screen / perforation into						constructed			-		the stated		
Fromft. to _						nd was com							
Slot size			the b	est of my	y knowl	edge and be	lief. This	s water v	well record	was comple	eted on		
From ft. to			unde	r the bus	siness n	ame of							,
Slot size	unit		Kans	as Water	: Well C	Contractor's 1	License l	No	uı	nder the au	thority of t	he designa	ited
Gravel pack intervals:						K.A.R. 28-3					-	_	
Gravel pack not use		in	1			its submitta	•		a ana certii	•		-0	
From ft. to											tr.00.6		, ,
Gravel pack not use		in	Send o	ne copy to	WATE	R WELL OWN			e for your reco EALTH AND			n constructe	a well
From ft. to	ft.			Burea	au of Wa	ter, Geology S						12-1367	



DENNIS L HANDKE

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Jess Chapman Larsen & Associates 1311 E. 25th Street, Suite B Lawrence, Kansas, 66046 December 21, 2024

RE: Monitor Well Elevation Survey 503 North Street, Seneca, Kansas

Proj. 24-00YY Seneca Shortstop U4-066-14804

Bench Mark: Chisled X on top of SW bolt of South concrete sign base at SE corner of property. Elev: 1119.94 South 26.53 West 2957.69 (from SE Cor. Sec. 27-2-12E) MW-1 SW1/4,SE1/4,SE1/4,SW1/4 rim 1122.67 North 25.74 top pipe 1122.30 West 3131.76 Lat= 39.84155 Long = 96.06309 MW-2 1121.60 South 21.25 NW1/4,NE1/4,NE1/4,NW1/4 (Sec. 34-2-12E) rim 3086.48 Lat= 39.84142 Long = 96.06293 top pipe 1121.16 West 1120.42 MW-3 rim South 1.72 NW1/4,NE1/4,NE1/4,NW1/4 (Sec. 34-2-12E) top pipe 3001.04 Lat= 39.84148 Long = 96.06263 1119.92 West MW-4 1127.61 South 2.66 NW1/4,NE1/4,NE1/4,NW1/4 (Sec. 34-2-12E) rim 3186.37 West Lat= 39.84148 Long = 96.06329 top pipe 1127.17 MW-5 1120.28 126.25 SW1/4.SE1/4.SE1/4.SW1/4 rim North top pipe 1119.97 3000.18 Lat= 39.84183 Long = 96.06263 West MW-6 1121.68 North 161.75 SW1/4,SE1/4,SE1/4,SW1/4 rim top pipe 1121.06 West 3093.24 Lat= 39.84192 Long = 96.06296 1121.78 120.89 NW1/4,NE1/4,NE1/4,NW1/4 (Sec. 34-2-12E) MW-7 rim South 3068.14 Lat= 39.84115 Long = 96.06286 top pipe 1121.35 West SW1/4,SE1/4,SE1/4,SW1/4 MW-8 rim 1122.74 North 86.05 1122.30 3104.34 Lat= 39.84171 Long = 96.06300 top pipe West 1120.10 North 49.26 SE1/4,SE1/4,SE1/4,SW1/4 MW-9 rim 1119.52 2954.48 Lat= 39.84162 Long = 96.06246 top pipe West

Lat & Long derived existing Seneca 7.5' quad map. NAVD 27

Elevation established from KDOT bench mark #10 project 36-66-K 2635-01. NAVD 83

If you have any questions, please feel free to call me. Thank you for the opportunity to be

OISONACE TO VOIT. VOIT. OF STERN THE STERN THE