

Form	ACO1 - Well Completion
Operator	Altavista Energy, Inc.
Well Name	SAUDER 24
Doc ID	1827046

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement	Number of Sacks Used	Type and Percent Additives
Surface	9.875	7	15	43	Econobond	27	See Ticket
Production	5.875	2.875	6.5	1093	Econobond	115	See Ticket

WoCo Drilling LLC

1135 30th Rd

Yates Center, Kansas 66783

Steve 620-330-6328

Nick 620-228-2320

Operator License # 34350	API # 15-031-24712
Operator: Altavista Energy Inc.	Lease: Sauder
Address: P O Box, Wellsville, Ks 66092-0128	Well # 24
Phone: 785-883-4057	Spud Date: 12/02/2024 Completed: 12/05/2024
Contractor License: 33900	Location: Sec: 14 TWP: 22s R: 16e
T.D.1106 Bite Size: 5.875"	1650' FSL
Surface Pipe Size: 7" Surface Depth: 43'	4620' FEL
Kind of Well: Oil	County: Coffey

Drilling Log

Strata	From	To	Strata	From	To
Soil	0	5	Shale	926	939
Clay	5	22	Lime	939	943
Sandstone	22	35	Shale	943	965
Shale	223	271	Lime	965	968
Lime	271	358	Shale	968	977
Shale	358	374	Lime	977	985
Lime	379	388	Shale	985	1011
Shale	388	412	Lime	1011	1012
Lime	412	431	Shale	1012	1014
Shale	431	435	Lime Cap	1014	1015
Lime	435	440	Brkn Oil Sand	1015	1021
Shale	440	445	Oil Sand	1021	1025
Lime	445	479	Brkn Oil Sand	1025	1029
Shale	479	484	Sandy Shale	1029	1035
Lime	484	488	Shale	1035	1106
Shale	488	491			
Lime	491	541			
Shale	541	637	TD 1106		
Lime	637	639			
Shale	639	809	Ran 2-7/8" Pipe		
Lime	809	814	To 1093'		
Shale	814	829			
Lime	829	840	Hurricane Cemented 43'		
Shale	840	865	Of 7" Surface		
Lime	865	871			
Shale	871	885			
Lime	885	892			
Shale	892	921			
Lime	921	926			

[illegible]