
### **WATER WELL RECORD** (WWC-5)

From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

VATER WELL RE	CORD (W	WC-5)				KOLAR D	OC ID	WELL ID_		
OCATION OF WATER WE	ELL				Ori	ginal Recor	d Correction	Chang	ge in Wel	ll Use
Latitude	Longitude			Section	Township	Range	E W Fraction	1/4	1/4	1/4
Datum	Elevation		(	County						
ATER WELL OWNER			WELLV	WATER US			NEAREST SOURCE OF F	POTENTIAL	ONTAMIN	IATIO
Jame							Source:			
Business			COMPL	ETION			Distance from well:	Directio	n	
			Depth	of comple	ted well:	ft.		_ irom we	11:	
Address			-	-	water encountered:		Source description:			
			1 -		(2) ft.;		Source:			
Well location			I		(4) dry well				on .	
			Static	water level	in well: ft.		Distance from well:	_ from we	ll:	
at owner's address			me		ow land surface		Source description:			
ONSTRUCTION  Borehole interval:	measured above land surface on (mm/dd/yy):				No potential source of contamination within 100 feet.					
Fromto ft.	Borehole dia	in.			gpm		PERMIT & ID NUMBER	S (AS REQU	IRED)	
fromto ft.		in.			gpm ft. after	houre	DWR Application No.	:		
			Water		pumping		KDHE / EPA Project Code:			
Casing height above land s  If casing height is less	Pump installed? Yes No				Site Name:					
has a variance been ap					KDHE UIC Class V Fo	orm Comple	ted: Yes	No		
*variance not required	Water well disinfected? Yes No				County Permit: Yes No Permit ID:					
or environmental rem	Date disinfected (mm/dd/yy):				Lease Name & Well #:					
Casing type: Blank casing interval:	ft. to	ft	Aquife	er, if knowr	1:		# of boreholes:	# of dewate	ring wells:	
Blank casing diameter:			LITHOL	OGIC LOG	<u> </u>					
Casing joints:			FROM	и то	LITHOLOGY INTE	RVALS				
Weight:l										
Wall thickness or gaug	ge no.:									
Blank casing interval:	ft. to	ft.								
Blank casing diameter: _	in.									
Casing joints:										
·	lbs/ft.									
Wall thickness or gaug	ge no.:									
Grout interval: ft.	toft.									
Grout material:										
Grout interval: ft.	toft.		СОММ	FNTS						
Grout material:										
	. 1									
Screen / perforation materi Screen / perforation openi			CONTR	ACTOR'S	OD LANDOWNERS CE	DTIEICATION				
creen / perforation openi					was constructed			the eteted r		
Fromft. to						reconstru				
Slot size uni							I certify the			
From ft. to				•	· ·		vell record was comple			
Slot size uni										
Gravel pack intervals:			Kansas Water Well Contractor's License No under the authority of the designated							
Gravel pack not used:	Gravel size	in	-			(j) and signe	d and certified by the e	lectronic si	gnature o	f the
From ft. to	ft.				son at its submittal:		·			
Gravel pack not used:	Gravel size	in	Send or	ne copy to V	VATER WELL OWNER	and retain one	for your records. Fee of \$	5.00 for each	constructe	ed wel

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT
Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367
(785) 296-3565 | K.S.A. 82a-1212 | v2022c



# FIGURE 2 - 800 FT RADIUS AREA BASE MAP



Office: (785) 841-8707 1311 E 25th St., Suite B, Lawrence, KS 66046

## **PROJECT:**

Corrections Corp. of America 100 Highway Terrace, Leavenworth, KS KDHE ID: A4-052-40533 Date: 11/1/24

200 feet

## LEGEND:

- Approximate Location of Active ATS Basin and Product Lines
  - ◆ Monitoring Well (Installed 11/25-27/24 & 12/2/24)
  - X Proposed Soil Boring
  - \* Tree/Shrub
  - Fire Hydrant
  - s Sewer
- Overhead Lines (25-40 ft high) Gas (2 - 6 ft BGS) Water (2 - 6 ft BGS)

Electric (2 - 6 ft BGS)

NOTE: Utility depths, heights and locations are approximate. NOTE: SB5 & SB6 will be drilled to collect hydrological sample

# **DENNIS L HANDKE**

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Jess Chapman Larsen & Assoc. 1311 E. 25<sup>th</sup> St., Suite B Topeka, Kansas 66046

December 17, 2024

RE: Monitor Well Elevation Survey 100 Highway Terrace, Leavenworth, Kansas

Proj. 24-00XX Corrections Corp. of America KDHE ID A4-052-40533

Bench Mark: Chisled square on SW corner of 16" x 24" concrete electric motor pad at the SE corner of the concrete fuel tank pad at the North gate to the East fenced compound.

Elev.:	867.56	North 4785.54	We	est 2858.57	(from SE Cor. Sec. 18-9-23E)
MW-1	rim	864.08	North	4693.58	SE1/4,NE1/4,NE1/4,NW1/4
	top pipe	863.74	West	2880.15	Lat $= 39.27252$ Long $= 94.89134$
MW-2	rim	865.96	North	4792.03	SE1/4,NE1/4,NE1/4,NW1/4
	top pipe			2875.07	Lat = 39.27279 Long = 94.89132
MANA					_
MW-3	rim	863.17	North	4619.95	NE1/4,SE1/4,NE1/4,NW1/4
	top pipe	862.91	West	2864.56	Lat $= 39.27231$ Long $= 94.89129$
MW-4	rim	864.23	North	4986.72	SE1/4,NE1/4,NE1/4,NW1/4
	top pipe	863.88		2815.82	Lat = $39.27249$ Long = $94.89111$
MANA	•	065.06		1 (00 00	
MW-6	rim	865.96		4692.29	SE1/4,NE1/4,NE1/4,NW1/4
	top pipe	865.65	West	2941.30	Lat $= 39.27252$ Long $= 94.89156$
MW-8	rim	855.25	North	4665.86	SE1/4,NW1/4,NE1/4,NW1/4
	top pipe	854.96		3377.17	Lat = $39.27246$ Long = $94.89310$
MW-9	mi ma	955.16	<b>N</b> T 41	1201.06	N 14 6 7 4 4 5 7 7 4 4 5 7 7 4 4 5 7 7 7 4 4 5 7 7 7 7
W W -9	rim			4301.26	NW1/4,SE1/4,NE1/4,NW1/4
	top pipe	854.97	West	3257.20	Lat $= 39.27146$ Long $= 94.89269$

Lat & Long derived from Leavenworth 7.5' quad map. WGS84.

Elevation derived from Leavenworth County BM #0512. NAVD 88.

If you have land regions, please feel free to call me. Thank you for the opportunity to be

ennis L Handke RLS

SURVE