KOLAR DOC ID _____ WELL ID_

WATER WELL RECORD (WWC-5)

OCATION OF WATER WELL	_				Orig	ginal Recor	d Correction	Change	ın Well	Us
Latitude	Longitude		S	ection	Township	Range	E W Fraction	1/4	1/4	1/2
Datum	Elevation		C	County						
VATER WELL OWNER			WELL W	ATER USE			NEAREST SOURCE OF PO	OTENTIAL CO	NTAMINA	\TIC
Name							Source:			
Business			COMPL	FTION			Distance	Direction		
Dusiness							from well:	from well:		
Address			-	-	ed well: water encountered:	ft.	Source description:			
			(1)	ft.;	(2) ft.;		Source:			_
Well location			(3)ft.; (4) dry well				Distance from well:	Direction		
at owner's address		Static water level in well: ft. measured below land surface				Source description:	nom wen.			
CONSTRUCTION				(mm/dd/y			No potential source	of contamina	ition	_
Borehole interval: Borehole diameter:			1	asured abo (mm/dd/y	ve land surface y):		No potential source of contamination within 100 feet.			
fromto ft.		in.	Fetima	ted vield:	gpm		PERMIT & ID NUMBERS	(AS REQUIR	ED)	
fromto ft.					ft. after	hours	DWR Application No:			
l.			vvateri	ever was: _			DWR Application No.:KDHE / EPA Project Code:			
Casing height above land sur		in.	Dump	installed?	pumping Yes No	_ gpm	Site Name:			
If casing height is less that has a variance been appro		s No	rump	instaneu:	res No		KDHE UIC Class V Form Completed: Yes			
*variance not required for		Water well disinfected? Yes No					-			
or environmental remediation wells			Date disinfected (mm/dd/yy):				County Permit: Yes No Permit ID: Lease Name & Well #:			
Casing type:							# of boreholes:			
Blank casing interval:	ft. to	ft.	Aquife	r, if known	:		# Of boreffoles.	# or dewaterin	ig weils: _	
Blank casing diameter:	in.		LITHOL	OGIC LOG						
Casing joints:			FROM	то	LITHOLOGY INTE	RVALS				
Weight:lbs/	/ft.									
Wall thickness or gauge n	10.:									_
Blank casing interval:	ft. to	ft.								
Blank casing diameter:	in.									
Casing joints:										
Weight:lbs/	/ft.									
Wall thickness or gauge n	10.:									
Grout interval: ft. to	ft									
Grout material:										
Grout interval: ft. to										
Grout material:			COMME	NTS						
Screen / perforation material:										
Screen / perforation opening			CONTR	ACTOR'S	OR LANDOWNERS CEF	RTIFICATION				
Screen / perforation intervals:					was constructed	reconstru	cted pursuant to the	ne stated wa	ter well	
From ft. to							•			_
Slot size unit _					=		I certify that			
From ft. to				-	_		vell record was complete			
Slot size unit _										
Gravel pack intervals:			Kansa	s Water V	Vell Contractor's Lice	nse No	under the auth	ority of the	designat	ed
Gravel pack not used:	Gravel size		person	n as defin	ed in K.A.R. 28-30-2(j) and signed	d and certified by the ele	ctronic sign	ature of	th
From ft. to		m	designated person at its submittal:							
Gravel pack not used:		2	Send on	e copy to V	VATER WELL OWNER		for your records. Fee of \$5.	.00 for each cc	nstructed	l w
	Fromft. toft. KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367									

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT
Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367
(785) 296-3565 | K.S.A. 82a-1212 | v2022c




FIGURE 2 - 800 FT RADIUS AREA BASE MAP



Office: (785) 841-8707 1311 E 25th St., Suite B, Lawrence, KS 66046

PROJECT:

Corrections Corp. of America 100 Highway Terrace, Leavenworth, KS KDHE ID: A4-052-40533 Date: 11/1/24

200 feet

LEGEND:

- Approximate Location of Active ATS Basin and Product Lines
 - ◆ Monitoring Well (Installed 11/25-27/24 & 12/2/24)
 - X Proposed Soil Boring
 - * Tree/Shrub
 - Fire Hydrant
 - s Sewer
- Overhead Lines (25-40 ft high) Gas (2 - 6 ft BGS) Water (2 - 6 ft BGS)

Electric (2 - 6 ft BGS)

NOTE: Utility depths, heights and locations are approximate. NOTE: SB5 & SB6 will be drilled to collect hydrological sample

DENNIS L HANDKE

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Jess Chapman Larsen & Assoc. 1311 E. 25th St., Suite B Topeka, Kansas 66046

December 17, 2024

RE: Monitor Well Elevation Survey 100 Highway Terrace, Leavenworth, Kansas

Proj. 24-00XX Corrections Corp. of America KDHE ID A4-052-40533

Bench Mark: Chisled square on SW corner of 16" x 24" concrete electric motor pad at the SE corner of the concrete fuel tank pad at the North gate to the East fenced compound.

Elev.:	867.56	North 4785.54	We	st 2858.57	(from SE Cor. Sec. 18-9-23E)
MW-1	rim	864.08	North	4693.58	SE1/4,NE1/4,NE1/4,NW1/4
	top pipe	863.74	West	2880.15	Lat $= 39.27252$ Long $= 94.89134$
MW-2	rim	865.96	North	4792.03	SE1/4,NE1/4,NE1/4,NW1/4
	top pipe			2875.07	Lat = 39.27279 Long = 94.89132
MW-3	rim	962 17	NT4L	4610.05	
1V1 VV -3		863.17		4619.95	NE1/4,SE1/4,NE1/4,NW1/4
	top pipe	862.91	West	2864.56	Lat $= 39.27231$ Long $= 94.89129$
MW-4	rim	864.23	North	4986.72	SE1/4,NE1/4,NE1/4,NW1/4
	top pipe	863.88	West	2815.82	Lat = 39.27249 Long = 94.89111
MW-6	rim	865.96	North	4692.29	SE1/4,NE1/4,NE1/4,NW1/4
11111	top pipe	865.65		2941.30	
	top pipe	803.03	west	2941.30	Lat = 39.27252 Long = 94.89156
MW-8	rim	855.25	North	4665.86	SE1/4,NW1/4,NE1/4,NW1/4
	top pipe	854.96	West	3377.17	Lat = 39.27246 Long = 94.89310
MW-9	rim	855.16	North	4301.26	NW1/4,SE1/4,NE1/4,NW1/4
-100m 1 1 ft	top pipe	854.97		3257.20	Lat = 39.27146 Long = 94.89269
	top prpe	057.77	14 031	3431.40	Lat - 39.2/140 Long - 34.03209

Lat & Long derived from Leavenworth 7.5' quad map. WGS84.

Elevation derived from Leavenworth County BM #0512. NAVD 88.

If you have land regions, please feel free to call me. Thank you for the opportunity to be

ennis L Handke RLS

SURVE