

Form	ACO1 - Well Completion
Operator	KEM Energy, Inc
Well Name	O'BRYAN 001
Doc ID	1822975

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement	Number of Sacks Used	Type and Percent Additives
Surface	10.25	7	20	20	IL(12)	5	Portland
Production	5.875	2.5	5	230	IL(12)	75	Portland

CUSTOMER NAME DERECK RHODES		DELIVERY ADDRESS Obrian 001 Obrian 001 Obrian 003	
---------------------------------------	--	---	--

PURCHASE ORDER	SALES ORDER 379	TAX ANDERSEN C	CREDIT	SLUMP 4
----------------	------------------------	-----------------------	--------	----------------

LOAD QTY.	PRODUCT	DESCRIPTION	ORDERED	DELIVERED	UNIT PRICE	A
16.00 YB	WELL MUD	WELL (10 SACKS PER YARD)	16.00	16.00		
2.00 BR	FUEL	FUEL SURCHARGE	1.00	1.00		

LOADED	ARRIVE JOB SITE	START DISCHARGE	FINISH DISCHARGE	ARRIVE PLANT
6:55	7:40	7:45	8:20	:

SUB TOTAL
DISCOUNT
TAX
TOTAL
PREVIOUS TOTAL
GRAND TOTAL

This batch of concrete is mixed with the proper amount of water. If additional water is desired, please instruct the driver.	ADDITIONAL WATER ADDED ON JOB →	Gallons	By

CAUTION: Freshly mixed cement, mortar, grout or concrete may cause skin irritation. Avoid direct contact where possible and wash exposed skin areas promptly with water.
If any cementitious material gets into the eye, rinse immediately and repeatedly with water and get prompt medical attention.
KEEP OUT OF REACH OF CHILDREN

UNLOADING TIME ALLOWED 30 MINUTES PER TRIP EXTRA CHARGE FOR OVER 30 MINUTES →
RECEIVED IN GOOD CONDITION BY X

Purchaser waives all claims for personal or property damage caused by seller's truck when delivery is made beyond street curb
If not paid as agreed, this credit agreement provides for your payment of reasonable costs of collection, including, but not limited to, court costs, attorney fees and/or collection agency fees.

Well Schematic:




Figure 1 4.5 inches casing wellbore diagram




Figure 2 2 7/8 casing wellbore diagram



MONARCH CEMENT COMPANY



94 LBS. NET (42.6 KG) - 1.03 CU. FT.

"THE MONARCH PORTLAND LIMESTONE CEMENT CONTAINED IN THIS PACKAGE, PRODUCED IN HUMBOLDT, KS., IS CERTIFIED TO MEET OR EXCEED ALL REQUIREMENTS OF STANDARD SPECIFICATIONS FOR TYPE II, PORTLAND LIMESTONE CEMENT AS ADOPTED BY THE UNITED STATES GOVERNMENT AND BY THE AMERICAN SOCIETY FOR TESTING AND MATERIALS."

MADE IN THE U.S.A.

WARNING LABEL

"WARNING" Contains calcium hydroxide when mixed with water. Skin areas that come into contact with Portland Limestone Cement or solutions containing Portland Limestone Cement, either directly or through saturated clothing, should be promptly washed with water. Failure to do so may cause skin irritation or possible third degree burns reaching deep tissues with little warning. Body perspiration or moisture may cause hydration of dry cement also resulting in burns. If irritation begins to increase see a physician immediately.

If Portland Limestone Cement or a solution containing Portland Limestone Cement gets in the eye, flush thoroughly and repeatedly with water and seek prompt medical attention. If ingested, consult a physician immediately. Drink water.

Caustic crystalline silica: chronic overexposure to respirable crystalline silica has been linked to lung problems, including cancer and silicosis. Use a NIOSH-APPROVED dust respirator.

SAFETY DATA SHEETS AVAILABLE ON REQUEST

KEEP OUT OF REACH OF CHILDREN

Conservation Division
266 N. Main St., Ste. 220
Wichita, KS 67202-1513



Phone: 316-337-6200
Fax: 316-337-6211
<http://kcc.ks.gov/>

Andrew J. French, Chairperson
Dwight D. Keen, Commissioner
Annie Kuether, Commissioner

Laura Kelly, Governor

March 18, 2025

Easy Zhao
KEM Energy, Inc
515A S FRY RD SUITE 406
KATY, TX 77450-2214

Re: ACO-1
API 15-133-27809-00-00
O'BRYAN 001
NW/4 Sec.22-29S-21E
Neosho County, Kansas

Dear Easy Zhao:

K.A.R. 82-3-107 provides for all completion information to be filed within 120 days of the spud date. Subsection(e)(2) of that regulation states "All rights to confidentiality shall be lost if the filings are not timely."

The above referenced well was spudded on 10/15/2024 and the ACO-1 was received on March 18, 2025 (not within the 120 days timely requirement).

Therefore, your request for confidential treatment of data contained within the ACO-1 filing cannot be granted at this time.

If you should have any questions, please do not hesitate to contact me at (316)337-6200.

Sincerely,

Production Department