KOLAR DOC ID \_\_\_\_\_ WELL ID\_

## **WATER WELL RECORD** (WWC-5)

From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

OCATION OF WATER W	'ELL				1	Original Rec	ord Co	rrection	Chang	je in Wel	ll Use	
Latitude	Longitude		Se	ection	Township	Range	e E		1/4	1/4	1/4	
Datum	Elevation		C	ounty			**					
WATER WELL OWNER			WELL W	ATER USE			NEAREST	SOURCE OF	POTENTIAL O	ONTAMIN	IATION	
Name							Source:					
Business			COMPLETION					Source:  Distance Direction from well: from well:				
240111000					1 11	G	from well	:	from we	·ll:		
Address			_		ed well: vater encountered:	ft.	Source description	on:				
			(1)	ft.; (	2) ft.;		Source:					
Well location			(3) ft.; (4) dry well					Distance Direction from well:				
at owner's			Static w	ater level i	n well: ft			:	from we	:11:		
at owner's address			measured below land surface on (mm/dd/yy):				Source description:					
CONSTRUCTION			meas	sured abov	ve land surface				ce of contami	ination		
Borehole interval: Borehole diameter:			on (mm/dd/yy):					within 100 feet.				
$from \_\_\_to \_\_\_ft.$	ntoftin.				gpm	PERIVIT &	PERMIT & ID NUMBERS (AS REQUIRED)					
fromto ft.					r level was: ft. after hours			DWR Application No.:				
Casing height above land	surface:	in.			pumping	gpm	KDHE /	KDHE / EPA Project Code:				
If casing height is less		Pump installed? Yes No				Site Name:						
has a variance been a	s No	7.7. W. In				KDHE UIC Class V Form Completed: Yes No						
*variance not required or environmental ren		Water well disinfected? Yes No  Date disinfected (mm/dd/yy):				County Permit: Yes No Permit ID: Lease Name & Well #:						
Casing type:	inculation wens		Date dis	infected (1	mm/dd/yy):		]					
Blank casing interval:	ft. to	ft.	Aquifer,	if known:			# of borel	noles:	# of dewate	ring wells:		
Blank casing diameter:	in.		LITHOLO	GIC LOG								
Casing joints:			FROM	то	LITHOLOGY IN	NTERVALS						
Weight:	lbs/ft.											
Wall thickness or gau	-											
Blank casing interval:	ft. to	ft.										
Blank casing diameter:	in.											
Casing joints:												
Weight:	_											
Wall thickness or gau	ge no.:											
Grout interval: ft	t. toft.											
Grout material:												
Grout interval: ft	t. toft.		COMME	NTC	1							
Grout material:			COIVITALE	11 J								
Screen / perforation mater												
Screen / perforation mater			CONTRA	CTOP'S C	OR LANDOWNERS	CERTIEICATIO	)NI					
Screen / perforation open					was constructed			nurouant t-	the stated v	vator v.zall		
Fromft. to								•				
Slot size un					nse and was com	_		-			ιο	
From ft. to				-	nowledge and be			=				
Slot size un					ess name of						,	
Gravel pack intervals:			Kansas	Water W	Vell Contractor's	License No	u	nder the au	thority of th	ne designa	ated	
Gravel pack not used:	Gravel size	in	person	as define	ed in K.A.R. 28-3	0-2(j) and sign	ned and certi	fied by the e	electronic si	gnature o	f the	
From ft. to		designated person at its submittal:										
Gravel pack not used:			Send one	copy to W	ATER WELL OWN	NER and retain o	one for your rec	ords. Fee of S	\$5.00 for each	constructe	ed well.	

Form	WWC5.2 - Water Well Record	
Doc ID	1813515	
Well Owner	USAF-AFCEC/CZOM-McConnell AFB	
Contractor	Environmental Works, Inc.	

## Lithology

From	То	Lithology Intervals
0	.5	silt,gravelly,very dark,gray,dry
.5	4	clay- lean,sandy,reddish,brown,dry
4	7	clay- lean,sandy,yellowish,red,dry
7	8	clay-lean,reddish,brown,dry
8	9	sand,fine to coarse,clayey,red,wet
9	10	sand,fine to coarse,clayey,red,moist
10	11	sand,fine to coarse,clayey,red,wet
11	14	sand,fine to coarse,clayey,dark,reddish,gr ay,wet
14	16	clay- fat,sandy,dark,reddish,brown, moist
16	20	clay-fat,sandy,dark,gray,moist

