KOLAR DOC ID _____ WELL ID_

WATER WELL RECORD (WWC-5)

OCATION OF WATER WELL	_				Orig	ginal Recor	d Correction	Change	ın Well	Us
Latitude	Longitude		S	ection	Township	Range	E W Fraction	1/4	1/4	1/2
Datum	Elevation		C	County						
VATER WELL OWNER			WELL W	ATER USE			NEAREST SOURCE OF PO	TENTIAL CO	NTAMINA	\TIC
Name							Source:			
Business			COMPL	FTION			Distance	Direction		
Dusiness							from well:	from well:		
Address			Depth of completed well:ft. Depth(s) groundwater encountered:				Source description:			
			(1) ft.; (2) ft.;				Source:			_
Well location					(4) dry well		Distance from well:	Direction		
at owner's address			mea	asured belo	in well: ft.		Source description:	nom wen.		
CONSTRUCTION				(mm/dd/y			No potential source	of contamina	ition	_
CONSTRUCTION Borehole interval: Borehole diameter:			measured above land surface on (mm/dd/yy):				No potential source of contamination within 100 feet.			
fromto ft.		in.	Estimated yield: gpm				PERMIT & ID NUMBERS (AS REQUIRED)			
fromto ft.						hours	DWR Application No:			
<u> </u>			Water level was:ft. afterhours				DWR Application No.:KDHE / EPA Project Code:			
Casing height above land surface:in.			pumpinggpm				Site Name:			
If casing height is less than 12 in. has a variance been approved?* Yes No			Pump installed? Yes No				KDHE UIC Class V Form Completed: Yes			
*variance not required for			Water	well disinfe	ected? Yes No		County Permit: Yes	-		
or environmental remed			Date di	sinfected (mm/dd/yy):		Lease Name & Well #: _			
Casing type:							# of boreholes:			
Blank casing interval:	ft. to	ft.	Aquife	r, if known	:		# Of boreffoles.	# or dewaterin	ig weils: _	
Blank casing diameter:	in.		LITHOL	OGIC LOG						
Casing joints:			FROM	то	LITHOLOGY INTE	RVALS				
Weight:lbs/	/ft.									
Wall thickness or gauge n	10.:									_
Blank casing interval:	ft. to	ft.								
Blank casing diameter:	in.									
Casing joints:										
Weight:lbs/	/ft.									
Wall thickness or gauge n	10.:									
Grout interval: ft. to	ft									
Grout material:										
Grout interval: ft. to										
Grout material:			COMME	NTS						
Screen / perforation material:										
Screen / perforation opening			CONTR	ACTOR'S	OR LANDOWNERS CEF	RTIFICATION				
Screen / perforation intervals:					was constructed	reconstru	cted pursuant to the	ne stated wa	ter well	
From ft. to							•			_
Slot size unit _					=		I certify that			
From ft. to				-	_		vell record was complete			
Slot size unit _										
Gravel pack intervals:			Kansa	s Water V	Vell Contractor's Lice	nse No	under the auth	ority of the	designat	ed
Gravel pack not used:	Gravel size		person	n as defin	ed in K.A.R. 28-30-2(j) and signed	d and certified by the ele	ctronic sign	ature of	th
From ft. to		m	design	ated pers	on at its submittal:					
Gravel pack not used:		2	Send on	e copy to V	VATER WELL OWNER		for your records. Fee of \$5.	.00 for each cc	nstructed	l w
From ft. to		III			KANSAS DEPAR	TMENT OF H	EALTH AND ENVIRONME ackson St., Suite 420, Tope	ENT		

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT
Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367
(785) 296-3565 | K.S.A. 82a-1212 | v2022c




FIGURE 2 - 500 FT RADIUS AREA BASE MAP



1311 E 25th St., Suite B, Lawrence, KS 66046 Office: (785) 841-8707

PROJECT:

Route 92 Quick Shop & Bait (OSK LLC) 409 Jefferson Street,

Oskaloosa, KS

KDHE ID: U4-044-15614

Date: 9/11/24

100 feet

Approximate Location of Active UST Basin

and Pump Island

Approximate Location of Former UST Basin and Pump Island

Building with Basement

Proposed Monitoring Well

X Proposed Soil Boring

* Tree/Shrub

Fire Hydrant

Overhead Lines (25-40 ft high)

Sewer (2 - 6 ft BGS) Water (2 - 6 ft BGS)

Gas (2 - 6 ft BGS) - Telephone (2 - 6 ft BGS)

NOTE: Utility depths, heights and locations are approximate. NOTE: SB5 & SB6 will be drilled to collect hydrological samples

DENNIS L HANDKE

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Jess Chapman Larsen & Associates 1311 E. 25th Street, Suite B Lawrence, Kansas 66046

RE: Monitor Well Elevation Survey 409 Jefferson St., Oskaloosa, Kansas

October 26, 2024

Proj. 24-00SS Route 92 Quick Shop & Bait KDHE ID U4-044-15614

Bench Mark: Chisled X on top SE bolt of concrete sign base North of the building. (from SE Cor. Sec. 5-10-19E) West 1311.35 North 5050.89 Elev: 1100.00 NE1/4,NE1/4,NW1/4,NE1/4 North 5034.18 1098.12 MW-1 rim Lat = 39.21535 Long = 95.31545West 1320.50 1097.62 top pipe NW1/4,NW1/4,NE1/4,NE1/4 North 5033.72 1101.24 MW-2 rim Lat = 39.21535 Long = 95.31509West 1217.41 top pipe 1100.74 NE1/4,NE1/4,NW1/4,NE1/4 North 5015.32 1095.85 MW-3 rim Lat = 39.21529 Long = 95.31564 West 1373.56 1095.43 top pipe NW1/4,NW1/4,NE1/4,NE1/4 North 4949.27 1101.05 MW-4 rim Lat = 39.21511 Long = 95.314981186.90 1100.42 West top pipe SW1/4,NW1/4,NE1/4,NE1/4 North 4669.97 1113.89 MW-5 rim Lat = 39.21435 Long = 95.31545West 1318.15 1113.55 top pipe NE1/4,NE1/4,NW1/4,NE1/4 North 5120.65 1103.74 MW-6 rim Lat = 39.21558 Long = 95.31551 West 1336.11 1103.36 top pipe NE1/4,NE1/4,NW1/4,NE1/4 North 5016.83 1090.32 MW-7 rim Lat = 39.21530 Long = 95.31599West 1472.65 1089.94 top pipe North 4920.94 SE1/4,NE1/4,NW1/4,NE1/4 1094.81 MW-8 rim Lat = 39.21503 Long = 95.31578West 1411.80 top pipe 1094.29

Elevation derived from NGS BM# C 123 RESET. NAVD 88

Lat & Long derived from Oskaloosa 7.5 Quad Map WGS84

If you have any questions, please feel free to call me. Thank you for the opportunity to be

LS-786

SURVE