Change in Well Use

WELL ID

Correction

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Original Record

WATER WELL RECORD (WWC-5)

LOCATION	OF V	ATER WELL	•												
Latitude			Longitude			Section		Township		Range	E W	Fraction	1/4	1/4	1/4
Datum			Elevation			County									
WATER WE	LL O	VNER			WELL	. WATER U	SE				NEAREST S	OURCE OF F	OTENTIAL O	ONTAMIN	NATION
Name											Source:				
Business					сомі	PLETION					Distance from well:		Direction from we		
Address				Depth of completed well:ft. Depth(s) groundwater encountered:					Source description						
Well location				(3)	(1) ft.; (2) ft.; (3) ft.; (4) dry well					Dietance		Directio	on ell:		
at owner's address			Static water level in well: ft. measured below land surface on (mm/dd/yy):						Source description:						
CONSTRU	CTION	ı			measured above land surface						No potential source of contamination within 100 feet.				
Borehole i	interv	al:	Borehole dia	meter:	О	on (mm/dd/yy):									
fromto ftin.			in.	Estir	nated yield	l:	gpm			PERMIT & ID NUMBERS (AS REQUIRED)					
from	to _	ft.		in.	Wate	er level wa	3:	ft. after	ho	urs	DWR Application No.:				
Casing he	ight al	ove land sur	face:	in.				pumping	gp	m	KDHE / EPA Project Code:				
If casi	ng hei	ght is less tha	ın 12 in.		Pum	p installed	? Ye	s No			Site Name:				
		ce been appr		s No	747.4	11 1	C . 15				KDHE UIC Class V Form Completed: Yes No				
		ot required fo nental remed	r monitoring		Water well disinfected? Yes No						County Permit: Yes No Permit ID:				
Casing typ					Date disinfected (mm/dd/yy):						Lease Name & Well #: # of dewatering wells:				
Blank casi	ing int	erval:	ft. to	ft.	Aquifer, if known:						# of boreh	oles:	# of dewate	ring wells:	
Blank casi	ing dia	meter:	in.		LITHO	LOGIC LO	OG								
Casing joints:					FRC	т мс) L	ITHOLOGY I	NTERVA	LS					
Weigh	ıt:	lbs	/ft.												
Wall t	hickne	ess or gauge r	10.:												
	-		ft. to	ft.											
		meter:													
Weight:lbs/ft. Wall thickness or gauge no.:															
		ft. to													
		ial:													
Grout interval: ft. to ft. Grout material:				СОМІ	MENTS										
Screen / =	arford	ion meterial													
					CONT	RACTOR	S OR LA	ANDOWNERS	CERTIF	ICATION					
					This	This water well was constructed reconstructed pursuant to the stated water well									
From _	Fromft. toft. contractor's license and was completed on I certify that this record is true to														
Slot	Slot size unit the best of my knowledge and belief. This water well record was completed on														
Fromft. toft. under the business name of															
Slot size unit						Kansas Water Well Contractor's License No under the authority of the designated									
Gravel pack intervals:															
Gravel pack not used: Gravel size in				-	person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the										
11011111.1011.						designated person at its submittal:									
Gravel pack not used: Gravel sizein Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT							ed well.								
From	Fromft. toft. Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367														




FIGURE 2 - DETAILED SITE BASE MAP



1311 E 25th St., Suite B (785) 841-8707 office Lawrence, KS 66046 (785) 865-4282 fax

PROJECT:

Former Texaco Facility #29-126-0023 & Fast Track/Formerly Texaco 1733 Massachusetts St., Lawrence, KS KDHE ID: U4-023-10043 / 15303

Date: 11/2/23

0 50 ft

Approximate Location of Former UST Basin,

Product Lines & Pump Islands Approximate Location of Property Line

Excavation area

O Plugged Monitoring Well

Proposed Monitoring Well

X Proposed Soil Boring

Fire Hydrant

E Electric

Overhead Lines (25'-40' high) Sewer (2 - 6 ft bgs)

Water Lines (2 - 6 ft bgs) Gas (2 - 6 ft bgs)

NOTE: SB15 & SB16 will be drilled to collect hydrologic samples. NOTE: Utility depths, heights and locations are approximate.

DENNIS L HANDKE

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Jess Chapman Larsen & Associates 1311 E. 25th Street, Suite B Lawrence, Kansas, 66046

Elev: 871.83

January 18, 2025

RE: Monitor Well Elevation Survey 1733 Massachusetts, Lawrence, Kansas Proj. 25-00A Former Texaco Facility U4-023-10043 / 15303

Bench Mark: Square cut on top of East end of concrete retaining wall at NE corner of property. (from SE Cor. Sec. 6-13-20E) North 3461.32 West 3589.64

rim top pipe	873.04 872.52	North 3467.42 West 3698.04	SW1/4,NW1/4,SE1 Lat = 38.95215	
rim top pipe	873.00 872.71	North 3619.96 West 3709.89	SW1/4,NW1/4,SE1 Lat = 38.95257	
rim	873.01	North 3583.86	SW1/4,NW1/4,SE1	1/4,NW1/4
top pipe	872.63	West 3709.30	Lat = 38.95247	Long = 95.23651
rim	871.56	North 3604.21	SE1/4,NW1/4,SE1/	/4,NW1/4
top pipe	871.00	West 3591.62	Lat = 38.95252	Long = 95.23609
rim	871.33	North 3631.26	SE1/4,NW1/4,SE1.	/4,NW1/4
top pipe	870.98	West 3590.47	Lat = 38.95260	Long = 95.23609

Lat & Long derived from Lawrence East 7.5'Quad Map NAD 29

Elevation derived from project NGS BM V 368. NAVD 1988.

If you have, any questions, please feel free to call me. Thank you for the opportunity to be