KOLAR DOC ID \_\_\_\_\_ WELL ID\_

## **WATER WELL RECORD** (WWC-5)

From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

OCATION OF WATER WELL						Original Reco	rd Correction	Change	e in Wel	l Use
Latitude	Longitude			Section	Township	Range	E W Fraction	1/4	1/4	1/4
Datum	Elevation			County						
WATER WELL OWNER			WELL	WATER USI			NEAREST SOURCE OF POTENTIAL CONTAMINATION			
Name							Source:			
			COMP	LETION			Distance	Direction		
Business				LETION			from well:	from well	:	
Address			Depth of completed well:ft.  Depth(s) groundwater encountered:				Source description:			
				1) ft.; (2) ft.;			-			
Well location			(3) ft.; (4) dry well				Source:	Direction		
			Static water level in well: ft.				from well:	from well	:	
at owner's address			measured below land surface on (mm/dd/yy):				Source description:			
CONSTRUCTION			m	easured abo	ve land surface		No potential source within 100 feet.	ce of contamir	nation	
Borehole interval: Borehole diameter:			on (mm/dd/yy):				PERMIT & ID NUMBERS (AS REQUIRED)			
fromto ft.		in.	Estim	ated yield:	gpm		FERMIT & ID NOMBE	NS (AS REQUI	NLD)	
fromto ft.		in.	Water level was: ft. after hours				DWR Application No.:			
Casing height above land sur	face:	in.	pumpinggpm				KDHE / EPA Project Code:			
If casing height is less tha	Pump installed? Yes No				Site Name:					
has a variance been approved?* Yes No							KDHE UIC Class V Form Completed: Yes No			
*variance not required for	Water well disinfected? Yes No				County Permit: Yes No Permit ID:					
or environmental remediation wells			Date disinfected (mm/dd/yy):				Lease Name & Well #:			
Casing type:Blank casing interval:	ft to	ft	Aquif	er, if known	:		# of boreholes:	# of dewater	ing wells:	
Blank casing diameter:				LOGIC LOG						
Casing joints:			FRO		LITHOLOGY	NTERVALS				
Weight: lbs/			110	10	Limozodii	MILITALS				
Wall thickness or gauge n										
Blank casing interval:		<b>I</b>								
Blank casing diameter:										
Casing joints:										
Weight:lbs/										
Wall thickness or gauge n										
Grout interval: ft. to										
Grout material:										
Grout interval: ft. to			COMM	IFNTS						
Grout material:				ILIVI 3						
Screen / perforation material:										
Screen / perforation opening	s:		CONT	RACTOR'S	OR LANDOWNER	S CERTIFICATION	<u> </u>			
Screen / perforation intervals:			This	water well	was constructe	d reconstru	icted pursuant to	the stated wa	ater well	
Fromft. to			conti	ractor's lice	ense and was con	npleted on	I certify th	at this record	l is true t	ю
Slot size unit _			the b	est of my l	knowledge and b	elief. This water	well record was comple	eted on		
From ft. to	ft.			-	_		1			_
Slot size unit _							under the au			, ited
Gravel pack intervals:								· ·	_	
Gravel pack not used:	Gravel size _	in	-			-	ed and certified by the	eiectronic sig	nature o	tne
From ft. to	_ ft.				son at its submitt		·			
Gravel pack not used:	Gravel size	in	Send o	ne copy to V	VATER WELL OW	NER and retain on	e for your records. Fee of	\$5.00 for each o	constructe	d wel

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

## **DENNIS L HANDKE**

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Jess Chapman Larsen & Associates 1311 E. 25<sup>th</sup> Street, Suite B Lawrence, Kansas, 66046 March 20, 2025

RE: Monitor Well Elevation Survey 3237 Arnold Ave., Salina, Kansas

Proj. 25-00F SAA, Bldg 105, Pumphouse #1 U5-085-10502

Bench Mark: Chisled X on NW top bolt of fire hydrant 77 feet Southwest of MW#4.

Elev: 1265.58		North 4102.76		West 2882.26		(from SE Cor. Sec. 3-15-3W
MW-1	rim	1262.45	North	4155.73	SE1/4,SE1/4,NI	E1/4,NW1/4
	top pipe	1262.23	West	2748.08	Lat= 38.78045	Long = 97.64117
MW-2	rim	1262.13	North	4315.25	NE1/4,SE1/4,N	E1/4,NW1/4
	top pipe	1261.75	West	2690.76	Lat= 38.78089	Long = 97.64097
MW-3	rim	1262.45	North	4141.59	SW1/4,SW1/4,1	NW1/4,NE1/4
	top pipe	1262.15	West	2549.74	Lat= 38.78044	Long = 97.64047
MW-4	rim	1262.93	North	4156.70	SE1/4,SE1/4,SE	E1/4,NW1/4
	top pipe	1262.61	West	2827.24	Lat= 38.78045	Long = 97.64145
MW-5	rim	1261.69	North	4322.44	NE1/4,SE1/4,N	E1/4,NW1/4
	top pipe	1261.35	West	2854.05	Lat= 38.78091	Long = 97.64154

Lat & Long derived from Saline SW 7.5' quad map. WGS 84.

Elevation established from NGS PACS SLN B . NAVD 88.

If you have any guestions, please feel free to call me. Thank you for the opportunity to be

LS-786

SURVE

