## **WATER WELL RECORD** (WWC-5)

From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

<b>VATER WELL REC</b>	ORD (W	WC-5)				KOLAR [	OOC ID		WELL ID_			
OCATION OF WATER WEL	L					Original Reco	rd Coi	rrection	Chang	ge in We	ll Use	
Latitude	Longitude			Section	Township	Range	E W	Fraction	1/4	1/4	1/4	
Datum	Elevation			County								
ATER WELL OWNER			WELL	WATER USI	E		NEAREST S	OURCE OF F	POTENTIAL	CONTAMI	OITAN	
Name							Source:					
Business			COMP	LETION			Distance		Directio	nn		
					ted well:	ft.	from well:	:	_ from we	ell:		
Address			-	-	water encountered:		Source descriptio	n:				
			-	•	(2) ft.;							
Well location					(4) dry well					n.		
			-			<u> </u>	from well:	:	_ from we	ell:		
at owner's address			m		in well: f ow land surface v):	ι.	Source descriptio	n:				
ONSTRUCTION  Borehole interval:	Borehole dia	meter·	m	•	ve land surface			tential sourc 100 feet.	e of contam	ination		
fromto ft.								PERMIT & ID NUMBERS (AS REQUIRED)				
				Estimated yield: gpm				DWR Application No.:				
fromto ft in.			Water level was:ft. afterhours pumping gpm				KDHE / EPA Project Code:					
Casing height above land su		in.	Pumr		Yes No	gpiii	I	e:				
If casing height is less th has a variance been appropriate the control of the control of the case of		s No	Tump	instanca.	103 110		I	IC Class V Fo			No	
*variance not required for monitoring			Water well disinfected? Yes No				County Permit: Yes No Permit ID:					
or environmental remediation wells			Date disinfected (mm/dd/yy):				Lease Name & Well #:					
Casing type:	· ·		Aquif	er, if known			I	oles:				
Blank casing interval:		ft.										
Blank casing diameter:				LOGIC LOG		NTERVALE						
Casing joints:lbs			FROI	м то	LITHOLOGY	NIERVALS						
Wall thickness or gauge												
Blank casing interval:												
Blank casing diameter:												
Casing joints:												
· —	s/ft.											
Wall thickness or gauge												
Grout interval: ft. to												
Grout material:it. to												
Grout interval: ft. to												
Grout material:			COMM	IENTS								
Grout material.												
Screen / perforation material	l:											
Screen / perforation opening			CONTI	RACTOR'S	OR LANDOWNERS	S CERTIFICATION						
Screen / perforation intervals					was constructed			oursuant to	the stated v	water well	1	
Fromft. to					ense and was com		•					
Slot size unit _					knowledge and be	_		-				
Fromft. to				-	_			_				
Slot size unit					ness name of							
Gravel pack intervals:					Well Contractor's				•	_		
Gravel pack not used:	Gravel size _	in	-		ed in K.A.R. 28-3		d and certifi	ied by the e	lectronic si	gnature o	of the	
From ft. to			desig	nated pers	son at its submitte	al:		<u> </u>				
Gravel pack not used:		.	Send o	ne copy to V	VATER WELL OW	NER and retain on	e for your reco	ords. Fee of \$	5.00 for each	construct	ed wel	

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record
Doc ID	1833937
Well Owner	Mac Pizza, LLC
Contractor	GSI Engineering, LLC

## Lithology

From	То	Lithology Intervals
0	2.5	topsoil,grass
2.5	30	clay-fat,dark brown, stiff, high plasticity, frozen, no odor
30	35	clay-lean,silty,light brown, loose, low plasticity, dry, no odor
35	37.5	clay-fat,high plasticity, stiff, dry light brown, no odor
37.5	50	clay-lean,silty,medium plasticity, loose, fry, light brown, no odor, moist @ 47.5'
50	55	clay-fat,high plasticity, stiff, dry, light brown, no odor
55	85	sand,fine,silty,loose, light brown, dry, no odor, poor sorting, fine
85	105	sand,medium,well sorted, loose, dry, light brown, no odor, interbedded clay @ 95'

